



ons
EUROPE
OPEN NETWORKING //
Integrate, Automate, Accelerate

September 25 - 27, 2018
Amsterdam, The Netherlands

OpenDaylight

Current and Future Use Cases

Abhijit Kumbhare

OpenDaylight Technical Steering Committee (TSC) Chair

Principal Architect / System Manager, Ericsson



ons
EUROPE
OPEN NETWORKING //
Integrate, Automate, Accelerate

Agenda

- OpenDaylight Overview and Architecture
- OpenDaylight Use Cases (Partial List)
 - I. Network Abstraction
 - II. ONAP
 - III. Network Virtualization
 - IV. AI/ML with OpenDaylight
 - V. ODL in OSS
- OpenDaylight: Getting Involved
- Acknowledgements
- Q & A



ons
EUROPE
OPEN NETWORKING //
Integrate, Automate, Accelerate

OpenDaylight Overview and Architecture



Past Two Days ...

- Dinner Discussion with Phil Robb, VP of Operations, Networking & orchestration, Linux Foundation
 - Topic: our first OpenDaylight Meetings
 - November 2012



Nostalgic post by Dave Meyer, first ODL TSC chair on Facebook about first release Hydrogen in Jan 2014




ons
EUROPE
OPEN NETWORKING //
Integrate, Automate, Accelerate

Realization: We're a bit old ...

- As far as open source communities go – 6 years is like 60 dog years!!!
 - But that's great!!
 - We've got old timers
- AND
- We've always been adding new developers

OpenDaylight Project Goals



- **Code:** To create a robust, extensible, open source code base that covers the major common components required to build an SDN solution and create a solid foundation for Network Functions Virtualization (NFV)
- **Acceptance:** To get broad industry acceptance amongst vendors and users
- **Community:** To have a thriving and growing technical community contributing to the code base, using the code in commercial products, and adding value above and around.





OpenDaylight Now

- Mature, Open Governance
- 900 Contributors
- Over 100 deployments
- Multiple use cases
- Dozens of ODL-based solutions
- Mature code base – continued robust contributions even after 5+ years
- Focus on performance, scale and extensibility


Git

116,431
Commits


900
Authors

86
Repositories

Git Commits



Git Authors






Service Abstraction Layer

- Initial SDN controllers
 - Controller application APIs strongly tied to OpenFlow
 - Hence applications developed limited to a single southbound protocol
- OpenDaylight Goal
 - Decouple the application API from the southbound protocol plugins - be that Openflow, NETCONF, OVSDB, PCEP, BGP, SNMP, or whatever.
- How to achieve the goal?
 - Use an abstraction layer – or what is called by OpenDaylight as Service Abstraction Layer or SAL



API Driven SAL (AD-SAL)


- Initial attempt at abstraction
 - API-Driven SAL, for communicating more directly with devices, using protocol(s) associated with the specific API.
- However abstraction difficult to realize in practice than it was in theory
 - AD-SAL became a collection of independent and discrete APIs, with one set of APIs for each and every southbound protocol
- AD-SAL was soon deprecated in OpenDaylight.





So how to achieve true abstraction?

- Alternatives
 - Build a better SAL
 - Take the existing APIs for the different plugins, and attempt to come up with an API abstraction that meets all of their needs
 - Use models
 - Implement a model layer within the SAL which has SDN applications dealing with software models of network devices, rather than directly with the devices themselves.
 - This was the approach taken by OpenDaylight – to develop a **Model Driven SAL** or the **MD-SAL** built around **Yang models**





YANG


- Data modeling language that is also the preferred configuration language for NETCONF protocol
- Further reads:
 - [YANG introductory tutorial](#)
 - [RFC 6020 - YANG - A data modeling language for NETCONF](#)
 - [RFC 7950 – The YANG 1.1 Data Modeling Language](#)

```
module model1 {  
  
    namespace "urn:model1";  
    prefix model1;  
    yang-version 1;  
  
    revision 2015-04-06 {  
        description "Initial revision";  
    }  
  
    grouping A {  
        list B {  
            key id;  
            leaf id {  
                type uint32;  
            }  
            leaf D {  
                type uint32;  
            }  
        }  
    }  
  
    container C {  
        uses A;  
    }  
}
```




What can YANG model?

- Data
- RPCs:
 - Perform procedure call with input/output, without worrying about actual provider for that procedure
- Notifications:
 - Publish one or more notifications to registered listeners



MD-SAL Application Creation Process



- › Applications built defining models
- › YANG used for defining models
- › Compilation results in the skeleton of application: model, RESTCONF API, etc.

- › Elements in red color above is the app skeleton
- › The model implementation (green) is where you will write code to do whatever it is that your application or the model within your application does



Yangtools – What does Yangtools do?

- Generates Java code from Yang
- Provides 'Codecs' to convert
 - Generated Java classes to Document Object Model (DOM)
 - DOM to various formats
 - XML
 - JSON
 - Etc
- 'Codecs' make possible automatic:
 - RESTCONF
 - Netconf
 - Other bindings



Java
code

xml

json




Yang to Java benefits


- Consistent Data Transfer Objects (DTOs) everywhere
 - **Automated Bindings:**
 - restconf
 - netconf
 - **Consistent:** reduce learning curve
 - **Immutable:** to avoid thread contention
 - **Improvable** – generation can be improved and all DTOs get those improvements immediately system wide

MD-SAL


- › Model-driven SAL is the kernel of the OpenDaylight controller
- › It manages the contracts and state exchanges between every application. It does this adaptation by managing centralized state
- › Takes in the YANG model at runtime and constructs the tree in the data store



OpenDaylight Architecture - Simplified View



An Aspect of the architecture: ODL is a μ -services platform



Third Party Applications (Orchestration, Control Plane, UI, etc.)

OpenDaylight APIs

Platform Services

Network Services And Applications

Application
(Processing)

Model

API

Data Store (Config & Operational)

OpenDaylight Platform

Messaging (Notifications / RPCs)

API

Protocol
Plugin


Model

Interfaces & Protocol Plugins

Data Plane Elements (Virtual Switches, Physical Devices)



OpenDaylight Fluorine Release



* First release for the project

** Not included in Fluorine distribution - separate download



ons
EUROPE
OPEN NETWORKING //
Integrate, Automate, Accelerate

OpenDaylight Architecture: Key Takeaway

- OpenDaylight architecture is amenable to be applied to a variety of use cases as:
 - Not tied to a particular protocol
 - Modular, Extensible
 - Has built-in tools to simplify application development



ons
EUROPE
OPEN NETWORKING //
Integrate, Automate, Accelerate

OpenDaylight Use Cases (Partial List)




ons
EUROPE
OPEN NETWORKING //
Integrate, Automate, Accelerate

Note

- OpenDaylight architecture has been used in many use cases – not all covered here




Use Case I Network Abstraction



Provides Network Services API for Network Automation in a Multi Vendor Network



Use Case II ONAP Project



SDN-C & App-C based on OpenDaylight code




Use Case III

Network Virtualization

- A set of projects working in tandem to provide network virtualization (overlay connectivity) inside and between data centers for Cloud SDN use case
 - VxLAN within the data center
 - L3 VPN across data centers
- Integration with OpenStack Neutron and Kubernetes (in-progress)
- Uses Open vSwitch and hardware VTEPs (ToR) as the datapath




NetVirt: L3 VPN & VxLAN Architecture Overview






Network Virtualization: OpenDaylight Components



OpenDaylight NB APIs (REST)

ODL




BGP Protocol Engine (Quagga)



Legend



A common controller platform



Uniform service capabilities



Simplified interworking



Reduced training And validation




Simplified troubleshooting



Common dashboard

OpenDaylight multi-instance controller





OpenDaylight Container Orchestration Engine

- Current Status

- Hybrid scenario:
 - Openstack and Kubernetes side by side
 - Integration with ODL via Openstack Kuryr
 - Supports Multinode environment
 - Supports container in a VM scenario
- Baremetal scenario
 - Kubernetes only
 - Tight integration with ODL NetVirt
 - Supports Pod 2 Pod networking L2/L3


- Future Scenarios

- Support for non-OF southbound
 - NetConf
- Testing with L3VPN for multi-tenant scenarios
- Scale testing & improvement



Use Case IV (future) AI/ML with OpenDaylight

Smart SDN Controller



- Network status awareness
 - Rely on time series data collected from the network
- Traffic Control Policy Change decision making
 - Based on the advanced analytics and machine learning.
- Dynamic change of Control policies
 - Automatically change the traffic control policies based on the analytics results.



Why we need Machine Learning in SDN

- Software Defined Networks needs to be intelligent.
 - To be aware of the runtime status of the network.
 - To make the right decisions that adjust the policies for traffic classification and traffic shaping.
 - To dynamically change the policies according to the analytics results.
 - AI / ML can be used to establish normalized profiles and dynamically update the profiles based on a set of predetermined or dynamically learned rules.




Use Cases of a smart and intelligent SDN controller


- Traffic Control and Routing Optimization
 - Congestion Control
 - Traffic Pattern Prediction
 - Routing Optimization
- Resource optimization
 - Networking resource allocation optimization
 - Cloud resource management optimization
- Security and Anomaly Detection
 - DDoS attack detection and mitigation
- Troubleshooting and Self-healing



AI/ML Example Use Case – Traffic congestion prediction with automated control



SDN controlled network



OpenDaylight + TSDR

- ① Collect stats from the network and store into TSDR
- ② Data analysis through data analytics engines integration
- ③ Traffic flow redirection from A->F to A->B->F and A->D->E->F

- Predicted congestion path in the next 24 hours
- Healthy path in the next 24 hours




ons


EUROPE

OPEN NETWORKING //
Integrate, Automate, Accelerate

Prediction using Weka leveraging data collected in TSDR




ODL AI/ML framework in the ODL ecosystem



- Enable AI/ML on both historical and real-time data paths.
- Many use cases would require both offline and online ML on the time series data.
- External events could be additional input for accurate machine learning results.
- Feed back the results to SDN control path for automatic traffic steering and policy placement.
- Well-defined interface among the components towards future standardization of advanced analytics in SDN.

ODL AI/ML framework PoC Architecture



- PoC of both historical offline machine learning and real-time online machine learning
 - Collect the time series data
 - Persist into scalable data storage
 - Publish to high performance data bus
- Integrate with external machine learning libraries
 - Spark MLlib
 - DeepLearning4J
- Collect OpenFlow Stats and apply machine learning algorithms
 - *k*-means clustering



Use Case V


OpenDaylight in OSS (future)

WAN Transport Orchestrator (WAN-O)

- Based on ACTN (Abstraction of Control of Traffic Engineered Network) IETF Standard for realizing hierarchical SDN architecture
 - Yang Based (NetConf/RESTCONF) Models

SDN Hierarchical architecture based on ACTN

- › Coordination of resources across multiple independent networks and multiple technology layers to provide end-to-end services
- › Layered operational model:
 - *Customer*: issuing a service request from catalog
 - *Service Provider*: dealing w/ Customer and providing the service (may or may not own the network(s) as such)
 - *Network Provider*: infrastructure providers owning the physical network(s) and building the infrastructure



WAN-O as MDSC, interfaces

MDSC NBI:


- CMI: CNC to MDSC interface
- YANG based (Netconf/Restconf)
- End to end Virtual Network concept
- Unified end to end topology

MDSC SBI:


- MPI: MDSC to PNC interface
- YANG based (Netconf/Restconf)
- Per domain TE-Tunnels
- White or Black Domain topology

CNC - Customer Network Controller
MDSC - Multi Domain Service Coordinator
PNC - Provisioning Network Controller

CMI - CNC-MDSC Interface
MPI - MDSC-PNC Interface
SBI - South Bound Interface




Transport Network architecture




END to END service orchestration

Connectivity services



END to END service orchestration

VNF services





ons
EUROPE
OPEN NETWORKING //
Integrate, Automate, Accelerate

OpenDaylight: Getting Involved



Avenues for getting involved

- OpenDaylight Wiki: <https://wiki.opendaylight.org>
- Mailing Lists:
 - Central / Cross Project: https://wiki.opendaylight.org/view/Mailing_Lists
 - Complete List including individual projects: <https://lists.opendaylight.org/mailman/listinfo>
- Chat with developers via IRC: <https://wiki.opendaylight.org/view/IRC>
- Meetings:
 - Technical Steering Committee: <https://wiki.opendaylight.org/view/TSC:Meeting>
 - Technical Work Stream: https://wiki.opendaylight.org/view/Tech_Work_Stream:Main
 - Complete List including individual projects: <https://wiki.opendaylight.org/view/Meetings>



ons
EUROPE
OPEN NETWORKING //
Integrate, Automate, Accelerate

Areas to getting involved in

- OpenDaylight Documentation Project
- Project of your interest
 - https://wiki.opendaylight.org/view/Project_list
 - Code Reviews
 - Bug Fixing
- MD-SAL & Clustering (Distributed Systems)
 - Experts
 - Enthusiasts: Improve your skills in these hot & in-demand area
- Scale & Performance
- Testing
- Architecture Improvements
 - Example: Scalable and Robust Data Replication using etcd.



ons
EUROPE
OPEN NETWORKING //
Integrate, Automate, Accelerate

Acknowledgements



- Contributors to slides

- Antonio De Gregorio
- Colin Dixon
- Daniele Ceccarelli
- Dayavanti Kamath
- Francois Lemarchand
- Frederick Kautz

- Jan Medved
- Luis Gomez
- Prem Sankar Gopanan
- Scott Melton
- Srini Seetharaman
- YuLing Chen

- Reference


- <https://github.com/BRCDComm/BVC/wiki/MD-SAL>



ons
EUROPE
OPEN NETWORKING //
Integrate, Automate, Accelerate

Q & A

September 25 - 27, 2018
Amsterdam, The Netherlands



ons

EUROPE

OPEN NETWORKING //
Integrate, Automate, Accelerate