

# Phosphorus Release

## OpenDayLight Phosphorus Release: Inputs to Marketing Communications

### BGPCEP

Status	Key	Summary
RESOLVED	BGPCEP-976	Improve PCEP message parsing interface
RESOLVED	BGPCEP-970	Graph not able to parse SRGB with index instead of value
RESOLVED	BGPCEP-971	Graph from BGP-LS is not able to handle correctly IPv4 addresses
RESOLVED	BGPCEP-972	Segment Routing is not activated by default
RESOLVED	BGPCEP-973	Netty reports ByteBuf leak around mvpn tests

5 issues

### NETCONF

Status	Assignee	Summary
OPEN	Martin Sunal	Accumulating "Keepalive RPC failed with error"
IN REVIEW	uboš iut	Listen for send message completion
OPEN	Ivan Hrasko	Wrong order of catching exceptions
OPEN	Ivan Hrasko	Netconf-console cannot use encrypted password
OPEN	Samuel Schneider	Unify certificates payload for keystore RPCs
IN PROGRESS	uboš iut	OpenAPI: Generate document for module without revision
IN REVIEW	Anton Okhrimenko	OpenAPI: Improve swagger UI update process
IN REVIEW	Anton Okhrimenko	OpenAPI: Add possibility to control width/depth from UI
IN REVIEW	Anton Okhrimenko	OpenAPI: Hard-code width and depth parameter
RESOLVED	Robert Varga	Test Tool Fails Intermittently to Send Required Netconf Replies
IN PROGRESS	Oleksandr Zharov	OpenAPI: limit document size with depth/width parameters

<span>OPEN</span>	Martin Sunal	Request timeout is too long for NETCONF keepalive
<span>RESOLVED</span>	Robert Varga	MessageBodyWriter not found for OperationOutputBody
<span>OPEN</span>	Unassigned	sal-remote create-notification-stream is not working
<span>RESOLVED</span>	Robert Varga	MessageBodyWriter not found when using JaxRsFormattableBody
<span>OPEN</span>	Matej Šramík	Keystore RPCs put incorrect data into datastore
<span>RESOLVED</span>	Oleksandr Zharov	Fix inconsistent payload for keystore RPCs
<span>IN PROGRESS</span>	Oleksandr Zharov	Fix inconsistent payload for keystore RPCs
<span>RESOLVED</span>	Robert Varga	Allow configuring odl-pretty-print to default to true
<span>RESOLVED</span>	Matej Šramík	Testtool cannot load openconfig models
<span>RESOLVED</span>	Robert Varga	Clean up restconf.server.api path handling
<span>RESOLVED</span>	uboš iut	Document get module source
<span>RESOLVED</span>	Oleksandr Zharov	OpenAPI: Update Swagger UI to v5.13.0
<span>RESOLVED</span>	Robert Varga	NPE on GET rests/operations
<span>IN PROGRESS</span>	Oleksandr Zharov	Cannot connect device over TLS
<span>OPEN</span>	Unassigned	Add encrypted property storage - kubernetes implementation
<span>RESOLVED</span>	uboš iut	Migrate netconf-topology tests to JUnit 5
<span>RESOLVED</span>	Yaroslav Lastivka	OpenAPI: invalid explorer redirection URL
<span>RESOLVED</span>	Robert Varga	org.opendaylight.netconf.topology-singleton fails to resolve
<span>IN REVIEW</span>	uboš iut	openapi / swagger does not work for TransportPCE with controller resources
<span>IN PROGRESS</span>	Ruslan Kashapov	Integration Test Failure with DOMDataTreeWriteTransaction#put
<span>RESOLVED</span>	Robert Varga	ietf-yang-library:modules-state not available
<span>IN PROGRESS</span>	Yaroslav Lastivka	Eliminate ensureParentsByMerge logic for NETCONF devices
<span>CONFIRMED</span>	Ivan Hrasko	Expose NETCONF Event Stream from RESTCONF server
<span>RESOLVED</span>	Yaroslav Lastivka	Redundant "/" sign in AbstractRestconfStreamRegistry#baseStreamLocation
<span>RESOLVED</span>	Yaroslav Lastivka	Error 500 on Notification Stream Access for Netconf Device Subscriptions
<span>IN REVIEW</span>	Samuel Schneider	Update notification subscription user guide
<span>RESOLVED</span>	Ruslan Kashapov	Failed to lookup prefix
<span>IN REVIEW</span>	Samuel Schneider	OpenAPI: not used "duplicated" schema
<span>RESOLVED</span>	Oleksandr Zharov	OpenAPI: Missing action input and output
<span>RESOLVED</span>	Oleksandr Zharov	500 server error when trying to spawn new netconf connector
<span>IN REVIEW</span>	Matej Šramík	Refactor SshProxyServer class
<span>RESOLVED</span>	Robert Varga	Cannot instantiate on RpcEffectiveStatementImpl...

<span>RESOLVED</span>	Robert Varga	Cannot deserialize key value
<span>RESOLVED</span>	uboš iut	Cannot create new list resource with instance identifier key
<span>IN REVIEW</span>	Yaroslav Lastivka	Capabilities created for yang models without revision are unavailable
<span>RESOLVED</span>	Robert Varga	Remove misleading eventTime rounding warning
<span>IN REVIEW</span>	Robert Varga	Initial device connection fails due to unstable network conditions on device
<span>OPEN</span>	Robert Varga	Restconf reports status 500 when stream does not exist
<span>RESOLVED</span>	uboš iut	OpenAPI: Wrong path reference for netopeer2 models
<span>RESOLVED</span>	Ivan Hrasko	Adapt documentation of Netconf-connector configuration
<span>RESOLVED</span>	Ruslan Kashapov	Add encrypted property storage
<span>RESOLVED</span>	Robert Varga	Use specialized NETCONF base schemas
<span>RESOLVED</span>	Oleksandr Zharov	OpenAPI: Update Swagger UI to v5.11.8
<span>RESOLVED</span>	uboš iut	OpenAPI: netopeer2 duplicated mapping key
<span>RESOLVED</span>	Yaroslav Lastivka	OpenAPI: unite description handling for data and RPC I/O
<span>RESOLVED</span>	Oleksandr Zharov	Device's reconnecting does not work
<span>RESOLVED</span>	uboš iut	The number of connection attempts is ignored
<span>RESOLVED</span>	Samuel Schneider	Missing device's connection status
<span>RESOLVED</span>	Oleksandr Zharov	Callhome Device Remains 'DISCONNECTED' After Adding to Allowed Devices
<span>RESOLVED</span>	Ruslan Kashapov	HTTP transport implementation
<span>IN REVIEW</span>	uboš iut	OpenAPI: Create SchemasEntity class to simplify SchemasStream
<span>RESOLVED</span>	uboš iut	Cannot retrieve modules source
<span>RESOLVED</span>	Ruslan Kashapov	Full list delete fails when called on remote device via restconf
<span>RESOLVED</span>	Robert Varga	Restconf monitoring streams are missing
<span>RESOLVED</span>	Robert Varga	Update odl-netconf-callhome-server.yang
<span>RESOLVED</span>	uboš iut	OpenAPI: Iterate over models in SchemasStream
<span>RESOLVED</span>	uboš iut	OpenAPI: Iterate over models in PathsStream
<span>RESOLVED</span>	uboš iut	OpenAPI: Create overloaded constructors for PathEntity
<span>RESOLVED</span>	Ivan Hrasko	Exception on building get-config list filter with fields
<span>CONFIRMED</span>	Unassigned	Refactor ClientFactoryManagerConfigurator
<span>RESOLVED</span>	Robert Varga	Refactor SslHandlerFactory
<span>RESOLVED</span>	Yaroslav Lastivka	No implementation of subscribe-device-notification available
<span>IN REVIEW</span>	Yaroslav Lastivka	NPE on topology PUT device without credentials
<span>RESOLVED</span>	Yaroslav Lastivka	Slow API docs generation for Junos device
<span>RESOLVED</span>	Robert Varga	Blocking call during NetconfDeviceSchemas acquisition
<span>RESOLVED</span>	Robert Varga	Eliminate netconf-config artifact

<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Samuel Schneider	Document RESTCONF base path configuration
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	uboš iut	OpenAPI: ignoring restconf settings
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">OPEN</span>	Vishal Varvate	Real-time ODU Yang Not Visible on ODLUX
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Unassigned	Decrease thread-blocking on NetconfMessage.toString()
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Matej Šramík	Decrease thread-blocking on NetconfMessage.toString()
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	uboš iut	Eliminate SchemasStream.EntityType
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">IN PROGRESS</span>	uboš iut	OpenAPI: implement paging
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	NetconfDeviceNotificationService.registerNotificationListeners() is not implemented
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">IN PROGRESS</span>	Samuel Schneider	Document RemoteDeviceCommunicator#sendRequest method
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Yaroslav Lastivka	Improve error path for list items
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Ivan Hrasko	OpenApi: Hide application class
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Samuel Schneider	Hard-coded /rests endpoint in stream locations
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Samuel Schneider	Remove no more used RFC 8040 configuration file
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Oleksandr Zharov	Make RESTCONF base path configurable
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Yaroslav Lastivka	Given final block not properly padded. Such issues can arise if a bad key is used during decryption
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Yaroslav Lastivka	Input length must be multiple of 16 when decrypting with padded cipher
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Ruslan Kashapov	Problems with GET/POST/DELETE of list elements with key of type instance-identifier
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">IN REVIEW</span>	Samuel Schneider	Make connection timeout and keep-alive configurable for Call-Home services
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	uboš iut	Create call-home device connection test
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Oleksandr Zharov	Reduce the number of conditional operators in RestconfStream
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">CONFIRMED</span>	Unassigned	RESTCONF OPTIONS on /data does not produce Accept-Patch
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">CONFIRMED</span>	Unassigned	Remove WebSocket event stream delivery
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	Deprecate WebSocket event stream delivery
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	Correct RESTCONF cache control metadata
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">OPEN</span>	Unassigned	Support EC algorithm for netconf-keystore private keys
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">OPEN</span>	Unassigned	Support private keys and trusted certificates configuration on per TLS device basis
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Ruslan Kashapov	NPE on topology create-device without credentials
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Oleksandr Zharov	Update user-guide for login-password removal
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">CONFIRMED</span>	Ivan Hrasko	Optimize Restconf-Netconf operations for List and Leaf-List items
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Ivan Hrasko	Long delay in connection status update after connection issue for multiple devices
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Ruslan Kashapov	Netconf device stays connected even when unavailable
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	Use Netty Timer in KeepAliveSalFacade
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Samuel Schneider	Adapt netconf testtool for login-password removal
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">OPEN</span>	Ivan Hrasko	Translate the patch request into a single edit-config

<span>RESOLVED</span>	Samuel Schneider	Clean-up RestconfStateStreamsTest class
<span>RESOLVED</span>	Ivan Hrasko	Device Remain Connected after it get stopped
<span>RESOLVED</span>	Sangwook Ha	Invalid NETCONF message triggers unnecessary parsing of partial message
<span>RESOLVED</span>	uboš iut	Support maximum value and random selection of wait time between connection attempts
<span>RESOLVED</span>	Peter Suna	Duplicate 'ignore-missing-schema-sources' in the NETCONF node
<span>CONFIRMED</span>	Unassigned	Refactor netconf-netty-util
<span>CONFIRMED</span>	Unassigned	Eliminate shaded-sshd artifact
<span>RESOLVED</span>	Robert Varga	Upgrade SSHD to 2.11.0
<span>IN PROGRESS</span>	Robert Varga	Refactor RESTCONF server error reporting
<span>RESOLVED</span>	Oleksandr Zharov	Remove deprecated way of configuring login/password
<span>RESOLVED</span>	Oleksandr Zharov	Enforce base64 encoding for netconf-keystore
<span>RESOLVED</span>	Matej Šramík	Replace whitelist with allowlist
<span>RESOLVED</span>	Matej Šramík	Update NETCONF user guide for call-home
<span>RESOLVED</span>	Ruslan Kashapov	Convert Callhome-{protocol, provider} to transport-api
<span>OPEN</span>	Unassigned	Mount 2000 Netconf servers
<span>RESOLVED</span>	Samuel Schneider	OpenApi: Document feature installation and usage
<span>RESOLVED</span>	Oleksandr Zharov	PUT request with insert=after cannot add last item into list
<span>RESOLVED</span>	Oleksandr Zharov	OpenApi Remove processModule method from DefinitionGenerator
<span>RESOLVED</span>	Samuel Schneider	POST request with insert parameter fails if target URI points the list
<span>CONFIRMED</span>	Ruslan Kashapov	PUT requests failing with "insert" query parameter on testool models
<span>RESOLVED</span>	Matej Šramík	Improve failed YANG patch error output
<span>RESOLVED</span>	Martin Sunal	TCP session is hanging when NETCONF session is dead
<span>OPEN</span>	Ivan Hrasko	Leaf-list creation fails on min-element violation
<span>RESOLVED</span>	Sangwook Ha	NetconfDeviceMount "Already initialized" error
<span>RESOLVED</span>	Matej Šramík	OpenApi ignore min-elements conditions for list
<span>RESOLVED</span>	uboš iut	OpenAPI Generates Incorrect 'min-elements' for XML Leaf-List
<span>RESOLVED</span>	Robert Varga	netconf-client-mdsal emits useless namespace in filter
<span>IN REVIEW</span>	Yaroslav Lastivka	OpenApi missing POST request to device root
<span>RESOLVED</span>	uboš iut	OpenApi List show only string type for path parameters
<span>RESOLVED</span>	Peter Suna	Slow NETCONF RPC response caused by unreachable devices
<span>RESOLVED</span>	Oleksandr Zharov	Throw exception when module cannot be found
<span>RESOLVED</span>	Samuel Schneider	OpenAPI generate multiple resources/subresources in POST request
<span>RESOLVED</span>	Samuel Schneider	OpenAPI POST request generates incorrect XML example payload
<span>RESOLVED</span>	Yaroslav Lastivka	Create tests for POST "insert" query parameter

RESOLVED	Yaroslav Lastivka	OpenAPI: Update Swagger UI to latest v5.x.x
OPEN	Ivan Hrasko	Callhome Issues with ODL Netconf and Callhome Codebase
RESOLVED	uboš iut	RestconfSchemaService requires revision for all models
RESOLVED	Oleksandr Zharov	RestconfSchemaService return 500 if model was not found
OPEN	Ivan Hrasko	RestconfSchemaService returns 500 for device model
RESOLVED	Robert Varga	Eliminate InstanceIdentifierContext
CONFIRMED	Unassigned	Improve NetconfDataTreeService to handle RFC6243
CONFIRMED	Unassigned	Make RestconfStrategy.readData() asynchronous
RESOLVED	Sangwook Ha	Unnecessary data change events for child-nodes-only
RESOLVED	Robert Varga	RESTCONF DataTreeChange notifications use incorrect format
RESOLVED	Robert Varga	Incorrect subscription request URL
RESOLVED	Ruslan Kashapov	Don't use NotificationListener in NETCONF components
CONFIRMED	Unassigned	Support cluster status only when the feature is selected
RESOLVED	Robert Varga	Clean up NetconfDeviceTopologyAdapter datastore lifecycle
RESOLVED	Robert Varga	Operational data of netconf-topology node may not be removed
RESOLVED	Samuel Schneider	Remove identity from OpenAPI Schemas
RESOLVED	Samuel Schneider	Referencing nonexistent schemas on branches 4 and 5
RESOLVED	uboš iut	Fix SchemaExportContext#module usage
RESOLVED	Ivan Hrasko	OpenApi: Create examples for operational GET
RESOLVED	Robert Varga	Eliminate restconf.common.Patch
RESOLVED	Robert Varga	Eliminate use of restconf.common.Patch
RESOLVED	Matej Šramík	OpenApi: XML payload for RPC is missing namespace
RESOLVED	uboš iut	OpenApi: Add global description
RESOLVED	uboš iut	OpenApi: Add description to POST requests
RESOLVED	uboš iut	Convert SchemaExportContext to Java record
RESOLVED	uboš iut	Convert PatchStatusContext to Java record
RESOLVED	Ivan Hrasko	EMPTY body response on POST to /rests/operations
RESOLVED	Samuel Schneider	Incorrect schema reference in root post link
RESOLVED	Matej Šramík	Refactor NetconfNodeHandlerTest
RESOLVED	Samuel Schneider	OpenApi: Create overall integration test
RESOLVED	Yaroslav Lastivka	(devices) POST returns 500 on data already exists
RESOLVED	Ivan Hrasko	OpenApi: Remove deprecated RestDocgenUtil#resolveNodesName method
RESOLVED	Robert Varga	Eliminate AbstractIdentifierAwareJaxRsProvider
RESOLVED	Matúš Matok	netconf-testtool not building when GID too big
RESOLVED	Robert Varga	Remove PostDataTransactionUtil

RESOLVED	Robert Varga	Remove PutDataTransactionUtil
RESOLVED	Matej Šramík	OpenApi: Improve union type processing
RESOLVED	Ivan Hrasko	Union type does not work for number and boolean format
RESOLVED	uboš iut	OpenApi: Convert DefinitionGenerator into utility class
CONFIRMED	Unassigned	Refactor RemoteDeviceHandler
RESOLVED	uboš iut	OpenApi: Eliminate DefinitionGenerator#putIfNotNull(ObjectNode, String, Number)
RESOLVED	Matej Šramík	Create unit tests for NETCONF connection status behavior change
CONFIRMED	Unassigned	Refactor restconf.common.patch
RESOLVED	Robert Varga	Eliminate JAX-RS service interfaces
RESOLVED	Oleksandr Zharov	Do not use RpcService in NETCONF components
RESOLVED	Ivan Hrasko	Handle unencrypted password in login-password for topology node
CONFIRMED	Ivan Hrasko	Incorrect operational state of device configuration with Invalid encrypted password
RESOLVED	Robert Varga	Remove PlainPatchDataTransactionUtil
RESOLVED	uboš iut	OpenApi: Eliminate casting in DefinitionGenerator#processTypeDef
RESOLVED	Robert Varga	Remove DeleteDataTransactionUtil
RESOLVED	Robert Varga	Package RFC8650 ietf-restconf-subscribed-notifications module
RESOLVED	Robert Varga	Package RFC8641 ietf-yang-push module
RESOLVED	Ruslan Kashapov	Convert NETCONF client-side to transport-api
RESOLVED	Robert Varga	Remove org.opendaylight.restconf.nb.rfc8040.rests.utils
RESOLVED	Ruslan Kashapov	Convert NETCONF server-side to transport-api
CONFIRMED	Unassigned	NetconfMessage should work with binding-generated backing
RESOLVED	Oleksandr Zharov	Turn ListenersBroker into a component
RESOLVED	Peter Suna	Incorrect response for failed PATCH request
RESOLVED	Robert Varga	Refactor notification stream starts
RESOLVED	Samuel Schneider	OpenApi: Remove incorrect list POST requests
RESOLVED	Robert Varga	changed-leaf-nodes-only capability is not advertized
RESOLVED	Robert Varga	Restore sal-remote create-notification-stream functionality
RESOLVED	Robert Varga	NETCONF connection status behavior change
RESOLVED	Sangwook Ha	Fail to process PATCH with target containing a single forward slash
RESOLVED	Šimon Ukuš	OpenApi: Missing "all" content parameter value
OPEN	Ivan Hrasko	Join yang resource providers from restconf-nb and yanglib into single service
RESOLVED	Matej Šramík	Split out Rfc8040#ietfYangLibrary class
RESOLVED	Matej Šramík	Add maven central, docs and license badges to README.md
RESOLVED	Šimon Ukuš	Swagger document for a specific module in a specific mounted device not showing the name of the device
RESOLVED	Šimon Ukuš	OpenApi: Rework @Nullable String deviceId to be @NonNull

<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Šimon Ukuš	<a href="#">OpenApi: Eliminate OperationBuilder#buildSummaryValue</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Šimon Ukuš	<a href="#">OpenApi: Rework Operation#tags</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Matej Šramík	<a href="#">OpenApi: Centralize parameter creation</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">OPEN</span>	Unassigned	<a href="#">Restconf replay notifications are not working</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Šimon Ukuš	<a href="#">OpenApi: Eliminate appendPathKeyValue method</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Oleksandr Zharov	<a href="#">OpenApi returns 400 error after PUT request on toaster data</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Šimon Ukuš	<a href="#">Unable to write unkeyed list with RESTCONF PUT request</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">CONFIRMED</span>	Ivan Hrasko	<a href="#">Remove all POST requests</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Matej Šramík	<a href="#">OpenApi: Eliminate DefinitionGenerator#putIfNotNull</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Matej Šramík	<a href="#">OpenApi: Eliminate duplicate logic for anyXml/anyData</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px; text-align: center;">IN PROGRESS</span>	Sangwook Ha	<a href="#">Unexpected exception from NetconfSessionPromise after negotiation failure</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">OPEN</span>	Ivan Hrasko	<a href="#">OpenApi: Missing "data" path for POST requests</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Olivier Dugeon	<a href="#">Add Child only mode to SSE / Websocket</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Šimon Ukuš	<a href="#">OpenApi: Convert security to Java record</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Sangwook Ha	<a href="#">Connection status not updated after successful connection</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	<a href="#">Realign ietf-netconf-client-server models</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	<a href="#">Convert netconf-topology-singleton to OSGi DS</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">CONFIRMED</span>	Oleksandr Zharov	<a href="#">OpenApi: Create POST request only for module's top elements</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	<a href="#">Rework client reconnection logic</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	<a href="#">Refactor AbstractNetconfTopology interface</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	<a href="#">Remove odl-yanglib</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Sangwook Ha	<a href="#">Unrecoverable NETCONF session negotiation failure</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">OPEN</span>	Unassigned	<a href="#">Notification stream query parameters are broken</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Ruslan Kashapov	<a href="#">Wrong Map Node type causes Yanglib data merge failure</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Matej Šramík	<a href="#">OpenApi: Test authentication feature</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Šimon Ukuš	<a href="#">Eliminate TestData class</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Šimon Ukuš	<a href="#">Annotate serialVersionUID with java.io.Serial</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Peter Suna	<a href="#">OpenApi: Remove paths which provide only operational data</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Yaroslav Lastivka	<a href="#">OpenApi: Broken parameters logic</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Šimon Ukuš	<a href="#">OpenApi: Wrong XML GET example</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Tobias Pobocik	<a href="#">Union type has wrong type</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Ivan Hrasko	<a href="#">OpenApi: Eliminate TOP schemas</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Yaroslav Lastivka	<a href="#">OpenApi: Do not use ArrayNode to store parameters</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Ivan Hrasko	<a href="#">XML POST: Payloads are not well-formed XML documents</a>

RESOLVED	Yaroslav Lastivka	OpenApi: POST examples are incorrect
RESOLVED	Yaroslav Lastivka	OpenApi: Eliminate setRequiredIfNotEmpty method
RESOLVED	Oleksandr Zharov	OpenApi: Rework interaction with OpenApiOperation
RESOLVED	Sangwook Ha	SSE with sub identifier does not work
RESOLVED	Oleksandr Zharov	OpenApi: Introduce Operation object
RESOLVED	Samuel Schneider	Remove synchronization locking
RESOLVED	Yaroslav Lastivka	OpenAPI: Eliminate ListPathBuilder interface
RESOLVED	Yaroslav Lastivka	OpenApi: Eliminate createUniquePathParamName method
RESOLVED	Peter Suna	Broken refresh method in netconf-singleton
RESOLVED	Oleksandr Zharov	Migrate callers of Optional.get()
RESOLVED	Oleksandr Zharov	Convert ReadDataParams to Java record
OPEN	Unassigned	Possible memory leak when running get-config with large response file
RESOLVED	Oleksandr Zharov	OpenAPI: Missing validation badge
RESOLVED	Yaroslav Lastivka	OpenApi: Transform model to Java records
RESOLVED	Oleksandr Zharov	OpenApi: Rework unit test infrastructure
RESOLVED	Peter Suna	Remove RemoteDeviceConnector class
RESOLVED	Matej Šramík	Align netconf's documentation version with distro
RESOLVED	Oleksandr Zharov	OpenApi: Simplify adding config/non-config paths
RESOLVED	Peter Suna	OpenApi: Reduce XML elements inside OpenApi JSON
RESOLVED	Oleksandr Zharov	Rework README to markdown
RESOLVED	Ivan Hrasko	Rename Restonf bundles
RESOLVED	Oleksandr Zharov	OpenAPI: Fit "Select definition" content to width
RESOLVED	Yaroslav Lastivka	OpenAPI: Change openapi URLs
OPEN	Unassigned	ODL restart results in circuit breakdown
RESOLVED	Robert Varga	transport-tcp transport does not work with plain NioSocketChannel
RESOLVED	Yaroslav Lastivka	Rename odl-mdsal-apidocs feature to odl-restconf-openapi
RESOLVED	Yaroslav Lastivka	Add odl-yanglib into experimental features
RESOLVED	Yaroslav Lastivka	OpenAPI: Avoid null values in JSON
OPEN	Ivan Hrasko	OpenAPI: Use examples instead of example
RESOLVED	Yaroslav Lastivka	OpenAPI: Eliminate JsonUtil#addFields method
RESOLVED	Oleksandr Zharov	OpenAPI: Use Java Schema object instead of JsonNode
RESOLVED	Oleksandr Zharov	OpenAPI: Limit usage of JsonUtil#copy method
RESOLVED	Yaroslav Lastivka	OpenApi: Missing required parameters in swagger schema
RESOLVED	Šimon Ukuš	OpenAPI: Do not hardcode action path
RESOLVED	Ivan Hrasko	OpenAPI: add possibility to configure base path

RESOLVED	Robert Varga	Create NamespaceURN constant holder
RESOLVED	Robert Varga	NetconfNotification confuses its namespace
RESOLVED	Robert Varga	Centralize NETCONF capability URNs
RESOLVED	Robert Varga	Integrate netconf.api.capability into netconf.server.api.monitoring
IN PROGRESS	Yaroslav Lastivka	Define a netconf-api capability model
CONFIRMED	Unassigned	Expand netconf.api.messages
RESOLVED	Oleksandr Zharov	OpenAPI: clean-up test classes
RESOLVED	Oleksandr Zharov	OpenAPI: Rename *ApiDoc* classes to *OpenApi* classes
RESOLVED	Oleksandr Zharov	OpenAPI: Rename sal-rest-docgen to restconf-openapi
RESOLVED	Robert Varga	Optimize DefaultNetconfKeystoreAdapter
RESOLVED	Oleksandr Zharov	OpenAPI: Eliminate BaseYangOpenApiGenerator#convertToServers
RESOLVED	Oleksandr Zharov	OpenAPI: Replace ImmutableList.of() with List.of()
RESOLVED	Peter Suna	OpenAPI: Eliminate object duplication in MountPointOpenApi#getMountPointApi
RESOLVED	Robert Varga	Rename sal-netconf-connector to netconf-client-mdsal
RESOLVED	Robert Varga	Reorganize netconf.git features
RESOLVED	Robert Varga	Use a type-safe capture for NETCONF session ID
RESOLVED	Robert Varga	Eliminate callhome-status.yang
RESOLVED	Robert Varga	Remove netconf-util
RESOLVED	Robert Varga	Notification eventInstant() not propagated to NotificationMessage
RESOLVED	Robert Varga	Clean up NetconfMessage
RESOLVED	Tobias Pobocik	OpenAPI: Use "example" instead of "default"
RESOLVED	Šimon Ukuš	OpenAPI: Do not use Optional type as method parameter
RESOLVED	Oleksandr Zharov	OpenAPI: Use Java Path object instead of JsonNode
RESOLVED	Yaroslav Lastivka	OpenAPI: Fix invalid swagger schema
OPEN	Unassigned	unable to delete the mounted node folder completely from the controller device
OPEN	Venkatrangan Govindarajan	akka asktimeout in a single node cluster
RESOLVED	Tobias Pobocik	OpenAPI: Remove BaseYangSwaggerGenerator unused methods
RESOLVED	Tobias Pobocik	OpenAPI: Eliminate "operational" concept
RESOLVED	Yaroslav Lastivka	OpenAPI: Remove definitions from OpenApiObject
RESOLVED	Ivan Hrasko	Explore swagger authentication feature
IN REVIEW	Yaroslav Lastivka	Reconnection failure after deleting and re-adding call-home devices
RESOLVED	zhao wei	Convert xml pretty print
RESOLVED	Oleksandr Zharov	OpenAPI: Update to Swagger UI v4.18.1
RESOLVED	Sangwook Ha	Update old links in user guide

<a href="#">RESOLVED</a>	Sangwook Ha	Incorrect processing of RESTCONF fields for duplicate node names on NETCONF device
<a href="#">RESOLVED</a>	Oleksandr Zharov	OpenAPI: Eliminate CommonApiObject
<a href="#">RESOLVED</a>	Yaroslav Lastivka	OpenAPI: Fix choice cases usage
<a href="#">RESOLVED</a>	Samuel Schneider	Reduce the number of schema objects
<a href="#">RESOLVED</a>	Yaroslav Lastivka	OpenAPI: Remove OpenAPI v2
<a href="#">RESOLVED</a>	Yaroslav Lastivka	OpenAPI: Remove "generex" dependency
<a href="#">RESOLVED</a>	Tobias Pobocik	Use javax.ws.rs.core.MediaType
<a href="#">RESOLVED</a>	Yaroslav Lastivka	OpenAPI: Add (plain) PATCH method
<a href="#">RESOLVED</a>	Oleksandr Zharov	OpenAPI: Schemas are not shown
<a href="#">RESOLVED</a>	Peter Suna	The required fields are created, but they are not populate in the Swagger API
<a href="#">RESOLVED</a>	Robert Varga	Need steps to compile and modify code in open day light application and add the modified code in Open day light application
<a href="#">CONFIRMED</a>	Unassigned	Support YIN sources in yanglib
<a href="#">RESOLVED</a>	Ruslan Kashapov	Default application/yang in yanglib
<a href="#">RESOLVED</a>	Ivan Hrasko	yanglib does not support RFC6020 media types
<a href="#">OPEN</a>	Nikhil Soni	Having issue with ODL notification subscription
<a href="#">RESOLVED</a>	Ruslan Kashapov	Websocket timeout exception
<a href="#">RESOLVED</a>	Yaroslav Lastivka	Remove BaseCallHomeTopology
<a href="#">RESOLVED</a>	Peter Suna	YangLib: redundant '/' for models without revision
<a href="#">CONFIRMED</a>	Ivan Hrasko	YangLib: Unable to get schema SourceIdentifier
<a href="#">RESOLVED</a>	Martin Sunal	Long delay in connection status update after connection issue
<a href="#">RESOLVED</a>	Unassigned	YangLib API requires that URLs for non-revision models end with a '/'
<a href="#">RESOLVED</a>	Šimon Ukuš	YangLib returns a 500 error if the requested SchemaSource is not available
<a href="#">RESOLVED</a>	Robert Varga	Convert mdsal-netconf-notification to OSGi DS
<a href="#">RESOLVED</a>	Yaroslav Lastivka	Update websocket-change-event-notification-subscription-tutorial
<a href="#">RESOLVED</a>	Ivan Hrasko	CallHomeSessionContext session cannot be closed, so device could not make a new call-home connection
<a href="#">RESOLVED</a>	Robert Varga	Convert netconf-topology to OSGi DS
<a href="#">RESOLVED</a>	Robert Varga	Convert restconf-nb to OSGi Declarative Services
<a href="#">RESOLVED</a>	Robert Varga	Refactor restconf-nb blueprint wiring
<a href="#">RESOLVED</a>	Robert Varga	Convert mdsal-netconf-tcp to OSGi DS
<a href="#">RESOLVED</a>	Robert Varga	Convert mdsal-netconf-ssh to OSGi DS
<a href="#">RESOLVED</a>	Robert Varga	Convert mdsal-netconf-connector to OSGi DS
<a href="#">RESOLVED</a>	Robert Varga	Eliminate Blueprint from mdsal-netconf-monitoring
<a href="#">RESOLVED</a>	Ruslan Kashapov	Unable to load org.eclipse.jetty.websocket.server.WebSocketServerFactory
<a href="#">RESOLVED</a>	Robert Varga	Add a dedicated SessionId type

RESOLVED	Robert Varga	Eliminate Blueprint from mdsal-netconf-impl
RESOLVED	Robert Varga	Convert netconf-config to OSGi DS
RESOLVED	Robert Varga	Convert callhome-provider to OSGi DS
RESOLVED	Ivan Hrasko	RESTCONF request updates only running datastore in device
RESOLVED	Peter Suna	Update NETCONF testtool docs
RESOLVED	Yaroslav Lastivka	Update NETCONF user guide
RESOLVED	Robert Varga	Rename netconf-impl to netconf-server
CONFIRMED	Unassigned	Reorganize source code layout
RESOLVED	Oleksandr Zharov	Create tests for different instances of MixinNodes
RESOLVED	Ivan Hrasko	Callhome session is closed after allowing device to connect
CONFIRMED	Unassigned	Separate root resource discovery
RESOLVED	Robert Varga	Add descriptions to web contexts
CONFIRMED	Peter Suna	Create swagger benchmark with Junos models
RESOLVED	Ivan Hrasko	Cannot generate API docs for Junos device
RESOLVED	Peter Suna	Error writing values with XML YANG Patch
RESOLVED	Robert Varga	Netconf testtool fails to find credentials node in SchemaTree
RESOLVED	Robert Varga	Move NetconfTopologyRPCProvider to netconf.topology.spi
RESOLVED	Sangwook Ha	Fail to generate <discard-changes> RPC
RESOLVED	Sangwook Ha	'commit' sent to devices without 'candidate' capability
RESOLVED	Robert Varga	Rename netconf.api.ModifyAction to EffectiveOperation
RESOLVED	Robert Varga	Deprecate netconf-node-topology.yang RPCs
RESOLVED	Robert Varga	Specialize schemaless remote device RPC service
RESOLVED	Yaroslav Lastivka	Cannot retrieve operation resource
RESOLVED	Yaroslav Lastivka	Discover mountpoint RPC operation through RESTCONF is failing with response 500
RESOLVED	Oleksandr Zharov	Simplify OperationsContext with yangtools 7.0.9 +
RESOLVED	Ivan Hrasko	Duplicate yang-ext:mount in error message
CONFIRMED	Unassigned	Rework optional reconnect logic
RESOLVED	Robert Varga	Complete firstConnectionFuture without holding locks
RESOLVED	Robert Varga	Do not expose NetconfDeviceCapabilities from NetconfTopology
RESOLVED	Robert Varga	Expose sal-netconf-connector configuration as a grouping
RESOLVED	Robert Varga	Separate out LockChangeListener from NetconfDeviceSalFacade
RESOLVED	Robert Varga	NetconfDeviceCapabilities should be immutable
RESOLVED	Robert Varga	Do not touch configuration datastore during netconf-topology init
RESOLVED	Robert Varga	Move NetconfDeviceTopologyAdapter to netconf.topology.spi
RESOLVED	Tobias Pobocik	Remove SchemaAware NormalizedNode builders usage

<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Robert Varga	SchemaResourceManager should not reference network-topogy
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Robert Varga	Disconnect SchemaResourceManager from NetconfNode
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Robert Varga	Encapsulate RemoteDeviceHandler.onDeviceConnected() access services
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Robert Varga	RemoteDeviceId should capture only MD-SAL preference
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Robert Varga	Remove generics from sal.connect.api
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">CONFIRMED</span>	Ivan Hrasko	JSON reader: Eliminate additional logic for augmented data
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Ivan Hrasko	Odl-yanglib fails to register provided sources
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Yaroslav Lastivka	Fix odl-yanglib feature usage
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">OPEN</span>	Nikhil Soni	Add Kafka producer to send Device notification to Kafka server
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">OPEN</span>	Nikhil Soni	Resubscribe Device Notification when Device gets reconnect
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">OPEN</span>	Unassigned	Unable to parse ietf-access-control-list yang and its throwing java.lang.IllegalArgumentException
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Robert Varga	NetconfSessionPromise reconnection failure
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Unassigned	Data sent via yang-patch is validated in a different way than PUT / POST
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">OPEN</span>	Unassigned	NETCONF call home device places YANG models in schema directory, does not allow user defined schemas
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Ivan Hrasko	mdsal-netconf-ssh fails to shutdown
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Robert Varga	Northbound NETCONF server connection error
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Daniel C Viswanathan	Allow netconf-impl's maximum chunk to be controlled
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Robert Varga	Allow netconf-client's maximum chunk to be controlled
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Peter Puškár	Improve logging inside AsyncSshHandler
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">OPEN</span>	Peter Puškár	Improved mount point does not exist message
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Samuel Schneider	Update sshd to 2.9.1
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Robert Varga	Rename restconf-nb-rfc8040
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Robert Varga	Reorganize NETCONF source code repository
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Robert Varga	Rework ietf-netconf-monitoring-extension
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Robert Varga	Reorganize IETF model placement and naming
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Sangwook Ha	Improve EOM aggregator performance
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Daniel C Viswanathan	Make netconf maximum chunk size value configurable
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Peter Suna	Netconf callhome failed for devices with old KEX algorithms (SHA1)
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Peter Puškár	Typo in content parameter error-message
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Daniel C Viswanathan	ODL issue where mounting fails if device augments netconf-state
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Peter Suna	Maven shade plugin replace netconf-testtol with scale-util inside release artifacts
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Ruslan Kashapov	Fail to generate API Doc
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">OPEN</span>	Valentin Mayamsin	Allow restconf base URI to be configurable for streams API
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Sangwook Ha	Device with augmented NETCONF monitoring response cannot be connected without models inside cache/schema

<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Robert Varga	Netconf does not close device mountpoint properly
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Robert Varga	netconf-mdsal fails and affects both testtool and ODL as netconf server
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">OPEN</span>	Peter Puškár	NETCONF event stream in RESTCONF
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Sangwook Ha	Fail to process PATCH to data root with a top-level container as target
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">OPEN</span>	Unassigned	Invalid error message for joint ranges
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Rohini Ambika	Netconf device mount with hostname in payload
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Rohini Ambika	Netconf device mount with hostname in payload
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">IN PROGRESS</span>	Ivan Hrasko	Provide RESTCONF over a dedicated Netty-based endpoint
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Peter Suna	Missing stack enter in sal-rest-docgen Actions
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Robert Varga	Do not use IllegalArgumentCodec in RestCodec
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Robert Varga	Use Decimal64 instead of BigDecimal for DecimalType value
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Robert Varga	TransactionUtil.ensureParentsByMerge fails on keyed lists
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Sangwook Ha	Missing anydata support in ParameterAwareNormalizedNodeWriter.java
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Robert Varga	Reject consecutive slashes in RFC8040 URLs
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Robert Varga	Do not tolerate malformed RPC/action references in requests URL
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Ivan Hrasko	Remove deprecated NodeContainerProxy
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Unassigned	Netconf Callhome SSH: drop connections
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Peter Puškár	Add changed-leaf-nodes-only subscription extension
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Yaroslav Lastivka	Netconf device mount with invalid payloads
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Yaroslav Lastivka	Some BBF yang devices using actions have invalid swagger URLs generated.
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Robert Varga	Devices with certain BBF yang models cannot be accessed in Swagger.
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">CONFIRMED</span>	Ivan Hrasko	Export supported features to ietf-yang-library
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">CONFIRMED</span>	Unassigned	Integrate message-id and other NETCONF attributes
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Robert Varga	RESTCONF mis-represents the root namespace
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Robert Varga	mount with TLS fails on phosphorus-sr1
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Tomas Cere	Rfc 8040 - multiple roots when serializing requests targeting root
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Robert Varga	NETCONF mount fails during reconnect
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">OPEN</span>	Rohini Ambika	Not able to simulate more than ~1500 devices and connect to controller using netconf-testtool master
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Unassigned	Cannot reconnect on second time
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Unassigned	Fields filtering fails for leafs in lists
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Peter Puškár	Netconf notifications processing failing for odl-leaf-nodes-only
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Tomas Cere	Rfc 8040 - 500 response when reading data from empty device with xml
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Ivan Hrasko	Set call-home SSH port to 4334
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Unassigned	Support of namespace for referred yang-identity values

<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Robert Varga	Websocket notification streams immediately closing upon connection
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Dominik Vrbovský	Apidocs Swagger for mounted device always shows "topology-netconfnode"
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Unassigned	Do not use CopyableNode.isAugmenting() in XmlNormalizedNodeBodyReader
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Robert Varga	Do not use CopyableNode.isAugmenting() in netconf.util.StreamingContext
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">IN PROGRESS</span>	Robert Varga	YANG1.1 modules with submodules unavailabe because ietf-yang-library not used
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Robert Varga	Do not install odl-restconf-nb-bierman02 by default
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Robert Varga	Issue a mild warning when bierman02 is activated
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Robert Varga	Remove restconf-nb-bierman02
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Unassigned	Enable SSHD/Netty integration
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Robert Varga	SSHD/Netty integration logs all traffic
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Robert Varga	RESTCONF OutOfMemoryError error
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Ivan Hrasko	Leaf Node cannot be deleted inside NETCONF device via RESTCONF
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Ivan Hrasko	SSH global request returns failure/ unsupported state
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Ivan Hrasko	Flood of "IllegalStateException: complete already"
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Robert Varga	Upgrade sshd to 2.7.0
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Michael Dürre	root element is not accessable with rfc8040 but with restconf-bierman
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Ivan Martiník	Mount loop when setting too low connection-timeout
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Robert Varga	Misaligned odldparent/yangtools versions
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Robert Varga	Add support for odl-pretty-print query parameter
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Robert Varga	Add support for odl-leaf-nodes-only query parameter
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Robert Varga	Announce 'odl-skip-notification-data' parameter capability
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Robert Varga	Discover RPC operation through RESTCONF is failing with response 500
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">IN REVIEW</span>	Ruslan Kashapov	Mounting a device does not work when multiple TLS Certificates are present
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Peter Puškár	Fail to process RESTCONF fields on the mounted device
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Oleksandr Zharov	Eliminate use of SchemaNode.getPath() in sal-rest-docgen
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Robert Varga	Eliminate use of SchemaNode.getPath() in RESTCONF northbound
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Oleksandr Zharov	Eliminate use of SchemaNode.getPath() in sal-netconf-connector
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Ivan Hrasko	Eliminate use of SchemaNode.getPath() in mdsal-netconf-connector
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Dominik Vrbovský	Eliminate use of SchemaNode.getPath()
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Robert Varga	Package RFC8639 ietf-subscribed-notifications module
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">CONFIRMED</span>	Unassigned	Add support for RFC8639 configured notifications
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">CONFIRMED</span>	Unassigned	Support RFC8650 dynamic notifications in RESTCONF northbound
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">CONFIRMED</span>	Unassigned	Support RFC8640 dynamic notifications in NETCONF southbound
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">CONFIRMED</span>	Unassigned	Add support for RFC8639 subscribed notifications

RESOLVED	Robert Varga	NetconfCapabilityMonitoringService does not support revisionless models
RESOLVED	Dominik Vrbovský	Pretty-print error messages
CONFIRMED	Robert Varga	get-config/edit-config not working for netopeer2 devices
RESOLVED	Robert Varga	Reduce end-of-stream disconnect logging
RESOLVED	Robert Varga	YANG Patch target parsing does not work with RFC8072 examples
RESOLVED	Robert Varga	RESTCONF PATCH with empty body results in a NPE
RESOLVED	Robert Varga	Restconf reports status 500 when stream does not exist
RESOLVED	Robert Varga	SSE streaming does not work
RESOLVED	Robert Varga	Incorrect parsing of stream name
RESOLVED	Ivan Hrasko	Restconf throws error for action with no output
RESOLVED	Oleksandr Zharov	Fix scale-util for RFC 8040
RESOLVED	Dominik Vrbovský	Fix rest-perf-client for RFC 8040
RESOLVED	Ivan Hrasko	Fix netconf-testool device registration for RFC 8040
RESOLVED	Ivan Hrasko	RESTCONF provide wrong DOMDataTreelIdentifier path for Actions when is invoke
CONFIRMED	Unassigned	Unify DocumentedException and RestconfDocumentedException
RESOLVED	Robert Varga	Convert netconf-console to OSGi DS
RESOLVED	Robert Varga	Convert netconf-client to OSGi DS
RESOLVED	Robert Varga	Restconf fails to handle non-existent data
RESOLVED	Dominik Vrbovský	Wrong url for POST requests in Web API
RESOLVED	Robert Varga	Package ietf-yang-patch
RESOLVED	Kostiantyn Nosach	Update tests with Akka Artery
RESOLVED	Robert Varga	ODL does not consider error-msg statement in yang file at RESTCONF
RESOLVED	Ivan Hrasko	Fix and refactor Swagger unit tests
RESOLVED	Satoshi Fujii	ReconnectPromise keep reconnecting after device unregistered
RESOLVED	Robert Varga	Use yang-ext:mount in NETCONF topology
RESOLVED	Unassigned	RestconfDocumentedExceptionMapper unable to map exceptions from mounted devices when path points to a module not in the global SchemaContext
RESOLVED	Robert Varga	HTTP ERROR 500 Request failed on restconf POST
RESOLVED	Robert Varga	RFC8040/RFC8072 support does not use the correct media types
RESOLVED	Robert Varga	Do not produce invalid media types
RESOLVED	Robert Varga	Use standard media types as specified by RFC8040 and RFC8072
RESOLVED	Tomas Cere	Http 500 internal server error when deleting non existing data
RESOLVED	Robert Varga	Delay during delivery of NETCONF message
RESOLVED	Robert Varga	Use JAX-RS 2.1 SSE integration
RESOLVED	Robert Varga	Remove the ability to select DOMDataBroker wiring

<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">CONFIRMED</span>	Unassigned	Refactor restconf-nb wiring
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	Convert yanglib to OSGi DS
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Peter Suna	Convert sal-rest-docgen to OSGi DS
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	Convert mdsal-netconf-yang-library to OSGi DS
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Unassigned	Cannot create new NETCONF connector with a POST
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	Remove messagebus-netconf

[529 issues](#)

## [Controller](#)

Status	Assignee	Summary
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">CONFIRMED</span>	Unassigned	<a href="#">Do not shade akka-persistence</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">CONFIRMED</span>	Unassigned	<a href="#">Do not use akka-persistence in cds-access-client</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">IN REVIEW</span>	Ruslan Kashapov	<a href="#">Migrate cds-access-client state storage</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">IN PROGRESS</span>	Ruslan Kashapov	<a href="#">Separate out byte-level atomix-storage access</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Ruslan Kashapov	<a href="#">Turn sal-akka-segmented-journal's PerformanceTest into a benchmark</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">CONFIRMED</span>	Unassigned	<a href="#">Sync file ranges of JournalSegmentWriter.flush()</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">CONFIRMED</span>	Unassigned	<a href="#">Persistent SegmentIndex</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	<a href="#">Add a smarter JournalIndex implementation</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">CONFIRMED</span>	Unassigned	<a href="#">Add a smarter JournalIndex implementation</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	<a href="#">Improve DiskJournalSegmentWriter.reset(long) reads</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	<a href="#">Improve DataJournal.handleWriteMessages()</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Oleksandr Zharov	<a href="#">Refactor JournalSegmentDescriptor</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	<a href="#">Improve SegmentedJournalReader performance</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	<a href="#">Update atomix-storage copyright headers</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">CONFIRMED</span>	Unassigned	<a href="#">Allow ShardDataTree to be compacted</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">CONFIRMED</span>	Unassigned	<a href="#">Implement DOMStore.compact() in ClientBackedDatastore</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">CONFIRMED</span>	Unassigned	<a href="#">Add support for compacting ShardDataTree</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	<a href="#">Remove unneeded atomix-storage API elements</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">IN REVIEW</span>	Ruslan Kashapov	<a href="#">Improve JournalSegmentWriter.reset(long)</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">IN REVIEW</span>	Robert Varga	<a href="#">Specialize JournalSegment to specified StorageLevel</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	<a href="#">Refactor Journal{Reader,Writer} class hierarchy</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Oleksandr Zharov	<a href="#">Improve FileChannelJournalSegmentWriter's buffer management</a>

RESOLVED	Robert Varga	Share a single FileChannel between FileChannelJournalSegmentWriter and its readers
RESOLVED	Robert Varga	Do not use FileChannel.position() in FileChannelJournalSegmentWriter
RESOLVED	Robert Varga	Do not use FileChannel.position() in FileChannelJournalSegmentReader
RESOLVED	Robert Varga	Remove odl-controller-exp-netty-config
CONFIRMED	Unassigned	Improve JSON export
RESOLVED	Robert Varga	Remove support for RPCs/Actions/Notifications
IN REVIEW	Samuel Schneider	Do not store writerUuid in sal akka-segmented-journal
IN REVIEW	Oleksandr Zharov	Remove bierman02 terminology from dev guide
RESOLVED	Matej Šramík	Don't use NotificationListener in CONTROLLER components
RESOLVED	Samuel Schneider	Snapshot byte-offset overflows with large Snapshots
RESOLVED	Oleksandr Zharov	Do not use RpcService in Controller components
CONFIRMED	Robert Varga	Custom PersistenceProvider - implement Snapshot logic
CONFIRMED	Unassigned	Create eos-dom-akka-raft
RESOLVED	Robert Varga	Drop RAFT support for versions before Fluorine
RESOLVED	Robert Varga	Remove legacy sal akka-raft serialization proxies
RESOLVED	Samuel Schneider	Snapshot forwarding to SnapshotMessageSupport test in RaftActorTest sporadically fails with UnfinishedStubbingException
RESOLVED	Robert Varga	Remove raft.base.messages.EmptyExternalizableProxy
RESOLVED	Robert Varga	Remove old cluster.raft.persisted proxies
RESOLVED	Robert Varga	Finalize serialization proxy switch
IN PROGRESS	Ivan Hrasko	Two-Node Cluster Fails to Install Snapshot on Clean Follower Node
RESOLVED	Robert Varga	Tell-based protocol should honor shard-batched-modification-count
CONFIRMED	Ivan Hrasko	Follower can retain more than 1 copy of the same Snapshot in memory leading to OOM
CONFIRMED	Unassigned	Ditch Akka persistence from sal akka-raft
IN REVIEW	Samuel Schneider	Remove Kryo from atomix-storage
RESOLVED	Robert Varga	Switch to our fork of atomix-storage
CONFIRMED	Unassigned	Remove odl-controller-blueprint
RESOLVED	Robert Varga	Import atomix-storage into controller.git
OPEN	Robert Varga	Processing routed RPC - buy-car RPC
OPEN	Tibor Král	Install Snapshot process gets stuck indefinitely
CONFIRMED	Ivan Hrasko	Do not use BindingReflections
RESOLVED	Ivan Hrasko	Cannot invoke buy-car RPC
RESOLVED	Robert Varga	Switch to using RaftVersion.ARGON
RESOLVED	Robert Varga	Remove old cds-access-api proxies

RESOLVED	Robert Varga	Remove ABIVersion.MAGNESIUM
RESOLVED	Robert Varga	Deprecate ABIVersion.MAGNESIUM
RESOLVED	Robert Varga	Remove ABIVersions up to and including SODIUM_SR1
RESOLVED	Robert Varga	Deprecate ABIVersions up to and including SODIUM_SR1
RESOLVED	Robert Varga	Define RaftVersion.ARгон
RESOLVED	Robert Varga	Remove old controller.datastore.persisted proxies
RESOLVED	Robert Varga	Minimize serialization proxy names in controller.datastore.persisted
RESOLVED	Ruslan Kashapov	Do not allow cross-datastore transactions
RESOLVED	Robert Varga	Remove ask-based protocol
RESOLVED	Robert Varga	Deprecate ask-based protocol
RESOLVED	Robert Varga	cds-access-api uses wrong ABI version
RESOLVED	Robert Varga	Minimize serialization proxy names in cds-access-api
CONFIRMED	Unassigned	Adopt Scala 3.2.0+
RESOLVED	Robert Varga	Bump akka to 2.6.20
OPEN	Venkatrangan Govindarajan	ODL Clustering issues
OPEN	Shibu Vijayakumar	CLONE - ODL Cluster - Akka Cluster Singleton Manager Actor - OwnerSupervisor Getting Terminated and never restarts
RESOLVED	Robert Varga	Looking for Rest API documentation for Beryllium
CONFIRMED	Ivan Hrasko	Improve sal- akka-raft serialization protocol
RESOLVED	Robert Varga	Circuit breaker timeout with BGP and tell-based protocol
RESOLVED	Robert Varga	Dead letters: akka.persistence.Delete{Messages,Snapshots}Success
RESOLVED	Robert Varga	LocalReadWriteProxyTransaction allows reads after a failure
RESOLVED	Ivan Hrasko	Enable tell-based protocol in DTO config by default
RESOLVED	Robert Varga	Guard against InMemoryDataTreeModification.newModification() throwing IAE
RESOLVED	Robert Varga	Read transaction does not return full data for the root node
RESOLVED	Robert Varga	Fail to serialize oversized message
RESOLVED	Sangwook Ha	Failure of initial removal of candidates from previous iteration
RESOLVED	Shibu Vijayakumar	ODL Cluster - Akka Cluster Singleton Manager Actor - OwnerSupervisor Getting Terminated and never restarts
OPEN	Tibor Král	Limit repeated replication of the same selection of Entries
IN REVIEW	Ivan Hrasko	Improve AbstractNativeEosTest reliability
IN PROGRESS	Shibu Vijayakumar	Phosphorus SR1 - AskTimeoutException while trying to mount multiple Netconf devices at a time
IN REVIEW	Tibor Král	Add specific config knob for the size of AppendEntries
RESOLVED	Tibor Král	Add selectively-bounded implementation of Mailbox to prevent OOM
RESOLVED	Samuel Schneider	ODL Clustering - Shard Has no Leader or AskTimeoutException Error - Silicon SR4

RESOLVED	Unassigned	Thousands of guava Finalizer threads in waiting
RESOLVED	Robert Varga	Upgrade akka to 2.6.18
CONFIRMED	Robert Varga	Circuit breaker timeout
RESOLVED	Tomas Cere	Fail to update entity ownership after owner is killed
IN REVIEW	Unassigned	Intermittent failures of RecoveryIntegrationTest.testRecoveryDeleteEntries()
RESOLVED	Dominik Vrbovský	Test logs polluted by ConfigurationException
RESOLVED	Robert Varga	Remote-to-local ready() replay fails with IllegalStateException
RESOLVED	Robert Varga	Shard does not disable tracking on ReadyLocalTransaction
IN REVIEW	Ivan Hrasko	Enable testSnapshotOnRootOverwrite() with ClientBackedDataStore
RESOLVED	Robert Varga	Dead letters: raft.base.messages.SnapshotComplete
RESOLVED	Robert Varga	Enable testTransactionWithIsolatedLeader() with ClientBackedDataStore
RESOLVED	Šimon Ukuš	Tell-based protocol mis-reports standalone transaction count
CONFIRMED	Unassigned	Enable testCloseTransactionMetadataLeak() with DistributedDatastore
RESOLVED	Robert Varga	Allow UnsignedLongSets to be merged
RESOLVED	Robert Varga	Improve UnsignedLongSet allocation rate
RESOLVED	Robert Varga	Improve closedTransactions storage in FrontendHistoryMetadata
RESOLVED	Robert Varga	Reconsider ImmutableUnsignedLongSet storage
RESOLVED	Robert Varga	Do not use RangeSet in serialization
RESOLVED	Tomas Cere	Get Entities RPC fails after owner is killed
RESOLVED	Tomas Cere	Get Entity RPC does not support OVSDB entity type
RESOLVED	Robert Varga	Misaligned odlparent/yangtools versions
RESOLVED	Robert Varga	Artery enabled in 3.0.11
RESOLVED	Robert Varga	Do not pull odl-controller-blueprint into odl-mdsal-broker
RESOLVED	Robert Varga	Do not pull odl-controller-blueprint into odl-controller-exp-netty-config
RESOLVED	Tomas Cere	EOS gossip propagation takes too long
RESOLVED	Samuel Schneider	Do not use odl-controller-blueprint in toaster-consumer
RESOLVED	Matúš Matok	Do not pull odl-controller-blueprint into cluster-test-app
RESOLVED	Robert Varga	Do not use odl-controller-blueprint in {ds,ntf,rpc}benchmark
CONFIRMED	Unassigned	Deprecate odl-controller-blueprint
RESOLVED	Robert Varga	Do not pull odl-controller-blueprint into odl-mdsal-distributed-datastore
CONFIRMED	Unassigned	Archive the Blueprint component
RESOLVED	Dominik Vrbovský	Introduce cli commands for cluster-admin
RESOLVED	Dominik Vrbovský	Introduce cli commands for clustering-test-app
RESOLVED	Tomas Cere	Dead letters: eos.akka.owner.supervisor.command.OwnerChanged

<a href="#">RESOLVED</a>	Tomas Cere	Dead letters: datastore.messages.PeerUp
<a href="#">RESOLVED</a>	Robert Varga	Expose entity ownership information via MD-SAL
<a href="#">RESOLVED</a>	Tomas Cere	eos akka triggers NPE when stopping
<a href="#">CONFIRMED</a>	Unassigned	Migrate from akka persistence to a custom solution
<a href="#">CONFIRMED</a>	Unassigned	Mark actors interfacing with NormalizedNode structures
<a href="#">RESOLVED</a>	Robert Varga	Dead letters: datastore.messages.DataTreeChangedReply
<a href="#">RESOLVED</a>	Robert Varga	Remove support for datastore versions before Sodium SR1
<a href="#">RESOLVED</a>	Robert Varga	Remove obsolete datastore.cfg properties
<a href="#">RESOLVED</a>	Robert Varga	Akka artery fails with java.lang.OutOfMemoryError: Direct buffer memory
<a href="#">RESOLVED</a>	Tomas Cere	Reimplement Distributed Entity Ownership Service on top of Akka Distributed Data
<a href="#">RESOLVED</a>	Matej Šramík	default clustered datastore context parameters generate a deprecation warning
<a href="#">RESOLVED</a>	Robert Varga	Remove opendaylight-inventory model
<a href="#">RESOLVED</a>	Robert Varga	Remove opendaylight-topology model
<a href="#">RESOLVED</a>	Robert Varga	Remove Producer/Consumer/ShardedDataTree implementation
<a href="#">RESOLVED</a>	Robert Varga	Deprecate Producer/Consumer/ShardedDataTree implementation
<a href="#">RESOLVED</a>	Robert Varga	Deprecate and remove Producer/Consumer/ShardedDataTree implementation

138 issues

### AAA

Status	Assignee	Summary
<a href="#">RESOLVED</a>	Robert Varga	Shiro throws a warning about SecurityManager
<a href="#">RESOLVED</a>	Shibu Vijayakumar	OpenStack Keystone Authentication Fails with 400 Bad Request Error
<a href="#">RESOLVED</a>	Robert Varga	Upgrade H2 database to 2.1.210
<a href="#">RESOLVED</a>	Robert Varga	ODLAuthenticator does not work
<a href="#">RESOLVED</a>	Ivan Martinjak	web-impl-osgi mis-represents servlet paths
<a href="#">RESOLVED</a>	Robert Varga	StackOverflowError in aaa-filterchain
<a href="#">RESOLVED</a>	Unassigned	StackOverFlowError in the AAAFilterChain
<a href="#">RESOLVED</a>	Robert Varga	RESTCONF path segment with encoded forward slash returns 400
<a href="#">CONFIRMED</a>	Unassigned	StackOverflowError in aaa-shiro
<a href="#">RESOLVED</a>	Oleksandr Zharov	Validate web-api constructs
<a href="#">RESOLVED</a>	Oleksandr Zharov	Select only specifically-marked Filters for CustomFilterAdapterConfiguration
<a href="#">RESOLVED</a>	Venkatrangan Govindarajan	https configuration fails with blueprint errors

<span>OPEN</span>	Warith Akbar	<a href="#">sso.linuxfoundation.org</a>
<span>IN REVIEW</span>	Samuel Schneider	<a href="#">Adopt Shiro 2.0.0</a>
<span>RESOLVED</span>	Robert Varga	<a href="#">Remove CORS filter from shiro-impl</a>
<span>OPEN</span>	Unassigned	<a href="#">Support application of policies based on query parameters</a>
<span>RESOLVED</span>	Robert Varga	<a href="#">Misaligned odlparent/yangtools versions</a>
<span>RESOLVED</span>	Robert Varga	<a href="#">Adopt shiro-1.8.0</a>
<span>OPEN</span>	Luis Gomez	<a href="#">Directions for disabling aaa are not accurate</a>
<span>RESOLVED</span>	Robert Varga	<a href="#">Upgrade Shiro to 1.9.0</a>
<span>OPEN</span>	Unassigned	<a href="#">NullpointerException for MDSALDynamicAuthorizationFilter</a>
<span>RESOLVED</span>	Robert Varga	<a href="#">Reimplement web-osgi-impl with HTTP Whiteboard</a>
<span>CONFIRMED</span>	Unassigned	<a href="#">Use JDBC connection pooling in H2 datastore</a>
<span>RESOLVED</span>	Robert Varga	<a href="#">Bump Shiro to 1.9.1</a>
<span>RESOLVED</span>	Yaroslav Lastivka	<a href="#">Revisit aaa-cli-jar</a>
<span>RESOLVED</span>	Ivan Martiniak	<a href="#">Resources not found with web-osgi-impl</a>
<span>RESOLVED</span>	Oleksandr Zharov	<a href="#">WebInitializer failure with web-jetty-impl</a>
<span>RESOLVED</span>	Oleksandr Zharov	<a href="#">Make WebContext builder enforce proper pattern values</a>
<span>RESOLVED</span>	Stephen Kitt	<a href="#">Upgrade Shiro to 1.10.1</a>
<span>RESOLVED</span>	Robert Varga	<a href="#">Add support for naming WebContexts</a>
<span>RESOLVED</span>	Robert Varga	<a href="#">Add IDM web context description</a>
<span>RESOLVED</span>	Unassigned	<a href="#">Eliminate use of blueprint in AAA</a>
<span>RESOLVED</span>	Robert Varga	<a href="#">Convert aaa-encrypt-service to OSGi DS</a>
<span>RESOLVED</span>	Robert Varga	<a href="#">Upgrade Shiro to 1.11.0</a>
<span>OPEN</span>	Venkatrangan Govindarajan	<a href="#">Incorrect behavior in aaa-policy in aaa version 0.17.2 (Netconf-5.0.0)</a>
<span>RESOLVED</span>	Peter Suna	<a href="#">Fix AAA documentation</a>
<span>RESOLVED</span>	Robert Varga	<a href="#">Instantiate AAAEncryptServiceImpl via OSGi DS</a>
<span>RESOLVED</span>	Robert Varga	<a href="#">Expose WebContextSecurer through OSGi DS</a>
<span>RESOLVED</span>	Yaroslav Lastivka	<a href="#">API to validate user access does not work</a>
<span>IN REVIEW</span>	Peter Suna	<a href="#">Logging in to the H2 database interface results in an "IO Exception" error</a>
<span>IN PROGRESS</span>	Ivan Hrasko	<a href="#">Remove blueprints from AAA documentation</a>
<span>RESOLVED</span>	Oleksandr Zharov	<a href="#">Remove OAuth2 remnants</a>
<span>IN REVIEW</span>	Venkatrangan Govindarajan	<a href="#">Authorization Header is ignored when cookie is present</a>
<span>IN REVIEW</span>	Venkatrangan Govindarajan	<a href="#">MD-SAL Dynamic Authorization fails to work</a>
<span>RESOLVED</span>	Robert Varga	<a href="#">aaa-encrypt-service fails to start on follower nodes</a>

<span>RESOLVED</span>	Matej Šramík	Align aaa's documentation version with distro
<span>RESOLVED</span>	Matej Šramík	Cleanup AAA readme
<span>RESOLVED</span>	Matej Šramík	Add maven central, docs and license badges to README.md
<span>RESOLVED</span>	Yaroslav Lastivka	Bump H2 database to 2.2.220
<span>RESOLVED</span>	Robert Varga	Do not use AaaCertRpcService in CertificateManagerService
<span>RESOLVED</span>	Robert Varga	Upgrade shiro to 1.12.0
<span>RESOLVED</span>	uboš iut	AAAEncryptionService does not inform user of Encryption/Decryption failures
<span>IN REVIEW</span>	Yaroslav Lastivka	Use GCM mode as default
<span>RESOLVED</span>	Robert Varga	Add Provide-Capability to aaa-cert
<span>RESOLVED</span>	Robert Varga	Remove aaa.encrypt.PKIUtil
<span>CONFIRMED</span>	Unassigned	Split out aaa-cert-impl
<span>RESOLVED</span>	Ivan Hrasko	/moon property warning
<span>IN REVIEW</span>	Peter Suna	Migrate from Ehcache 2.x to Ehcache 3.x
<span>RESOLVED</span>	Samuel Schneider	Bump H2 database to 2.2.224
<span>IN REVIEW</span>	Peter Suna	Remove TokenStore, which is OAuth2 remnant
<span>OPEN</span>	Ivan Hrasko	Replace odl-karaf-feat-jdbc feature with ODL features
<span>RESOLVED</span>	Robert Varga	SQL injection in the aaa-idm-store-h2 (deleteRole function)
<span>RESOLVED</span>	Robert Varga	SQL injection in the aaa-idm-store-h2 (deleteDomain function)
<span>RESOLVED</span>	Robert Varga	SQL injection in the aaa-idm-store-h2 (deleteUser function)

64 issues

#### Infratools

Status	Assignee	Summary
<span>RESOLVED</span>	Yaroslav Lastivka	ServiceStatusSummary.toJSON() fails with upgraded Java
<span>RESOLVED</span>	Robert Varga	Remove jobcoordinator
<span>RESOLVED</span>	Robert Varga	Remove org.opendaylight.infratools:shell
<span>CONFIRMED</span>	Unassigned	Remove diagstatus's ClusterMemberInfo
<span>RESOLVED</span>	Robert Varga	Bump Error-Prone to 2.8.1
<span>RESOLVED</span>	Robert Varga	Activate Error-Prone on JDK16+
<span>RESOLVED</span>	Robert Varga	Move metrics component to serviceutils
<span>RESOLVED</span>	Robert Varga	Migrate samples to OSGi DS
<span>RESOLVED</span>	Robert Varga	Remove unused caches component
<span>RESOLVED</span>	Robert Varga	Terminally deprecate all caches-* classes

<a href="#">RESOLVED</a>	Robert Varga	Do not activate GuavaCacheProvider by default
<a href="#">RESOLVED</a>	Robert Varga	Finish jobcoordinator cleanup
<a href="#">RESOLVED</a>	Robert Varga	Terminally deprecate UncheckedCloseable
<a href="#">RESOLVED</a>	Robert Varga	Remove metrics from infrautils
<a href="#">RESOLVED</a>	Robert Varga	Terminally deprecate TablePrinter
<a href="#">RESOLVED</a>	Robert Varga	Terminally deprecate NamedLocks and NamedSimpleReentrantLock
<a href="#">RESOLVED</a>	Robert Varga	Remove unused utilities
<a href="#">RESOLVED</a>	Robert Varga	Terminally deprecate ListenableFutures
<a href="#">RESOLVED</a>	Robert Varga	Rename infrautils.utils.function to infrautils.metrics.function
<a href="#">RESOLVED</a>	Robert Varga	Terminally deprecate AbstractMBean
<a href="#">RESOLVED</a>	Robert Varga	Terminally deprecate utils.types.IDs
<a href="#">RESOLVED</a>	Robert Varga	Rename utils.types.IDs to metrics.IDs
<a href="#">RESOLVED</a>	Robert Varga	Terminally deprecate utils.mdc
<a href="#">RESOLVED</a>	Robert Varga	Terminally deprecate utils.function
<a href="#">RESOLVED</a>	Robert Varga	Upgrade Guice to 5.1.0
<a href="#">RESOLVED</a>	Robert Varga	Revise DiagStatus API
<a href="#">RESOLVED</a>	Robert Varga	Upgrade Guice to 6.0.0

[27 issues](#)

## JSONRPC

Status	Assignee	Summary
<a href="#">RESOLVED</a>	Richard Kosegi	Do not use yangtools.concepts.Codec
<a href="#">CONFIRMED</a>	Ivan Hrasko	Do not use RpcService in JSONRPC components
<a href="#">RESOLVED</a>	Ruslan Kashapov	Don't use NotificationListener in JSONRPC components
<a href="#">RESOLVED</a>	Kostiantyn Nosach	Update tests with Akka Artery

[4 issues](#)

## ODL\_parent

Status	Assignee	Summary
<a href="#">RESOLVED</a>	Robert Varga	Upgrade to SpotBugs 4.5.3

<a href="#">RESOLVED</a>	Robert Varga	Require maven-3.8.3
<a href="#">CONFIRMED</a>	Unassigned	Do not declare depends-maven-plugin in odparent
<a href="#">RESOLVED</a>	Robert Varga	Do not declare blueprint-maven-plugin
<a href="#">RESOLVED</a>	Robert Varga	Remove PMD/CPD configuration
<a href="#">RESOLVED</a>	Robert Varga	Bump xtend-maven-plugin to 2.26.0.M2 or newer
<a href="#">CONFIRMED</a>	Unassigned	SingleFeatureTest does not contribute to JaCoCo correctly
<a href="#">RESOLVED</a>	Robert Varga	Remove powermock declaration
<a href="#">RESOLVED</a>	Robert Varga	Remove legacy osgi artifact declaration
<a href="#">RESOLVED</a>	Robert Varga	Adopt Karaf-4.3.7 or later
<a href="#">RESOLVED</a>	Robert Varga	Remove Google Truth declaration
<a href="#">RESOLVED</a>	Robert Varga	Remove common-codec packaging
<a href="#">RESOLVED</a>	Robert Varga	Remove commons-fileupload declaration
<a href="#">RESOLVED</a>	Robert Varga	Remove commons-net packaging
<a href="#">RESOLVED</a>	Robert Varga	Remove jsonassert declaration
<a href="#">RESOLVED</a>	Robert Varga	Add argparse4j declaration
<a href="#">RESOLVED</a>	Robert Varga	Remove Jung2 packaging
<a href="#">CONFIRMED</a>	Unassigned	Do not pull in org.apache.aries.blueprint.core.compatibility
<a href="#">CONFIRMED</a>	Unassigned	Do not pull in org.apache.aries.quiesce.api
<a href="#">RESOLVED</a>	Robert Varga	Bump jetty to 9.4.52.v20230823
<a href="#">RESOLVED</a>	Matúš Matok	Rename README.markdown to README.md file
<a href="#">RESOLVED</a>	Matúš Matok	Rename CONTRIBUTING.markdown to CONTRINUTING.md file
<a href="#">RESOLVED</a>	Oleksandr Zharov	Add sonarcloud badges to README
<a href="#">RESOLVED</a>	Ruslan Kashapov	Allow SFT to use a test-only dependency
<a href="#">RESOLVED</a>	Robert Varga	Add bnd-parent
<a href="#">RESOLVED</a>	Ruslan Kashapov	SingleFeatureTest needs to be safe to execute in parallel
<a href="#">RESOLVED</a>	Robert Varga	Generate an SBOM for artifacts
<a href="#">CONFIRMED</a>	Unassigned	Integrate dagger.dev into the build process
<a href="#">RESOLVED</a>	Robert Varga	Add assertj dependency
<a href="#">RESOLVED</a>	Robert Varga	Add odl-apache-spifly feature
<a href="#">CONFIRMED</a>	Unassigned	Audit and annotate karaf-plugin for thread safety
<a href="#">RESOLVED</a>	Unassigned	Fix thread safety around depends-maven-plugin
<a href="#">RESOLVED</a>	Robert Varga	Redefine odl-karaf-feat-jdbc
<a href="#">RESOLVED</a>	Robert Varga	Make JUnit5 available by default
<a href="#">RESOLVED</a>	Robert Varga	Bump to Mockito 4.0.x

<span>RESOLVED</span>	Robert Varga	Use modular OSGi declarations
<span>RESOLVED</span>	Robert Varga	Revisit annotation artifact dependencies
<span>RESOLVED</span>	Peter Suna	Exclude Apache Derby from build
<span>IN REVIEW</span>	Peter Suna	Fix mysql-connector-j CVE-2023-22102 vulnerability
<span>OPEN</span>	Peter Suna	Fix PostgreSQL CVE-2024-1597 vulnerability
<span>IN PROGRESS</span>	Peter Suna	Rework odl-karaf-feat-jdbc feature to be more lightweight
<span>IN PROGRESS</span>	Peter Suna	Bump PAX-JDBC version to the latest 1.5.7
<span>OPEN</span>	Ivan Hrasko	Bump Derby to 10.17.x
<span>RESOLVED</span>	Robert Varga	Use Java 17 as the target release
<span>CONFIRMED</span>	Unassigned	Maximize the amount odlparent-based default can be run in parallel
<span>RESOLVED</span>	Robert Varga	Karaf distribution has inconsistent versions
<span>RESOLVED</span>	Robert Varga	BouncyCastle packaging broken with 1.69
<span>RESOLVED</span>	Robert Varga	maven-dependency-plugin-3.2.0 is broken
<span>RESOLVED</span>	Robert Varga	maven-compiler-plugin-3.9.0 breaks JPMS
<span>RESOLVED</span>	Robert Varga	Netty's epoll(2) support does not work
<span>RESOLVED</span>	Robert Varga	java.net.http does not work with odlparent-10.0.1
<span>RESOLVED</span>	Robert Varga	Mis-aligned versions of el-api
<span>RESOLVED</span>	Unassigned	odlparent-10.0.4 does not work with LGTM
<span>RESOLVED</span>	Robert Varga	JAVA_MAX_MEM has no effect
<span>RESOLVED</span>	Robert Varga	spotbugs configuration contains invalid directives
<span>RESOLVED</span>	Robert Varga	Unneeded artifacts included in features
<span>RESOLVED</span>	Ruslan Kashapov	Bundle states are not collected reliably on feature-test-plugin execution
<span>OPEN</span>	Ivan Hrasko	Remove odl-karaf-feat-jdbc

[58 issues](#)

## [YANG Tools](#)

Status	Assignee	Summary
<span>RESOLVED</span>	Robert Varga	Remove AnyxmlSchemaLocation
<span>RESOLVED</span>	Robert Varga	Move data.impl.schema.builder.api to yang-data-api
<span>RESOLVED</span>	Robert Varga	Refine statements are not SchemaNodes
<span>RESOLVED</span>	Robert Varga	Deprecate SchemaAware NormalizedNode builders

RESOLVED	Robert Varga	<a href="#">Deprecate ClassBasedPropertyBuilder</a>
RESOLVED	Robert Varga	<a href="#">Remove ClassBasedPropertyBuilder</a>
RESOLVED	Robert Varga	<a href="#">Deprecate ProductAwareBuilder</a>
RESOLVED	Robert Varga	<a href="#">Remove ProductAwareBuilder</a>
RESOLVED	Robert Varga	<a href="#">Deprecate CheckedBuilder and Builder</a>
RESOLVED	Robert Varga	<a href="#">Deprecate CheckedBuilder and Builder for removal</a>
RESOLVED	Robert Varga	<a href="#">Deprecate util.Immutables</a>
RESOLVED	Robert Varga	<a href="#">Remove util.Immutables</a>
RESOLVED	Robert Varga	<a href="#">Flatten IllegalArgumentCodec hierarchy</a>
RESOLVED	Robert Varga	<a href="#">Deprecate IllegalArgumentCodec for removal</a>
RESOLVED	Robert Varga	<a href="#">Deprecate Codec-related concepts</a>
RESOLVED	Robert Varga	<a href="#">Rename concepts.Path to concepts.HierarchicalIdentifier</a>
RESOLVED	Samuel Schneider	<a href="#">Remove StmtTestUtils.parseYangSource(String)</a>
RESOLVED	Robert Varga	<a href="#">Deprecate AugmentationSchemaNode.getOriginalDefinition()</a>
RESOLVED	Robert Varga	<a href="#">Deprecate DerivableSchemaNode</a>
RESOLVED	Robert Varga	<a href="#">Deprecate AddedByUsesAware</a>
RESOLVED	Robert Varga	<a href="#">Deprecate SemanticVersion import mode</a>
RESOLVED	Robert Varga	<a href="#">Move SchemaNodeIdentifier to yang-common</a>
RESOLVED	Robert Varga	<a href="#">Deprecate yang.common.Empty.getInstance()</a>
RESOLVED	Robert Varga	<a href="#">Remove yang.common.Empty.getInstance()</a>
CONFIRMED	Unassigned	<a href="#">Reconsider StmtContext.isSupportedByFeatures()</a>
CONFIRMED	Unassigned	<a href="#">Remove support for Routed RPCs extensions</a>
RESOLVED	Robert Varga	<a href="#">Remove DerivableSchemaNode</a>
RESOLVED	Robert Varga	<a href="#">Remove model.util.SchemaNodeUtils</a>
RESOLVED	Robert Varga	<a href="#">Hide StatementContextBase</a>
RESOLVED	Robert Varga	<a href="#">Deprecate overloaded ImmutableNodes.fromInstanceId()</a>
RESOLVED	Robert Varga	<a href="#">Remove overloaded ImmutableNodes.fromInstanceId()</a>
RESOLVED	Robert Varga	<a href="#">Fold yang-{parser,xpath}-antlr</a>
RESOLVED	Robert Varga	<a href="#">AugmentEffectiveStatementImpl should not be QNameModuleAware</a>
CONFIRMED	Unassigned	<a href="#">Examine XML codec ordering in RPC/action input/output context</a>
RESOLVED	Ruslan Kashapov	<a href="#">Do not warn about unkeyed config=true lists by default</a>
RESOLVED	Robert Varga	<a href="#">Do not fallback to toString() in UnionStringCodec</a>
RESOLVED	Robert Varga	<a href="#">Remove support for semantic version imports</a>
RESOLVED	Robert Varga	<a href="#">Split out yang-ir and IRSchemaSource</a>

<a href="#">RESOLVED</a>	Robert Varga	<a href="#">Integrate rfc7952-data-{api,util} into yang-data-{api,util}</a>
<a href="#">RESOLVED</a>	Robert Varga	<a href="#">Do not allow writeout of pre-Magnesium binary formats</a>
<a href="#">RESOLVED</a>	Robert Varga	<a href="#">Remove DerivedNamespaceBehaviour</a>
<a href="#">RESOLVED</a>	Robert Varga	<a href="#">Refactor FeatureSet to yang-model-api</a>
<a href="#">RESOLVED</a>	Matúš Matok	<a href="#">Migrate unit test YANG inputs</a>
<a href="#">RESOLVED</a>	Robert Varga	<a href="#">Deprecate MixinNode</a>
<a href="#">RESOLVED</a>	Robert Varga	<a href="#">Modernize DataTreeCandidateNode methods</a>
<a href="#">RESOLVED</a>	Robert Varga	<a href="#">Migrate to JUnit5</a>
<a href="#">RESOLVED</a>	Robert Varga	<a href="#">Do not throw URISyntaxException from XmlParserStream.traverse()</a>
<a href="#">RESOLVED</a>	Robert Varga	<a href="#">Remove support for pre-Magnesium binfmt versions</a>
<a href="#">CONFIRMED</a>	Unassigned	<a href="#">Remove ListenerRegistration</a>
<a href="#">RESOLVED</a>	Robert Varga	<a href="#">Deprecate SchemaContextListener</a>
<a href="#">RESOLVED</a>	Robert Varga	<a href="#">Remove NormalizedNode.getIdentifer()</a>
<a href="#">IN REVIEW</a>	Unassigned	<a href="#">Disable support for union TypeDefinitionAwareCodec by default</a>
<a href="#">IN REVIEW</a>	Robert Varga	<a href="#">JSONCodec is a I=Void,O=JsonValueWriter specialization</a>
<a href="#">RESOLVED</a>	Robert Varga	<a href="#">Add org.opendaylight.yang.parser.api.YangParserFactory et al.</a>
<a href="#">RESOLVED</a>	Robert Varga	<a href="#">Remove org.opendaylight.yang.model.parser.api</a>
<a href="#">RESOLVED</a>	Robert Varga	<a href="#">Remove RecursiveObjectLeaker</a>
<a href="#">RESOLVED</a>	Robert Varga	<a href="#">Deprecate UnknownSchemaNode.getExtensionDefinition()</a>
<a href="#">RESOLVED</a>	Robert Varga	<a href="#">Introduce concepts.HierarchicalIdentifier and deprecate concepts.Path</a>
<a href="#">RESOLVED</a>	Robert Varga	<a href="#">Do not emit UndeclaredCaseStatements</a>
<a href="#">RESOLVED</a>	Robert Varga	<a href="#">Remove ModelStatement.statementSource()</a>
<a href="#">RESOLVED</a>	Robert Varga	<a href="#">Deprecate JSONNormalizedNodeStreamWriter.create*Writer() with SchemaPath</a>
<a href="#">RESOLVED</a>	Robert Varga	<a href="#">Deprecate XMLStreamNormalizedNodeStreamWriter.create() with SchemaPath</a>
<a href="#">RESOLVED</a>	Robert Varga	<a href="#">Capture yang-maven configuration</a>
<a href="#">RESOLVED</a>	Robert Varga	<a href="#">Disconnect StatementContextBundle from NamespaceBehaviour.Registry</a>
<a href="#">RESOLVED</a>	Robert Varga	<a href="#">Remove NamespaceBehaviour.Registry</a>
<a href="#">RESOLVED</a>	Robert Varga	<a href="#">Separate NamespaceBehaviour and NamespaceStorageNode</a>
<a href="#">RESOLVED</a>	Robert Varga	<a href="#">NamespaceBehaviour should not be Identifiable</a>
<a href="#">RESOLVED</a>	Robert Varga	<a href="#">Do not use yang.model.api.Module in AbstractModuleStringInstanceIdentifierCodec</a>
<a href="#">RESOLVED</a>	Robert Varga	<a href="#">Do not use SchemaContext.findModule(s)</a>
<a href="#">CONFIRMED</a>	Unassigned	<a href="#">Create a yang-data-api equivalent of TypeDefinition</a>
<a href="#">RESOLVED</a>	Robert Varga	<a href="#">Add DataSchemaContext.SimpleValue.type()</a>
<a href="#">CONFIRMED</a>	Unassigned	<a href="#">Extract yang.data.impl.codec to yang-data-util</a>

<span>CONFIRMED</span>	Unassigned	Add support for parsing JSON containing RFC8528 shared schema mount points
<span>RESOLVED</span>	Robert Varga	Add support for inferring on YangDataEffectiveStatement
<span>RESOLVED</span>	Robert Varga	Add NETCONF/YANG common error constructs
<span>RESOLVED</span>	Robert Varga	Add YangErrorInfo
<span>RESOLVED</span>	Robert Varga	Add YangError replacements
<span>RESOLVED</span>	Robert Varga	Add support for RFC8639 "subscription-state-notification" extension
<span>RESOLVED</span>	Ivan Martinjak	Add support for RFC8819 "module-tag" extension
<span>CONFIRMED</span>	Unassigned	Use filesystem hierarchy to resolve RFC7950 naming violations
<span>RESOLVED</span>	Robert Varga	Introduce model.api.stmt.DataNodeIdentifier
<span>OPEN</span>	Unassigned	Integrate DataNodeIdentifier with YangXPathExpression
<span>CONFIRMED</span>	Unassigned	Expose SubmoduleEffectiveStatement from IncludeEffectiveStatement
<span>RESOLVED</span>	Robert Varga	Add support for purely-effective substatements
<span>RESOLVED</span>	Tomas Cere	Reformulate ImmutableNodes.fromInstanceld() in terms of NormalizedNodeStreamWriter
<span>CONFIRMED</span>	Unassigned	Add annotation-based YANG codegen
<span>RESOLVED</span>	Robert Varga	Add utilities for reading/writing yang-ir
<span>IN REVIEW</span>	Matúš Matok	Add support for formatting EffectiveModelContext to organization tree
<span>RESOLVED</span>	Robert Varga	Add data.api.schema.NormalizedYangData
<span>CONFIRMED</span>	Unassigned	Add support for RFC8791 YANG Data Structure Extensions
<span>RESOLVED</span>	Robert Varga	Define a YangDataName in yang.common
<span>RESOLVED</span>	Matúš Matok	Enrich YangParserTestUtils with String literal YANG methods
<span>CONFIRMED</span>	Unassigned	Add openrewrite.org recipe for YangParserTestUtils.parseYangResource()
<span>RESOLVED</span>	Robert Varga	Add file-backed YangToSourcesState storage
<span>CONFIRMED</span>	Unassigned	Add DataTreeModification.netconfDelete()
<span>RESOLVED</span>	Robert Varga	Expose YangInstancelIdentifier codec from codec factories
<span>CONFIRMED</span>	Unassigned	Add a minimalistic XML tree implementation
<span>CONFIRMED</span>	Unassigned	Add option to track InMemoryDataTree modification metadata
<span>CONFIRMED</span>	Unassigned	Instantiate EffectiveRevisionDate statements on linkage
<span>CONFIRMED</span>	Unassigned	Expose SchemaInferenceStack.effectiveConfig()
<span>RESOLVED</span>	Robert Varga	Expose SchemaInferenceStack.effectiveStatus()
<span>RESOLVED</span>	Robert Varga	Propagate SchemaSourceRepresentation symbolic names
<span>CONFIRMED</span>	Unassigned	Improve MutableDataTree formatting capabilities
<span>RESOLVED</span>	Robert Varga	Convert yang-model-export to JPMS
<span>RESOLVED</span>	Robert Varga	Convert yang-data-transform to a JPMS module
<span>RESOLVED</span>	Robert Varga	Convert yang-data-codec-binfmt into a JPMS module

RESOLVED	Robert Varga	Add support yang-ext:mount extension
RESOLVED	Unassigned	Add support for yang-ext:mount instance identifiers
RESOLVED	Robert Varga	Fix QName.compareTo() logic
CONFIRMED	Unassigned	Add support for odext:augment-equivalent
RESOLVED	Robert Varga	Correctly tag unique constraint violations
CONFIRMED	Unassigned	Correctly tag missing key violations
RESOLVED	Robert Varga	Add malformed-message ErrorTag
RESOLVED	Robert Varga	Correctly tag min/max element violations
RESOLVED	Robert Varga	Re-examine argument storage in effective statements
RESOLVED	Robert Varga	Remove UnknownStatement.getExtensionDefinition()
RESOLVED	Robert Varga	Promote UnknownEffectiveStatementBase
RESOLVED	Robert Varga	Add yang.common.UnresolvedQName
RESOLVED	Robert Varga	Improve SchemaInferenceStack diagnostics
RESOLVED	Robert Varga	Add EffectiveModuleContext.findModuleStatements() based on name/namespace
RESOLVED	Robert Varga	Generate ietf-restconf operations leaf statements
RESOLVED	Robert Varga	Enforce YANG 1/1.1 interoperability constraints
RESOLVED	Robert Varga	Carry java.nio.file.Path in {Yang,Yin}TextFileSchemaSource
CONFIRMED	Unassigned	Remove yang.data.api.schema.MixinNode
RESOLVED	Robert Varga	Allow bridging from UnqualifiedQName to QualifiedQName
CONFIRMED	Unassigned	Define a yang.common version of NetconfError
RESOLVED	Robert Varga	Do not build FeatureEffectiveStatement for unsupported features
RESOLVED	Robert Varga	Expose available StatementSupports from StmtContext
RESOLVED	Robert Varga	Intern yang.model.api.PatternExpression
RESOLVED	Robert Varga	Implement TypedefNamespace as a linear search
RESOLVED	Robert Varga	Do not retain singleton RangeSets
RESOLVED	Robert Varga	Codify AbstractModelStatement's hashCode>equals/toString
RESOLVED	Robert Varga	Remove AugmentationSchemaNode.getOriginalDefinition()
RESOLVED	Robert Varga	Add a custom SoftSchemaSourceCache
RESOLVED	Samuel Schneider	Refactor IfFeaturePredicateVisitor
RESOLVED	Samuel Schneider	Expose a knob to control warnings about unkeyed lists with config=true
CONFIRMED	Unassigned	Reconsider LeafSetNode storage
RESOLVED	Robert Varga	Add OrderedByAwareEffectiveStatement
RESOLVED	Robert Varga	AugmentEffectiveStatement should be SchemaTreeAwareEffectiveStatement
CONFIRMED	Unassigned	Consider adding YangInstanceIdentifier+NormalizedNode-based codec utilities

<span>RESOLVED</span>	Robert Varga	<a href="#">Integrate EffectiveAugmentationSchema into AugmentationSchemaNode/AugmentEffectiveStatement}</a>
<span>RESOLVED</span>	Robert Varga	<a href="#">Add Decimal64.valueOf() methods which specify expected precision</a>
<span>RESOLVED</span>	Robert Varga	<a href="#">Refactor DataSchemaContextNode</a>
<span>RESOLVED</span>	Samuel Schneider	<a href="#">Improve trust between DefaultSchemaTreeInference and SchemaInferenceStack</a>
<span>IN PROGRESS</span>	Robert Varga	<a href="#">Deal with leading YangInstanceIdentifier fragment</a>
<span>RESOLVED</span>	Robert Varga	<a href="#">Update known unicode blocks for Java 11</a>
<span>RESOLVED</span>	Robert Varga	<a href="#">Update known Unicode blocks for Java 17</a>
<span>RESOLVED</span>	Robert Varga	<a href="#">Invert SchemaInferenceStack's deque</a>
<span>RESOLVED</span>	Oleksandr Zharov	<a href="#">Switch yang-model-validator to argparse4j</a>
<span>RESOLVED</span>	Robert Varga	<a href="#">Compute YangInstanceIdentifier.hashCode lazily</a>
<span>CONFIRMED</span>	Ruslan Kashapov	<a href="#">Consider bits type storage</a>
<span>CONFIRMED</span>	Unassigned	<a href="#">Merge cursor awareness into DataTree(Snapshot,Modification)</a>
<span>RESOLVED</span>	Robert Varga	<a href="#">Normalize Decimal64 scale in DecimalStringCodec</a>
<span>RESOLVED</span>	Ivan Hrasko	<a href="#">Improve Decimal64.toString() implementation</a>
<span>RESOLVED</span>	Robert Varga	<a href="#">Add support for adjusting Decimal64 scale</a>
<span>RESOLVED</span>	Oleksandr Zharov	<a href="#">Normalize Decimal64 scale in range constraints</a>
<span>RESOLVED</span>	Oleksandr Zharov	<a href="#">Enforce range constraints in DecimalStringCodec</a>
<span>RESOLVED</span>	Robert Varga	<a href="#">Convert yang-data-codec-gson into a JPMS</a>
<span>RESOLVED</span>	Robert Varga	<a href="#">PrefixToModule has cognitive issues</a>
<span>RESOLVED</span>	Robert Varga	<a href="#">Do not use Class for ParserNamespace identification</a>
<span>RESOLVED</span>	Robert Varga	<a href="#">Do not use Class for IdentifierNamespace identification</a>
<span>RESOLVED</span>	Matúš Matok	<a href="#">Expose pre-sized builders from Builders</a>
<span>RESOLVED</span>	Matúš Matok	<a href="#">YangTextSchemaContextResolver needs to be aware of supported features</a>
<span>RESOLVED</span>	Robert Varga	<a href="#">Improve EffectiveStatement definitions</a>
<span>CONFIRMED</span>	Unassigned	<a href="#">Make BuildGlobalContext execution order predictable</a>
<span>RESOLVED</span>	Robert Varga	<a href="#">Update YangDataStatement to use YangDataName</a>
<span>RESOLVED</span>	Robert Varga	<a href="#">Validate ietf-restconf:yang-data substatements are unique</a>
<span>RESOLVED</span>	Robert Varga	<a href="#">Reduce AbstractPrerequisite footprint</a>
<span>RESOLVED</span>	Robert Varga	<a href="#">Do not allow empty YangInstanceIdentifier leaf/leaf-list values</a>
<span>OPEN</span>	Unassigned	<a href="#">Deviation must not target the same module as the one it is defined in</a>
<span>IN REVIEW</span>	Robert Varga	<a href="#">Add Runnable-backed Registration implementations</a>
<span>RESOLVED</span>	Robert Varga	<a href="#">Improve NamespaceBehaviour/NamespaceStorageNode interactions</a>
<span>RESOLVED</span>	Unassigned	<a href="#">Disconnect NamespaceStmtCtx from Current and StmtContext</a>

RESOLVED	Robert Varga	Add an immediate YangTextSchemaSource
RESOLVED	Robert Varga	Make YangTextSchemaSource work on CharSource
RESOLVED	Robert Varga	Revise ExtensibleObject API
RESOLVED	Robert Varga	Capture AnnotationName
RESOLVED	Robert Varga	Improve DataContainerNode addressing
RESOLVED	Robert Varga	Require full declarations during schema tree traversal
RESOLVED	Robert Varga	Ensure statement visibility before notifying listeners
RESOLVED	Robert Varga	Change UsesNode.getRefines()
RESOLVED	Robert Varga	Do not trim XML element text
RESOLVED	Robert Varga	Seal XmlCodec interface to deal with XmlCodecFactory warnings
RESOLVED	Robert Varga	Do not use Optional in yang-data-tree-ri operations
RESOLVED	Robert Varga	Improve InMemoryDataTreeModification state management
OPEN	Unassigned	Some of SOURCE_PRE_LINKAGE modifiers for statements were not resolved.
RESOLVED	Robert Varga	Improve YangInstanceIdentifier serialization error reporting
RESOLVED	Robert Varga	Enhance XML prefix assignment
RESOLVED	Robert Varga	Add AbstractHierarchicalIdentifier
RESOLVED	Robert Varga	Improve ImmutableOffsetMapTemplate error reporting
RESOLVED	Robert Varga	Remove references to java.util.EventListener
RESOLVED	Robert Varga	Add Empty.{completed,immediate}Future()
RESOLVED	Robert Varga	Improve JSONCodec.parseValue()
RESOLVED	Robert Varga	Allow JSONCodec to be used without JsonWriter
CONFIRMED	Unassigned	Identify and close EffectiveStatement implementation gaps
CONFIRMED	Unassigned	Add support for RFC8791 YANG Data Structure Extensions
RESOLVED	Robert Varga	Remove concepts.Builder and concepts.CheckedBuilder
RESOLVED	Robert Varga	Remove concepts.IllegalArgumentExceptionCodec
CONFIRMED	Unassigned	Rework yang-repo-api in terms of java.nio
CONFIRMED	Unassigned	Remove Binding-only constructs from YANG parser
RESOLVED	Tibor Král	MandatoryLeafEnforcer fails when faced with augmentations
RESOLVED	Ivan Hrasko	QName translation fails for identity leaf value
RESOLVED	Robert Varga	SchemalInferenceStack is missing typedef support
RESOLVED	Robert Varga	SchemalInferenceStack is cannot handle leafs under choice/case
RESOLVED	Unassigned	Cannot parse yexte:initial-value "::" for ipv6 address
OPEN	mikael petterson	Unable to build schema context from java.time.format.DateTimeParseException: Text " could not be parsed at index 0
RESOLVED	Robert Varga	NormalizedStreamWriterStack does not work with notifications

RESOLVED	Robert Varga	Add support for parsing Notifications
RESOLVED	Robert Varga	{Input,Output}EffectiveStatement should be DataTreeEffectiveStatement
RESOLVED	Robert Varga	AbstractEffectiveStatement.indexDataTree() fails to filter non-datatree statements
RESOLVED	Tomas Cere	Do not keep negative cache in SharedEffectiveModelContextFactory
RESOLVED	Robert Varga	Codecs report wrong error-type in YangError
RESOLVED	Robert Varga	YangError does not report error-tag
RESOLVED	Manoj Chokka	xml to json translation creates duplicates.
RESOLVED	Robert Varga	Reactor failure with OpenROADM models
RESOLVED	Robert Varga	yang.common.ErrorTag is not Serializable
RESOLVED	Robert Varga	Refining leaf-list with "default"
RESOLVED	Dominik Vrbovský	Error when module is imported with different prefixes
RESOLVED	Robert Varga	Decimal64.valueOf(String) does not handle full length
CONFIRMED	Unassigned	Parser does not emit all events for extension statements
RESOLVED	Robert Varga	IAE in StatementContextBase.childCopyOf()
OPEN	Unassigned	Yang models using "ietf-yang-schema-mount" mount-point are not supported in ODL
RESOLVED	Ruslan Kashapov	YangXPathExpression.interpretAsInstanceIdentifier() does not handle unqualified names
RESOLVED	Unassigned	Deserialization of instance-identifier doesn't seem to work
VERIFIED	Michael Dürre	unable to generate onf1.4 classes
RESOLVED	Robert Varga	NPE in parser reactor with if-feature inference
RESOLVED	Robert Varga	Parser reactor does not support chained prerequisites
RESOLVED	Robert Varga	Unique statement reference is not validated
RESOLVED	Robert Varga	Statement replicas do not trigger onStatementAdded()
RESOLVED	Robert Varga	XPath: XPath keyword not accepted as valid XPath expression
RESOLVED	Robert Varga	InferenceException thrown when uses/augment is conditional on unsupported feature
RESOLVED	Unassigned	NormalizedStreamWriterStack fails to initialize on choice nodes
RESOLVED	Robert Varga	Deviation of augmented node causes NPE
RESOLVED	Robert Varga	BaseDecimalType is missing boundaries for fraction-digits=18
RESOLVED	Robert Varga	Attempted access to undeclared case statement
RESOLVED	Robert Varga	Deviation of augmented case node fails
RESOLVED	Robert Varga	'choice' not allowed in 'choice' with yang-version 1.1
RESOLVED	Robert Varga	JSON codec fails to decode instance-identifier to a choice/case/choice item
RESOLVED	Robert Varga	Add DataSchemaContextTree/SchemaInferenceStack integration
RESOLVED	Robert Varga	ChoiceNodeContextNode's handling of case augmentations
RESOLVED	Robert Varga	AbstractImmutableDataContainerNode violates equals() contract

RESOLVED	Robert Varga	Java 14+ breaks XSD regex translation
RESOLVED	Robert Varga	Missing failedSource in SchemaResolutionException
RESOLVED	Sangwook Ha	yang-model-validator has an illegal option 'no-wul'
RESOLVED	Robert Varga	Unsupported leaf under causes parsing failure
RESOLVED	Robert Varga	YangInstanceIdentifierWriter does not handle nested augmentations
RESOLVED	Robert Varga	Building SchemaContext fails when augmenting submodel data
CONFIRMED	Unassigned	Module name space collision with YANG modules with submodules and groupings from the submodules
RESOLVED	Robert Varga	Unexpected error while processing submodule references
RESOLVED	Robert Varga	Decimal64.toString() loses negative sign
RESOLVED	Robert Varga	Fix YangDataEffectiveStatement definition
RESOLVED	Robert Varga	Node name collision for unique argument
RESOLVED	Unassigned	Some BBF Yang models have errors when generating swagger for mounted device
RESOLVED	Unassigned	BBF SW MGR yang causes device to not connect
RESOLVED	Ruslan Kashapov	Failed to parse deviation statement present in submodule
RESOLVED	Unassigned	Node name collision already declared at <file>
RESOLVED	Robert Varga	Data change event notification fails
RESOLVED	Unassigned	apidoc for mounted device not working due to ietf-subscribed-notifications
CONFIRMED	Unassigned	yang-maven-plugin execution is not reliably following the configuration
RESOLVED	Robert Varga	Instance identifier parser : handle inner quotes within quoted strings
RESOLVED	Robert Varga	Unexpected error processing source SourceIdentifier [ietf-network@2018-02-26]
RESOLVED	Robert Varga	yang-xpath-impl depends on javax.inject
RESOLVED	Ruslan Kashapov	JsonParserStream cannot read augmentations
RESOLVED	Robert Varga	NormalizedNameStreamWriter.create() ignores path
RESOLVED	Robert Varga	Fail to find unique argument node in augmented list
RESOLVED	Robert Varga	Fail to process unsupported augment statement
RESOLVED	Ruslan Kashapov	XML/JSON YangInstanceIdentifier codecs mis-handle key values
RESOLVED	Robert Varga	Fail to process augmentation with empty grouping
RESOLVED	Unassigned	USE statement not recognised
RESOLVED	Robert Varga	Fail to process deviation/augmentation from multiple modules
RESOLVED	Robert Varga	Fail to parse a list with unique statement when unsupported
RESOLVED	Robert Varga	Fail to process deviation of augmented node without feature support
RESOLVED	Ravi Pendury	DOMSourceAnydata marked as private and hence unusable
RESOLVED	Robert Varga	yang-maven-plugin elicits deprecation warning with maven-3.9.1
RESOLVED	Robert Varga	Failed to process YANGs containing refine of a if-feature'd target

<a href="#">RESOLVED</a>	Robert Varga	Do no allow if-feature in refine statement
<a href="#">RESOLVED</a>	Unassigned	Failure recognizing inline notifications when parsing XML
<a href="#">RESOLVED</a>	Robert Varga	XML parser omits leading/trailing whitespace in string values
<a href="#">RESOLVED</a>	Robert Varga	Unkeyed config list is not rejected
<a href="#">RESOLVED</a>	Unassigned	Incorrect XML attribute namespace
<a href="#">RESOLVED</a>	Robert Varga	Fail to parse YANG module with a node with if-feature augmented within grouping
<a href="#">RESOLVED</a>	Robert Varga	XmlParserStream reports "Unhandled mount-aware schema"
<a href="#">RESOLVED</a>	Unassigned	Leaf '(urn:ieee:std:1914.3:yang:ieee1914-dot3?revision=2020-03-31)orderInfoType' has default value 'SEQNUM' marked with an if-feature statement
<a href="#">RESOLVED</a>	Robert Varga	CME in AbstractNodeContainerModificationStrategy.checkChildPreconditions()
<a href="#">RESOLVED</a>	Robert Varga	XmlAttributeInstanceIdentifierCodec is using JSON encoding for writeValue()
<a href="#">OPEN</a>	Ivan Hrasko	Min/max-elements are not enforced for wrapped elements in container
<a href="#">RESOLVED</a>	Unassigned	nested instance identifier values
<a href="#">OPEN</a>	Robert Varga	Please provide the requested information
<a href="#">RESOLVED</a>	Robert Varga	JsonParserStream does not intercept IllegalStateException
<a href="#">RESOLVED</a>	Robert Varga	{Yin,Yang}TextSource references require yang-model-spi
<a href="#">RESOLVED</a>	Robert Varga	NormalizedNode.toString() changed
<a href="#">RESOLVED</a>	Robert Varga	Unstable NodeWithValue.toString()
<a href="#">OPEN</a>	Unassigned	Mismatched Guava binding in Eclipse
<a href="#">OPEN</a>	Robert Varga	Ordered list item order cannot be changed in single transaction
<a href="#">RESOLVED</a>	Robert Varga	RPC output cannot be written out via JSON/XML codecs
<a href="#">IN REVIEW</a>	Peter Suna	RegexUtils does not convert all XSD specifics to Java-compatible regex
<a href="#">RESOLVED</a>	Robert Varga	Remove circular dependency when parsing module with submodule
<a href="#">OPEN</a>	Herbert Eiselt	NormalizedAnydata - normalizeTo method throwing AnydataNormalizationException

298 issues

## MD-SAL

Status	Assignee	Summary
<a href="#">RESOLVED</a>	Robert Varga	Reserve class namespace for RPC definitions
<a href="#">RESOLVED</a>	Robert Varga	Promote odl-mdsal-exp-replicate-netty
<a href="#">RESOLVED</a>	Robert Varga	DOMDataTreeChangeListener.onInitialData() should be non-default
<a href="#">RESOLVED</a>	Robert Varga	Package ietf-restconf and ietf-yang-patch in mdsal
<a href="#">RESOLVED</a>	Robert Varga	Do not reference SchemaNode.getPath()
<a href="#">RESOLVED</a>	Robert Varga	Remove unified-html-generator

RESOLVED	Robert Varga	Do not use <code>IllegalArgumentCodec</code>
RESOLVED	Robert Varga	Remove RFC7277 models
RESOLVED	Robert Varga	Upgrade iana-if-type to 2021-06-21
RESOLVED	Robert Varga	Upgrade iana-routing-types to 2021-10-19
RESOLVED	Robert Varga	Remove RFC7223 models
CONFIRMED	Unassigned	Deprecate <code>yang-ext:context-{instance,reference}</code>
IN REVIEW	Samuel Schneider	Do not use <code>CopyableNode.isAugmenting()</code>
RESOLVED	Ivan Hrasko	Deprecate <code>AssertDataObjects</code>
RESOLVED	Robert Varga	Remove <code>AssertDataObjects</code>
RESOLVED	Robert Varga	Do not package rfc7895 ietf-yang-library
RESOLVED	Robert Varga	Always generate module DataRoot
RESOLVED	Robert Varga	Do not generate <code>@java.beans.ConstructorProperties</code>
RESOLVED	Robert Varga	Remove <code>RpcService</code>
RESOLVED	Robert Varga	Generate <code>Rpc</code> specializations
RESOLVED	Ruslan Kashapov	Do not allow cross-datastore transactions
RESOLVED	Robert Varga	Deprecate <code>RpcService</code> and related API contracts
RESOLVED	Robert Varga	Rename <code>RpcConsumerRegistry</code>
RESOLVED	Ruslan Kashapov	Generate binding codecs in a dedicated namespace
RESOLVED	Robert Varga	Deprecate <code>BindingReflections.getModelRootPackageName()</code>
RESOLVED	Šimon Ukuš	Remove <code>binding.spec.util</code> package
RESOLVED	Robert Varga	Deprecate <code>DataObjectReadingUtil</code>
RESOLVED	Šimon Ukuš	Rehost <code>BindingMapping</code>
RESOLVED	Ruslan Kashapov	Update <code>mdsal-binding-dom-{codec,adapter}</code> to deal with <code>AugmentationNode</code> being removed
RESOLVED	Samuel Schneider	Remove convenience model artifacts
CONFIRMED	Unassigned	Add explicit open module declarations to models
RESOLVED	Robert Varga	Rename <code>yang.binding.{Identifiable,Identifier}</code>
CONFIRMED	Robert Varga	Rehost methods from <code>yang.binding.contract.Naming</code>
RESOLVED	Matúš Matok	Fix links in <code>README</code>
RESOLVED	Robert Varga	Remove <code>DOMRpcRouterServices</code>
RESOLVED	Robert Varga	Reduce number of Registration specializations
RESOLVED	Robert Varga	Do not reference <code>SchemaNode.getPath()</code> in <code>BindingRuntimeTypes</code>
RESOLVED	Robert Varga	Do not reference <code>SchemaNode.getPath()</code> in <code>mdsal-binding-generator</code>
CONFIRMED	Unassigned	Add utility classes for generating indented file content
IN REVIEW	Samuel Schneider	Replace and deprecate <code>DataContainerCodecContext.isSubstitutionFor()</code>

RESOLVED	Robert Varga	Remove BindingReflections.isAugmentationChild()
RESOLVED	Robert Varga	Remove BindingReflections.findHierarchicalParent()
RESOLVED	Robert Varga	Remove BindingReflections.resolveRpc{Input,Output}Class()
RESOLVED	Robert Varga	Split out mdsal.binding.dom.codec.impl.loader
RESOLVED	Oleksandr Panasiuk	Rehost BindingReflections.getModuleInfo() to BindingRuntimeHelpers
RESOLVED	Robert Varga	Define serialization proxies for (DOM)DataTreeIdentifier
CONFIRMED	Unassigned	Define DOMDataBroker.CompactExtension and DOMCompactAwareTransactionChain
CONFIRMED	Unassigned	Retrofit compact() into DOMStore
CONFIRMED	Unassigned	Expand DataBroker with compation awareness
CONFIRMED	Unassigned	Implement DOMStore.compact() in IMDS
RESOLVED	Ruslan Kashapov	Generate structures for RFC8040 yang-data extensions
RESOLVED	Robert Varga	Package RFC8819 Module Tags models
RESOLVED	Robert Varga	Add support for listening on individual notifications
RESOLVED	Robert Varga	Support for atomic registration of diverse DOMNotificationListeners
RESOLVED	Robert Varga	Add support for listening on multiple notifications
IN PROGRESS	Ivan Hrasko	Improve Decimal64 validity checks
RESOLVED	Robert Varga	Generate code for 'feature' statements
RESOLVED	Robert Varga	Add support for advertizing supported features
RESOLVED	Robert Varga	Package RFC7317's iana-crypt-hash module
CONFIRMED	Unassigned	Add AOT version of mdsal-binding-codec
RESOLVED	Robert Varga	Do not use BindingReflections.getQName
CONFIRMED	Unassigned	Expose DOM transactions from DataBroker/TransactionChain
CONFIRMED	Unassigned	Bridge RFC8040 yang-data to NormalizedYangData
RESOLVED	Unassigned	Generate NAME constant for ietf-restconf:yang-data interfaces
CONFIRMED	Unassigned	Generate binding constructs for YANG extensions
RESOLVED	Oleksandr Panasiuk	Add DataBroker.registerListener(DataTreeIdentifier,DataListener)
CONFIRMED	Unassigned	Integrate java.security.Principal into request APIs
CONFIRMED	Unassigned	Add support for compacting InMemoryDataTree
OPEN	Robert Varga	Yang deviation is not reflected in java source code on all leaves sharing the same path
RESOLVED	Robert Varga	Document yang-ext:mount extension
RESOLVED	Samuel Schneider	Retain grouping/uses instantiation vectors
RESOLVED	Robert Varga	Cleanup dependency declarations
RESOLVED	Oleksandr Panasiuk	Add nonnullFoo() getters for non-semantic objects
RESOLVED	Ivan Hrasko	Do not reference concepts.Builder in builders

RESOLVED	Robert Varga	Do not format empty augmentations in DataObject.toString()
RESOLVED	Ivan Martiniak	Use HexFormat to print out byte[] properties
RESOLVED	Ivan Martiniak	Improve TypeObject.toString()
RESOLVED	Robert Varga	Do not use AugmentationSchemaNode.getOriginalDefinition()
RESOLVED	Robert Varga	Do not use DerivableSchemaNode
CONFIRMED	Unassigned	Do not use AddedByUsesAware
CONFIRMED	Ivan Hrasko	Improve PingPongTransactionChain coverage
RESOLVED	Robert Varga	Take supported features into account
RESOLVED	Robert Varga	Map system-ordered leaf-lists to java.util.Set
RESOLVED	Robert Varga	Reject invalid InstanceIdentifiers
CONFIRMED	Unassigned	BindingDataObjectCodecTreeNode.streamChild() does not support Choices
RESOLVED	Robert Varga	Clean up InstanceIdentifier semantics
RESOLVED	Robert Varga	Change 'type identityref' Binding representation to normal objects
RESOLVED	Oleksandr Zharov	Generate fields for all Identityrefs in an Union binding class.
CONFIRMED	Unassigned	Capture union's stringValue() contract
RESOLVED	Ivan Martiniak	Add BitsTypeObject
RESOLVED	Ivan Martiniak	Map bits type to primitive boolean
CONFIRMED	Unassigned	Improve BitsTypeObject storage
RESOLVED	Robert Varga	Do not shade byte-buddy
RESOLVED	Samuel Schneider	Convert mdsal-dom-schema-osgi to a JPMS module
RESOLVED	Samuel Schneider	Convert mdsal-dom-broker to a JPMS module
RESOLVED	Samuel Schneider	Convert mdsal-binding-dom-adapter to a JPMS module
RESOLVED	Oleksandr Panasiuk	Convert mdsal-eos-binding-adapter to a JPMS module
RESOLVED	Samuel Schneider	Add Automatic-Module-Name declarations to packaged models
RESOLVED	Robert Varga	Generate a switch expression for enum's forName()/forValue() methods
RESOLVED	Robert Varga	Generate ofName() and ofValue() for enumerations
RESOLVED	Robert Varga	Improve javadoc of generated classes
RESOLVED	Samuel Schneider	Generate javadocs for Builder.withKey()
RESOLVED	Samuel Schneider	Improve javadoc for generated keys
RESOLVED	Samuel Schneider	Generate javadoc for unions
RESOLVED	Samuel Schneider	Generate javadoc for augments
RESOLVED	Samuel Schneider	Generate javadoc for ScalarTypes
CONFIRMED	Unassigned	Refactor binding-model-api
RESOLVED	Robert Varga	Reflect identity status in generated classes

RESOLVED	Robert Varga	Reflect feature status in generated classes
CONFIRMED	Unassigned	Do not use proxies for Action/Rpc adapter
RESOLVED	Robert Varga	Integrate Action with BindingContract
RESOLVED	Robert Varga	Support single-RPC interfaces in RpcConsumerRegistry and RpcProviderService
CONFIRMED	Unassigned	Eliminate BindingReflections
RESOLVED	Matúš Matok	ModuleInfoSnapshot{Builder,Resolver} should propagate supported features
RESOLVED	Robert Varga	mdsal-dom-schema-osgi needs to propagate YangFeatureProviders
RESOLVED	Robert Varga	Do not track uninteresting bundles
RESOLVED	Robert Varga	Union value classes need to enforce non-null components
RESOLVED	Robert Varga	Change mapping of action input/output
CONFIRMED	Unassigned	Implement BindingCodecContext.getSubtreeCodec(Absolute)
RESOLVED	Matúš Matok	InstancelIdentifierBuilder should be variadic to KeyedInstancelIdentifier
RESOLVED	Robert Varga	Add Augmentable.augmentationOrElseThrow()
RESOLVED	Robert Varga	Disambiguate generated classes based on source statement
CONFIRMED	Robert Varga	Add binding.api.(Keyed)Instance{Identifier,Wildcard}
IN REVIEW	Robert Varga	Add binding.api.(Keyed)Instance{Identifier,Wildcard}-using methods
RESOLVED	Ruslan Kashapov	Deprecate Clustered(DOM)DataTreeChangeListener
RESOLVED	Robert Varga	Annotate generated serialVersionUID with @java.io.Serial
RESOLVED	Robert Varga	Remove Abstractllef(Inet,Yang)Util
IN REVIEW	Samuel Schneider	Suppress empty range checkers
OPEN	Robert Varga	Support setting schema source URL by YangLibraryContentBuilder
OPEN	Robert Varga	Support multiple schemas/module-sets by YangLibraryContentBuilder
OPEN	Robert Varga	Provide deviations to modules data built by YangLibraryContentBuilder
RESOLVED	Robert Varga	Move generated YangModelBindingProvider and ResourceYangModuleInfo
CONFIRMED	Unassigned	Fix instance-identifier mapping
RESOLVED	Robert Varga	Remove DOMExtensibleService
RESOLVED	Robert Varga	Disconnect (DOM)DataTreelIdentifier from serialization
RESOLVED	Robert Varga	Unify (DOM)DataTreelIdentifier layout
CONFIRMED	Unassigned	Reconcile DOM{Action,Rpc}Service availability listeners
CONFIRMED	Unassigned	Integrate mdsal-binding-util into mdsal-binding-api
RESOLVED	Robert Varga	Eliminate TransactionChainListener
RESOLVED	Robert Varga	Rehost AbstractDOMDataBroker
RESOLVED	Robert Varga	Improve RpcProviderService.registerRpcImplementations()
CONFIRMED	Unassigned	Remove Routed RPC concept and implementation

<span>CONFIRMED</span>	Unassigned	Eliminate the use of Java reflection from mdsal-binding-dom-codec
<span>CONFIRMED</span>	Unassigned	Sanitize bits type mapping
<span>CONFIRMED</span>	Unassigned	Provide a decentralized way of specifying YANG features available at runtime
<span>CONFIRMED</span>	Unassigned	MD-SAL needs to be AOT-friendly
<span>RESOLVED</span>	Robert Varga	replicate-netty fails to start up
<span>RESOLVED</span>	Robert Varga	Wrong included submodule resource name
<span>RESOLVED</span>	Robert Varga	Binding codegen generates invalid enforcer for String/length
<span>CONFIRMED</span>	Unassigned	Binding DTO bindingHashCode() is inconsistent with augmentations
<span>RESOLVED</span>	Robert Varga	Issue serializing object type defined by a leafref
<span>IN PROGRESS</span>	Samuel Schneider	BindingCodecContext does not deal with unresolved leafrefs
<span>RESOLVED</span>	Robert Varga	ietf-topology contains invalid leafrefs
<span>RESOLVED</span>	Robert Varga	Incorrect @NonNull with binary requireFoo()
<span>RESOLVED</span>	Ivan Hrasko	ActionProviderService is not registering action into DOMRpcRouter
<span>RESOLVED</span>	Oleksandr Panasiuk	Node credential storage encryption
<span>RESOLVED</span>	Robert Varga	DOMActionProviderService does not support fallback routing
<span>RESOLVED</span>	Robert Varga	Netty replication source fails to shutdown
<span>RESOLVED</span>	Robert Varga	Multiple issues during global context update
<span>RESOLVED</span>	Robert Varga	VerifyException thrown when resolving leafrefs with TAPI models
<span>RESOLVED</span>	Unassigned	CodeGenerator cannot implement listeners for notifications inside groupings
<span>RESOLVED</span>	Robert Varga	Misaligned odlparent/yangtools versions
<span>RESOLVED</span>	Robert Varga	Some RPCs are not accessible internally
<span>RESOLVED</span>	Robert Varga	Action(Provider)Service translates grouping Action path incorrectly
<span>OPEN</span>	Unassigned	Error notifying listener org.opendaylight.mdsal.binding.dom.adapter.BindingDOMDataTreeChangeListenerAdapter@7ee6f5ce
<span>RESOLVED</span>	Robert Varga	Binding generator fails on resolution of augment whose path contains nodes augmented from another namespace
<span>RESOLVED</span>	Robert Varga	Augments fail to resolve
<span>RESOLVED</span>	Robert Varga	ActionSpec.build() does not handle KeyedListActions
<span>RESOLVED</span>	Peter Suna	ActionProviderService.registerImplementation() does not handle KeyedListActions
<span>RESOLVED</span>	Robert Varga	ActionService does not handle KeyedListActions
<span>OPEN</span>	Jorge Matias	Code generation issue with CaseGenerator
<span>RESOLVED</span>	Robert Varga	Build error on generated code for Enumeration
<span>RESOLVED</span>	Robert Varga	Failure to start Binding/DOM codec
<span>RESOLVED</span>	Robert Varga	Binding generator generates uncomplilable code for leafref chain with identityref at the end
<span>RESOLVED</span>	Robert Varga	StackOverflowError with bgp-linkstate
<span>RESOLVED</span>	Robert Varga	Template issue compiling org-openroadm-pm-types@2020-03-27 yang model

<a href="#">RESOLVED</a>	Dominik Vrbovský	Fix the comparing wrong QNames
<a href="#">IN REVIEW</a>	Robert Varga	Fix bits mapping string/getDefaultInstance mapping
<a href="#">RESOLVED</a>	Robert Varga	PingPongTransactionChain's cancel() always closes underlying chain
<a href="#">IN REVIEW</a>	Ivan Martiniak	Fix generation of constructor parameters for BitsTypeObject
<a href="#">RESOLVED</a>	Robert Varga	DOMRpcService.registerImplementations() does not work with pre-existing entries
<a href="#">RESOLVED</a>	Robert Varga	Union's stringValue() does not handle BitsTypeObject
<a href="#">RESOLVED</a>	Matúš Matok	typedef/bits generates invalid code
<a href="#">RESOLVED</a>	Sangwook Ha	Notification registration not updated with 'registerNotificationListeners'
<a href="#">RESOLVED</a>	Robert Varga	Notification through MD-sal
<a href="#">CONFIRMED</a>	Ivan Hrasko	Build fails on test using identifiers with unicode characters
<a href="#">RESOLVED</a>	Robert Varga	Wildcard KeyedInstanceIdentifier cannot be constructed
<a href="#">RESOLVED</a>	Robert Varga	DOMDataTreeCommitCohort does not expose EffectiveModelContext
<a href="#">RESOLVED</a>	Robert Varga	Runtime types fail to be generated for ietf-keystore
<a href="#">RESOLVED</a>	Robert Varga	Fix mdsal-binding-dom-codec module definition
<a href="#">RESOLVED</a>	Robert Varga	Runtime types fail with leafref typedef and disabled features
<a href="#">RESOLVED</a>	Robert Varga	WriteTransaction.mergeParentStructure{Merge,Put} does not work with augmentation InstanceIdentifier
<a href="#">RESOLVED</a>	Robert Varga	AbstractPingPongTransactionChain is not idempotent
<a href="#">RESOLVED</a>	Robert Varga	IAE during dynamic proxy instantiation
<a href="#">RESOLVED</a>	Robert Varga	SingletonServiceProvider fails to shutdown cleanly
<a href="#">RESOLVED</a>	Unassigned	opeconfig yang model compilation with augmented support is not available in potassium based yangtools

[196 issues](#)

## Milestones

Key	Summary	T	Updated	Status	Resolution
-----	---------	---	---------	--------	------------

No issues found

