

# Sulfur Release

## OpenDayLight Sulfur Release: Inputs to Marketing Communications

### BGPCEP

Status	Key	Summary
RESOLVED	BGPCEP-1027	Do not use RpcService in BGPCEP components
RESOLVED	BGPCEP-1026	Add maven central, docs and license badges to README.md
RESOLVED	BGPCEP-1025	Rework bgpcep README to README.md
RESOLVED	BGPCEP-1024	Update restconf links in documentation
CONFIRMED	BGPCEP-1023	Race during peer shutdown
CONFIRMED	BGPCEP-1022	Investigate route target counters
RESOLVED	BGPCEP-1021	Failure to update OpenConfig statistics
RESOLVED	BGPCEP-1020	PCEP accesses dead transaction chain
CONFIRMED	BGPCEP-1019	Add support for RFC9357
RESOLVED	BGPCEP-1018	Remove blueprint from autobandwidth-extension
RESOLVED	BGPCEP-1017	Correct pcep timer types
RESOLVED	BGPCEP-1016	Do not use BindingReflections.findQName() for AFI/SAFI
RESOLVED	BGPCEP-1015	PCUpd with empty LSP is sent
CONFIRMED	BGPCEP-1014	as-path prepending with multiple instances of own AS number missing
RESOLVED	BGPCEP-1013	Comply with RFC8212 EBGP Route Propagation Behavior without Policies
OPEN	BGPCEP-1012	Implement RFC7607 ASN 0 Processing
RESOLVED	BGPCEP-1011	Allow statistics updates to be configured on a per-topology basis
RESOLVED	BGPCEP-1010	Graph is not able to handle both IPv4 and IPv6 addresses
RESOLVED	BGPCEP-1009	BGPDocumentedException with IPv6 prefix in BGP Link State
OPEN	BGPCEP-1008	ODL Sulfur : PCEP Session terminates when a PCReq is received . Log shows "Compute path from Source Null"
RESOLVED	BGPCEP-1007	PCEPTopologySessionListener fails to clean up requests on shutdown
RESOLVED	BGPCEP-1006	Reuse Timers across multiple PCEP requests
RESOLVED	BGPCEP-1005	Race between topology manager and PCEP session

<a href="#">CONFIRMED</a>	BGPCEP-1004	Add support for draft-ietf-pce-segment-routing-ipv6
<a href="#">RESOLVED</a>	BGPCEP-1003	NPEs are meaningful on JDK17+
<a href="#">OPEN</a>	BGPCEP-1002	support for advertising color attribute for SR policy in pcep
<a href="#">OPEN</a>	BGPCEP-1001	Interoperability issue with cisco IOS XR when XR advetice a default route to ODL
<a href="#">OPEN</a>	BGPCEP-1000	Implement support to advertise the color when creating Segment Routing LSP with PCEP
<a href="#">OPEN</a>	BGPCEP-999	nlri not found error
<a href="#">OPEN</a>	BGPCEP-998	te-lsp parser error
<a href="#">OPEN</a>	BGPCEP-997	BGP-LS parser IPV6 Prefix error
<a href="#">CONFIRMED</a>	BGPCEP-996	Remove topology-related Routed RPCs
<a href="#">CONFIRMED</a>	BGPCEP-995	Add actions to cover topology-related Routed RPC functionality
<a href="#">CONFIRMED</a>	BGPCEP-994	Remove bgp-peer-rpc.yang RPCs
<a href="#">CONFIRMED</a>	BGPCEP-993	Add YANG 1.1 actions for bgp-peer-rpc.yang RPCs
<a href="#">CONFIRMED</a>	BGPCEP-992	Refactor DefaultBgpDeployer
<a href="#">CONFIRMED</a>	BGPCEP-991	Audit all models for contact/organization/copyright
<a href="#">RESOLVED</a>	BGPCEP-990	Update pcep-topology-type-config placement
<a href="#">RESOLVED</a>	BGPCEP-989	Reformulate PCEPStatefulPeerProposal in terms of DataTreeChangeListener
<a href="#">RESOLVED</a>	BGPCEP-988	Regression with BGP Link State
<a href="#">RESOLVED</a>	BGPCEP-987	Recognize RFC9104 Extended Administrative Group
<a href="#">OPEN</a>	BGPCEP-986	bgp-session down
<a href="#">CONFIRMED</a>	BGPCEP-985	Extend BGP-LS parser to support RFC9104
<a href="#">RESOLVED</a>	BGPCEP-984	Add source of incoming message to the log
<a href="#">RESOLVED</a>	BGPCEP-983	PCEPTopologyDeployerImpl restarts topologies on any update
<a href="#">CONFIRMED</a>	BGPCEP-982	CSIT identifies rib-impl update conflict
<a href="#">RESOLVED</a>	BGPCEP-981	pccmock is failing during CSIT runs
<a href="#">CONFIRMED</a>	BGPCEP-980	Cleanup TopologyReference lifecycle
<a href="#">RESOLVED</a>	BGPCEP-979	Provide persistence for LSP configured or modified by ODL
<a href="#">OPEN</a>	BGPCEP-978	ODL requires a restart to update its PCEP Topology
<a href="#">RESOLVED</a>	BGPCEP-977	Graph fails with NPE
<a href="#">RESOLVED</a>	BGPCEP-976	Improve PCEP message parsing interface
<a href="#">RESOLVED</a>	BGPCEP-975	ODL doesn't properly handle PcReq message with an LSP Object
<a href="#">RESOLVED</a>	BGPCEP-974	PCEP Error Message are sent while they do not
<a href="#">RESOLVED</a>	BGPCEP-973	Netty reports ByteBuf leak around mvpn tests
<a href="#">RESOLVED</a>	BGPCEP-972	Segment Routing is not activated by default
<a href="#">RESOLVED</a>	BGPCEP-971	Graph from BGP-LS is not able to handle correctly IPv4 addresses
<a href="#">RESOLVED</a>	BGPCEP-970	Graph not able to parse SRGB with index instead of value

RESOLVED	BGPCEP-969	Remove blueprint from pcep-ietf-stateful
RESOLVED	BGPCEP-968	Remove blueprint from ietf-p2mp-te-lsp
RESOLVED	BGPCEP-967	Remove blueprint from pcep-segment-routing
CONFIRMED	BGPCEP-966	Update auto-bandwidth to RFC8733
RESOLVED	BGPCEP-965	Remove blueprint from pcep-tunnel-provider
RESOLVED	BGPCEP-964	Remove blueprint from pcep-topology-stats
RESOLVED	BGPCEP-963	Remove blueprint from pcep-server-provider
RESOLVED	BGPCEP-962	Remove blueprint from pcep-impl
RESOLVED	BGPCEP-961	Remove blueprint from pcep-spi
RESOLVED	BGPCEP-960	Remove blueprint from pcep-topology-provider
RESOLVED	BGPCEP-959	Remove blueprint from bgp-topology-provider
RESOLVED	BGPCEP-958	Remove blueprint from bgp-rib-impl
CONFIRMED	BGPCEP-957	Remove blueprint from bgp-peer-acceptor
RESOLVED	BGPCEP-956	Remove blueprint from bgp-openconfig-state
CONFIRMED	BGPCEP-955	Remove blueprint from bgp-benchmark-app
RESOLVED	BGPCEP-954	ODL returns PCerror message for any PCreport message sent by PCC
RESOLVED	BGPCEP-953	Remove blueprint from bmp-impl
RESOLVED	BGPCEP-952	Remove blueprint from PCEP extensions
RESOLVED	BGPCEP-951	Remove blueprint from bmp-parser-impl
RESOLVED	BGPCEP-950	Remove blueprint from bmp-spi
RESOLVED	BGPCEP-949	Remove blueprint from BGP linkstate extension
RESOLVED	BGPCEP-948	BgpPeer instantiated twice in clustered configuration

80 issues

## NETCONF

Status	Assignee	Summary
IN PROGRESS	uboš iut	Listen for send message completion
OPEN	Ivan Hrasko	Wrong order of catching exceptions
OPEN	Ivan Hrasko	Netconf-console cannot use encrypted password
OPEN	Samuel Schneider	Unify certificates payload for keystore RPCs
IN PROGRESS	uboš iut	OpenAPI: Generate document for module without revision
IN REVIEW	Anton Okhrimenko	OpenAPI: Improve swagger UI update process

<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">IN REVIEW</span>	Anton Okhrimenko	OpenAPI: Add possibility to control width/depth from UI
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">IN REVIEW</span>	Anton Okhrimenko	OpenAPI: Hard-code width and depth parameter
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	Test Tool Fails Intermittently to Send Required Netconf Replies
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">IN PROGRESS</span>	Oleksandr Zharov	OpenAPI: limit document size with depth/width parameters
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">OPEN</span>	Martin Sunal	Request timeout is too long for NETCONF keepalive
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	MessageBodyWriter not found for OperationOutputBody
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">OPEN</span>	Unassigned	sal-remote create-notification-stream is not working
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	MessageBodyWriter not found when using JaxRsFormattableBody
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">OPEN</span>	Matej Šramík	Keystore RPCs put incorrect data into datastore
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Oleksandr Zharov	Fix inconsistent payload for keystore RPCs
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">IN PROGRESS</span>	Oleksandr Zharov	Fix inconsistent payload for keystore RPCs
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	Allow configuring odl-pretty-print to default to true
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Matej Šramík	Testtool cannot load openconfig models
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	Clean up restconf.server.api path handling
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	uboš iut	Document get module source
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Oleksandr Zharov	OpenAPI: Update Swagger UI to v5.13.0
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	NPE on GET rests/operations
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">IN PROGRESS</span>	Oleksandr Zharov	Cannot connect device over TLS
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">OPEN</span>	Unassigned	Add encrypted property storage - kubernetes implementation
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	uboš iut	Migrate netconf-topology tests to JUnit 5
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Yaroslav Lastivka	OpenAPI: invalid explorer redirection URL
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	org.opendaylight.netconf.topology-singleton fails to resolve
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">IN REVIEW</span>	uboš iut	openapi / swagger does not work for TransportPCE with controller resources
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">CONFIRMED</span>	Ivan Hrasko	Integration Test Failure with DOMDataTreeWriteTransaction#put
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	ietf-yang-library:modules-state not available
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">IN PROGRESS</span>	Yaroslav Lastivka	Eliminate ensureParentsByMerge logic for NETCONF devices
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">CONFIRMED</span>	Ivan Hrasko	Expose NETCONF Event Stream from RESTCONF server
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Yaroslav Lastivka	Redundant "/" sign in AbstractRestconfStreamRegistry#baseStreamLocation
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Yaroslav Lastivka	Error 500 on Notification Stream Access for Netconf Device Subscriptions
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">IN REVIEW</span>	Samuel Schneider	Update notification subscription user guide
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">CONFIRMED</span>	Ivan Hrasko	Failed to lookup prefix
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">IN REVIEW</span>	Samuel Schneider	OpenAPI: not used "duplicated" schema

<span>RESOLVED</span>	Oleksandr Zharov	OpenAPI: Missing action input and output
<span>RESOLVED</span>	Oleksandr Zharov	500 server error when trying to spawn new netconf connector
<span>IN REVIEW</span>	Matej Šramík	Refactor SshProxyServer class
<span>RESOLVED</span>	Robert Varga	Cannot instantiate on RpcEffectiveStatementImpl...
<span>RESOLVED</span>	Robert Varga	Cannot deserialize key value
<span>RESOLVED</span>	uboš iut	Cannot create new list resource with instance identifier key
<span>IN REVIEW</span>	Yaroslav Lastivka	Capabilities created for yang models without revision are unavailable
<span>RESOLVED</span>	Robert Varga	Remove misleading eventTime rounding warning
<span>IN REVIEW</span>	Robert Varga	Initial device connection fails due to unstable network conditions on device
<span>OPEN</span>	Robert Varga	Restconf reports status 500 when stream does not exist
<span>RESOLVED</span>	uboš iut	OpenAPI: Wrong path reference for netopeer2 models
<span>RESOLVED</span>	Ivan Hrasko	Adapt documentation of Netconf-connector configuration
<span>RESOLVED</span>	Ruslan Kashapov	Add encrypted property storage
<span>RESOLVED</span>	Robert Varga	Use specialized NETCONF base schemas
<span>RESOLVED</span>	Oleksandr Zharov	OpenAPI: Update Swagger UI to v5.11.8
<span>RESOLVED</span>	uboš iut	OpenAPI: netopeer2 duplicated mapping key
<span>RESOLVED</span>	Yaroslav Lastivka	OpenAPI: unite description handling for data and RPC I/O
<span>RESOLVED</span>	Oleksandr Zharov	Device's reconnecting does not work
<span>RESOLVED</span>	uboš iut	The number of connection attempts is ignored
<span>RESOLVED</span>	Samuel Schneider	Missing device's connection status
<span>RESOLVED</span>	Oleksandr Zharov	Callhome Device Remains 'DISCONNECTED' After Adding to Allowed Devices
<span>RESOLVED</span>	Ruslan Kashapov	HTTP transport implementation
<span>IN REVIEW</span>	uboš iut	OpenAPI: Create SchemasEntity class to simplify SchemasStream
<span>RESOLVED</span>	uboš iut	Cannot retrieve modules source
<span>RESOLVED</span>	Ruslan Kashapov	Full list delete fails when called on remote device via restconf
<span>RESOLVED</span>	Robert Varga	Restconf monitoring streams are missing
<span>RESOLVED</span>	Robert Varga	Update odl-netconf-callhome-server.yang
<span>RESOLVED</span>	uboš iut	OpenAPI: Iterate over models in SchemasStream
<span>RESOLVED</span>	uboš iut	OpenAPI: Iterate over models in PathsStream
<span>RESOLVED</span>	uboš iut	OpenAPI: Create overloaded constructors for PathEntity
<span>RESOLVED</span>	Ivan Hrasko	Exception on building get-config list filter with fields
<span>CONFIRMED</span>	Unassigned	Refactor ClientFactoryManagerConfigurator
<span>RESOLVED</span>	Robert Varga	Refactor SslHandlerFactory
<span>RESOLVED</span>	Yaroslav Lastivka	No implementation of subscribe-device-notification available

<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">IN REVIEW</span>	Yaroslav Lastivka	NPE on topology PUT device without credentials
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Yaroslav Lastivka	Slow API docs generation for Junos device
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	Blocking call during NetconfDeviceSchemas acquisition
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	Eliminate netconf-config artifact
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Samuel Schneider	Document RESTCONF base path configuration
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	uboš iut	OpenAPI: ignoring restconf settings
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">OPEN</span>	Vishal Varvate	Real-time ODU Yang Not Visible on ODLUX
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Unassigned	Decrease thread-blocking on NetconfMessage.toString()
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Matej Šramík	Decrease thread-blocking on NetconfMessage.toString()
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	uboš iut	Eliminate SchemasStream.EntityType
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">IN PROGRESS</span>	uboš iut	OpenAPI: implement paging
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	NetconfDeviceNotificationService.registerNotificationListeners() is not implemented
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">IN PROGRESS</span>	Samuel Schneider	Document RemoteDeviceCommunicator#sendRequest method
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Yaroslav Lastivka	Improve error path for list items
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Ivan Hrasko	OpenApi: Hide application class
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Samuel Schneider	Hard-coded /rests endpoint in stream locations
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Samuel Schneider	Remove no more used RFC 8040 configuration file
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Oleksandr Zharov	Make RESTCONF base path configurable
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Yaroslav Lastivka	Given final block not properly padded. Such issues can arise if a bad key is used during decryption
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Yaroslav Lastivka	Input length must be multiple of 16 when decrypting with padded cipher
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">CONFIRMED</span>	Ivan Hrasko	Problems with GET/POST/DELETE of list elements with key of type instance-identifier
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">IN REVIEW</span>	Samuel Schneider	Make connection timeout and keep-alive configurable for Call-Home services
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	uboš iut	Create call-home device connection test
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Oleksandr Zharov	Reduce the number of conditional operators in RestconfStream
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">CONFIRMED</span>	Unassigned	RESTCONF OPTIONS on /data does not produce Accept-Patch
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">CONFIRMED</span>	Unassigned	Remove WebSocket event stream delivery
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	Deprecate WebSocket event stream delivery
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	Correct RESTCONF cache control metadata
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">OPEN</span>	Unassigned	Support EC algorithm for netconf-keystore private keys
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">OPEN</span>	Unassigned	Support private keys and trusted certificates configuration on per TLS device basis
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Ruslan Kashapov	NPE on topology create-device without credentials
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Oleksandr Zharov	Update user-guide for login-password removal
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">CONFIRMED</span>	Ivan Hrasko	Optimize Restconf-Netconf operations for List and Leaf-List items
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Ivan Hrasko	Long delay in connection status update after connection issue for multiple devices

<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Ruslan Kashapov	Netconf device stays connected even when unavailable
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	Use Netty Timer in KeepAliveSalFacade
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Samuel Schneider	Adapt netconf testtool for login-password removal
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">OPEN</span>	Ivan Hrasko	Translate the patch request into a single edit-config
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Samuel Schneider	Clean-up RestconfStateStreamsTest class
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Ivan Hrasko	Device Remain Connected after it get stopped
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Sangwook Ha	Invalid NETCONF message triggers unnecessary parsing of partial message
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	uboš iut	Support maximum value and random selection of wait time between connection attempts
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Peter Suna	Duplicate 'ignore-missing-schema-sources' in the NETCONF node
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">CONFIRMED</span>	Unassigned	Refactor netconf-netty-util
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">CONFIRMED</span>	Unassigned	Eliminate shaded-sshd artifact
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	Upgrade SSHD to 2.11.0
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">IN PROGRESS</span>	Robert Varga	Refactor RESTCONF server error reporting
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Oleksandr Zharov	Remove deprecated way of configuring login/password
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Oleksandr Zharov	Enforce base64 encoding for netconf-keystore
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Matej Šramík	Replace whitelist with allowlist
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Matej Šramík	Update NETCONF user guide for call-home
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Ruslan Kashapov	Convert Callhome-{protocol, provider} to transport-api
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">OPEN</span>	Unassigned	Mount 2000 Netconf servers
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Samuel Schneider	OpenApi: Document feature installation and usage
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Oleksandr Zharov	PUT request with insert=after cannot add last item into list
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Oleksandr Zharov	OpenApi Remove processModule method from DefinitionGenerator
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Samuel Schneider	POST request with insert parameter fails if target URI points the list
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">CONFIRMED</span>	Ruslan Kashapov	PUT requests failing with "insert" query parameter on testool models
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Matej Šramík	Improve failed YANG patch error output
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Martin Sunal	TCP session is hanging when NETCONF session is dead
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">OPEN</span>	Ivan Hrasko	Leaf-list creation fails on min-element violation
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Sangwook Ha	NetconfDeviceMount "Already initialized" error
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Matej Šramík	OpenApi ignore min-elements conditions for list
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	uboš iut	OpenAPI Generates Incorrect 'min-elements' for XML Leaf-List
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	netconf-client-mdsal emits useless namespace in filter
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">IN REVIEW</span>	Yaroslav Lastivka	OpenApi missing POST request to device root
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	uboš iut	OpenApi List show only string type for path parameters
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Peter Suna	Slow NETCONF RPC response caused by unreachable devices

RESOLVED	Oleksandr Zharov	Throw exception when module cannot be found
RESOLVED	Samuel Schneider	OpenAPI generate multiple resources/subresources in POST request
RESOLVED	Samuel Schneider	OpenAPI POST request generates incorrect XML example payload
RESOLVED	Yaroslav Lastivka	Create tests for POST "insert" query parameter
RESOLVED	Yaroslav Lastivka	OpenAPI: Update Swagger UI to latest v5.x.x
OPEN	Ivan Hrasko	Callhome Issues with ODL Netconf and Callhome Codebase
RESOLVED	uboš iut	RestconfSchemaService requires revision for all models
RESOLVED	Oleksandr Zharov	RestconfSchemaService return 500 if model was not found
OPEN	Ivan Hrasko	RestconfSchemaService returns 500 for device model
RESOLVED	Robert Varga	Eliminate InstanceIdentifierContext
CONFIRMED	Unassigned	Improve NetconfDataTreeService to handle RFC6243
CONFIRMED	Unassigned	Make RestconfStrategy.readData() asynchronous
RESOLVED	Sangwook Ha	Unnecessary data change events for child-nodes-only
RESOLVED	Robert Varga	RESTCONF DataTreeChange notifications use incorrect format
RESOLVED	Robert Varga	Incorrect subscription request URL
RESOLVED	Ruslan Kashapov	Don't use NotificationListener in NETCONF components
CONFIRMED	Unassigned	Support cluster status only when the feature is selected
RESOLVED	Robert Varga	Clean up NetconfDeviceTopologyAdapter datastore lifecycle
RESOLVED	Robert Varga	Operational data of netconf-topology node may not be removed
RESOLVED	Samuel Schneider	Remove identity from OpenAPI Schemas
RESOLVED	Samuel Schneider	Referencing nonexistent schemas on branches 4 and 5
RESOLVED	uboš iut	Fix SchemaExportContext#module usage
RESOLVED	Ivan Hrasko	OpenApi: Create examples for operational GET
RESOLVED	Robert Varga	Eliminate restconf.common.Patch
RESOLVED	Robert Varga	Eliminate use of restconf.common.Patch
RESOLVED	Matej Šramík	OpenApi: XML payload for RPC is missing namespace
RESOLVED	uboš iut	OpenApi: Add global description
RESOLVED	uboš iut	OpenApi: Add description to POST requests
RESOLVED	uboš iut	Convert SchemaExportContext to Java record
RESOLVED	uboš iut	Convert PatchStatusContext to Java record
RESOLVED	Ivan Hrasko	EMPTY body response on POST to /rests/operations
RESOLVED	Samuel Schneider	Incorrect schema reference in root post link
RESOLVED	Matej Šramík	Refactor NetconfNodeHandlerTest
RESOLVED	Samuel Schneider	OpenApi: Create overall integration test
RESOLVED	Yaroslav Lastivka	(devices) POST returns 500 on data already exists

RESOLVED	Ivan Hrasko	OpenApi: Remove deprecated RestDocgenUtil#resolveNodesName method
RESOLVED	Robert Varga	Eliminate AbstractIdentifierAwareJaxRsProvider
RESOLVED	Matúš Matok	netconf-testtool not building when GID too big
RESOLVED	Robert Varga	Remove PostDataTransactionUtil
RESOLVED	Robert Varga	Remove PutDataTransactionUtil
RESOLVED	Matej Šramík	OpenApi: Improve union type processing
RESOLVED	Ivan Hrasko	Union type does not work for number and boolean format
RESOLVED	uboš iut	OpenApi: Convert DefinitionGenerator into utility class
CONFIRMED	Unassigned	Refactor RemoteDeviceHandler
RESOLVED	uboš iut	OpenApi: Eliminate DefinitionGenerator#putIfNotNull(ObjectNode, String, Number)
RESOLVED	Matej Šramík	Create unit tests for NETCONF connection status behavior change
CONFIRMED	Unassigned	Refactor restconf.common.patch
RESOLVED	Robert Varga	Eliminate JAX-RS service interfaces
RESOLVED	Oleksandr Zharov	Do not use RpcService in NETCONF components
RESOLVED	Ivan Hrasko	Handle unencrypted password in login-password for topology node
CONFIRMED	Ivan Hrasko	Incorrect operational state of device configuration with Invalid encrypted password
RESOLVED	Robert Varga	Remove PlainPatchDataTransactionUtil
RESOLVED	uboš iut	OpenApi: Eliminate casting in DefinitionGenerator#processTypeDef
RESOLVED	Robert Varga	Remove DeleteDataTransactionUtil
RESOLVED	Robert Varga	Package RFC8650 ietf-restconf-subscribed-notifications module
RESOLVED	Robert Varga	Package RFC8641 ietf-yang-push module
RESOLVED	Ruslan Kashapov	Convert NETCONF client-side to transport-api
RESOLVED	Robert Varga	Remove org.opendaylight.restconf.nb.rfc8040.rests.utils
RESOLVED	Ruslan Kashapov	Convert NETCONF server-side to transport-api
CONFIRMED	Unassigned	NetconfMessage should work with binding-generated backing
RESOLVED	Oleksandr Zharov	Turn ListenersBroker into a component
RESOLVED	Peter Suna	Incorrect response for failed PATCH request
RESOLVED	Robert Varga	Refactor notification stream starts
RESOLVED	Samuel Schneider	OpenApi: Remove incorrect list POST requests
RESOLVED	Robert Varga	changed-leaf-nodes-only capability is not advertized
RESOLVED	Robert Varga	Restore sal-remote create-notification-stream functionality
RESOLVED	Robert Varga	NETCONF connection status behavior change
RESOLVED	Sangwook Ha	Fail to process PATCH with target containing a single forward slash
RESOLVED	Šimon Ukuš	OpenApi: Missing "all" content parameter value
OPEN	Ivan Hrasko	Join yang resource providers from restconf-nb and yanglib into single service

<span>RESOLVED</span>	Matej Šramík	Split out Rfc8040#ietfYangLibrary class
<span>RESOLVED</span>	Matej Šramík	Add maven central, docs and license badges to README.md
<span>RESOLVED</span>	Šimon Ukuš	Swagger document for a specific module in a specific mounted device not showing the name of the device
<span>RESOLVED</span>	Šimon Ukuš	OpenApi: Rework @Nullable String deviceName to be @NonNull
<span>RESOLVED</span>	Šimon Ukuš	OpenApi: Eliminate OperationBuilder#buildSummaryValue
<span>RESOLVED</span>	Šimon Ukuš	OpenApi: Rework Operation#tags
<span>RESOLVED</span>	Matej Šramík	OpenApi: Centralize parameter creation
<span>OPEN</span>	Unassigned	Restconf replay notifications are not working
<span>RESOLVED</span>	Šimon Ukuš	OpenApi: Eliminate appendPathKeyValue method
<span>RESOLVED</span>	Oleksandr Zharov	OpenApi returns 400 error after PUT request on toaster data
<span>RESOLVED</span>	Šimon Ukuš	Unable to write unkeyed list with RESTCONF PUT request
<span>CONFIRMED</span>	Ivan Hrasko	Remove all POST requests
<span>RESOLVED</span>	Matej Šramík	OpenApi: Eliminate DefinitionGenerator#putIfNotNull
<span>RESOLVED</span>	Matej Šramík	OpenApi: Eliminate duplicate logic for anyXml/anyData
<span>IN PROGRESS</span>	Sangwook Ha	Unexpected exception from NetconfSessionPromise after negotiation failure
<span>OPEN</span>	Ivan Hrasko	OpenApi: Missing "data" path for POST requests
<span>RESOLVED</span>	Olivier Dugeon	Add Child only mode to SSE / Websocket
<span>RESOLVED</span>	Šimon Ukuš	OpenApi: Convert security to Java record
<span>RESOLVED</span>	Sangwook Ha	Connection status not updated after successful connection
<span>RESOLVED</span>	Robert Varga	Realign ietf-netconf-client-server models
<span>RESOLVED</span>	Robert Varga	Convert netconf-topology-singleton to OSGi DS
<span>CONFIRMED</span>	Oleksandr Zharov	OpenApi: Create POST request only for module's top elements
<span>RESOLVED</span>	Robert Varga	Rework client reconnection logic
<span>RESOLVED</span>	Robert Varga	Refactor AbstractNetconfTopology interface
<span>RESOLVED</span>	Robert Varga	Remove odl-yanglib
<span>RESOLVED</span>	Sangwook Ha	Unrecoverable NETCONF session negotiation failure
<span>OPEN</span>	Unassigned	Notification stream query parameters are broken
<span>RESOLVED</span>	Ruslan Kashapov	Wrong Map Node type causes Yanglib data merge failure
<span>RESOLVED</span>	Matej Šramík	OpenApi: Test authentication feature
<span>RESOLVED</span>	Šimon Ukuš	Eliminate TestData class
<span>RESOLVED</span>	Šimon Ukuš	Annotate serialVersionUID with java.io.Serial
<span>RESOLVED</span>	Peter Suna	OpenApi: Remove paths which provide only operational data
<span>RESOLVED</span>	Yaroslav Lastivka	OpenApi: Broken parameters logic
<span>RESOLVED</span>	Šimon Ukuš	OpenApi: Wrong XML GET example

RESOLVED	Tobias Pobocik	Union type has wrong type
RESOLVED	Ivan Hrasko	OpenApi: Eliminate TOP schemas
RESOLVED	Yaroslav Lastivka	OpenApi: Do not use ArrayNode to store parameters
RESOLVED	Ivan Hrasko	XML POST: Payloads are not well-formed XML documents
RESOLVED	Yaroslav Lastivka	OpenApi: POST examples are incorrect
RESOLVED	Yaroslav Lastivka	OpenApi: Eliminate setRequiredIfNotEmpty method
RESOLVED	Oleksandr Zharov	OpenApi: Rework interaction with OpenApiOperation
RESOLVED	Sangwook Ha	SSE with sub identifier does not work
RESOLVED	Oleksandr Zharov	OpenApi: Introduce Operation object
RESOLVED	Samuel Schneider	Remove synchronization locking
RESOLVED	Yaroslav Lastivka	OpenAPI: Eliminate ListPathBuilder interface
RESOLVED	Yaroslav Lastivka	OpenApi: Eliminate createUniquePathParamName method
RESOLVED	Peter Suna	Broken refresh method in netconf-singleton
RESOLVED	Oleksandr Zharov	Migrate callers of Optional.get()
RESOLVED	Oleksandr Zharov	Convert ReadDataParams to Java record
OPEN	Unassigned	Possible memory leak when running get-config with large response file
RESOLVED	Oleksandr Zharov	OpenAPI: Missing validation badge
RESOLVED	Yaroslav Lastivka	OpenApi: Transform model to Java records
RESOLVED	Oleksandr Zharov	OpenApi: Rework unit test infrastructure
RESOLVED	Peter Suna	Remove RemoteDeviceConnector class
RESOLVED	Matej Šramík	Align netconf's documentation version with distro
RESOLVED	Oleksandr Zharov	OpenApi: Simplify adding config/non-config paths
RESOLVED	Peter Suna	OpenApi: Reduce XML elements inside OpenApi JSON
RESOLVED	Oleksandr Zharov	Rework README to markdown
RESOLVED	Ivan Hrasko	Rename Restonf bundles
RESOLVED	Oleksandr Zharov	OpenAPI: Fit "Select definition" content to width
RESOLVED	Yaroslav Lastivka	OpenAPI: Change openapi URLs
OPEN	Unassigned	ODL restart results in circuit breakdown
RESOLVED	Robert Varga	transport-tcp transport does not work with plain NioSocketChannel
RESOLVED	Yaroslav Lastivka	Rename odl-mdsal-apidocs feature to odl-restconf-openapi
RESOLVED	Yaroslav Lastivka	Add odl-yanglib into experimental features
RESOLVED	Yaroslav Lastivka	OpenAPI: Avoid null values in JSON
OPEN	Ivan Hrasko	OpenAPI: Use examples instead of example
RESOLVED	Yaroslav Lastivka	OpenAPI: Eliminate JsonUtil#addFields method
RESOLVED	Oleksandr Zharov	OpenAPI: Use Java Schema object instead of JsonNode

RESOLVED	Oleksandr Zharov	OpenAPI: Limit usage of JsonUtil#copy method
RESOLVED	Yaroslav Lastivka	OpenApi: Missing required parameters in swagger schema
RESOLVED	Šimon Ukuš	OpenAPI: Do not hardcode action path
RESOLVED	Ivan Hrasko	OpenAPI: add possibility to configure base path
RESOLVED	Robert Varga	Create NamespaceURN constant holder
RESOLVED	Robert Varga	NetconfNotification confuses its namespace
RESOLVED	Robert Varga	Centralize NETCONF capability URNs
RESOLVED	Robert Varga	Integrate netconf.api.capability into netconf.server.api.monitoring
IN PROGRESS	Yaroslav Lastivka	Define a netconf-api capability model
CONFIRMED	Unassigned	Expand netconf.api.messages
RESOLVED	Oleksandr Zharov	OpenAPI: clean-up test classes
RESOLVED	Oleksandr Zharov	OpenAPI: Rename *ApiDoc* classes to *OpenApi* classes
RESOLVED	Oleksandr Zharov	OpenAPI: Rename sal-rest-docgen to restconf-openapi
RESOLVED	Robert Varga	Optimize DefaultNetconfKeystoreAdapter
RESOLVED	Oleksandr Zharov	OpenAPI: Eliminate BaseYangOpenApiGenerator#convertToServers
RESOLVED	Oleksandr Zharov	OpenAPI: Replace ImmutableList.of with List.of()
RESOLVED	Peter Suna	OpenAPI: Eliminate object duplication in MountPointOpenApi#getMountPointApi
RESOLVED	Robert Varga	Rename sal-netconf-connector to netconf-client-mdsal
RESOLVED	Robert Varga	Reorganize netconf.git features
RESOLVED	Robert Varga	Use a type-safe capture for NETCONF session ID
RESOLVED	Robert Varga	Eliminate callhome-status.yang
RESOLVED	Robert Varga	Remove netconf-util
RESOLVED	Robert Varga	Notification eventInstant() not propagated to NotificationMessage
RESOLVED	Robert Varga	Clean up NetconfMessage
RESOLVED	Tobias Pobocik	OpenAPI: Use "example" instead of "default"
RESOLVED	Šimon Ukuš	OpenAPI: Do not use Optional type as method parameter
RESOLVED	Oleksandr Zharov	OpenAPI: Use Java Path object instead of JsonNode
RESOLVED	Yaroslav Lastivka	OpenAPI: Fix invalid swagger schema
OPEN	Unassigned	unable to delete the mounted node folder completely from the controller device
OPEN	Venkatarangan Govindarajan	akka asktimeout in a single node cluster
RESOLVED	Tobias Pobocik	OpenAPI: Remove BaseYangSwaggerGenerator unused methods
RESOLVED	Tobias Pobocik	OpenAPI: Eliminate "operational" concept
RESOLVED	Yaroslav Lastivka	OpenAPI: Remove definitions from OpenApiOperation
RESOLVED	Ivan Hrasko	Explore swagger authentication feature

<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">IN REVIEW</span>	Yaroslav Lastivka	Reconnection failure after deleting and re-adding call-home devices
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	zhaowei	Convert xml pretty print
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Oleksandr Zharov	OpenAPI: Update to Swagger UI v4.18.1
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Sangwook Ha	Update old links in user guide
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Sangwook Ha	Incorrect processing of RESTCONF fields for duplicate node names on NETCONF device
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Oleksandr Zharov	OpenAPI: Eliminate CommonApiObject
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Yaroslav Lastivka	OpenAPI: Fix choice cases usage
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Samuel Schneider	Reduce the number of schema objects
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Yaroslav Lastivka	OpenAPI: Remove OpenAPI v2
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Yaroslav Lastivka	OpenAPI: Remove "generex" dependency
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Tobias Pobocik	Use javax.ws.rs.core.MediaType
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Yaroslav Lastivka	OpenAPI: Add (plain) PATCH method
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Oleksandr Zharov	OpenAPI: Schemas are not shown
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Peter Suna	The required fields are created, but they are not populated in the Swagger API
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Robert Varga	Need steps to compile and modify code in open day light application and add the modified code in Open day light application
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">CONFIRMED</span>	Unassigned	Support YIN sources in yanglib
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Ruslan Kashapov	Default application/yang in yanglib
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Ivan Hrasko	yanglib does not support RFC6020 media types
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">OPEN</span>	Nikhil Soni	Having issue with ODL notification subscription
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Ruslan Kashapov	Websocket timeout exception
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Yaroslav Lastivka	Remove BaseCallHomeTopology
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Peter Suna	YangLib: redundant '/' for models without revision
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">CONFIRMED</span>	Ivan Hrasko	YangLib: Unable to get schema SourceIdentifier
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Martin Sunal	Long delay in connection status update after connection issue
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Unassigned	YangLib API requires that URLs for non-revision models end with a '/'
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Šimon Ukuš	YangLib returns a 500 error if the requested SchemaSource is not available
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Robert Varga	Convert mdsal-netconf-notification to OSGi DS
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Yaroslav Lastivka	Update websocket-change-event-notification-subscription-tutorial
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Ivan Hrasko	CallHomeSessionContext session cannot be closed, so device could not make a new call-home connection
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Robert Varga	Convert netconf-topology to OSGi DS
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Robert Varga	Convert restconf-nb to OSGi Declarative Services
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Robert Varga	Refactor restconf-nb blueprint wiring
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Robert Varga	Convert mdsal-netconf-tcp to OSGi DS
<span style="border: 1px solid #ccc; border-radius: 50%; padding: 2px;">RESOLVED</span>	Robert Varga	Convert mdsal-netconf-ssh to OSGi DS

RESOLVED	Robert Varga	Convert mdsal-netconf-connector to OSGi DS
RESOLVED	Robert Varga	Eliminate Blueprint from mdsal-netconf-monitoring
RESOLVED	Ruslan Kashapov	Unable to load org.eclipse.jetty.websocket.server.WebSocketServerFactory
RESOLVED	Robert Varga	Add a dedicated SessionId type
RESOLVED	Robert Varga	Eliminate Blueprint from mdsal-netconf-impl
RESOLVED	Robert Varga	Convert netconf-config to OSGi DS
RESOLVED	Robert Varga	Convert callhome-provider to OSGi DS
RESOLVED	Ivan Hrasko	RESTCONF request updates only running datastore in device
RESOLVED	Peter Suna	Update NETCONF testtool docs
RESOLVED	Yaroslav Lastivka	Update NETCONF user guide
RESOLVED	Robert Varga	Rename netconf-impl to netconf-server
CONFIRMED	Unassigned	Reorganize source code layout
RESOLVED	Oleksandr Zharov	Create tests for different instances of MixinNodes
RESOLVED	Ivan Hrasko	Callhome session is closed after allowing device to connect
CONFIRMED	Unassigned	Separate root resource discovery
RESOLVED	Robert Varga	Add descriptions to web contexts
CONFIRMED	Peter Suna	Create swagger benchmark with Junos models
RESOLVED	Ivan Hrasko	Cannot generate API docs for Junos device
RESOLVED	Peter Suna	Error writing values with XML YANG Patch
RESOLVED	Robert Varga	Netconf testtool fails to find credentials node in SchemaTree
RESOLVED	Robert Varga	Move NetconfTopologyRPCProvider to netconf.topology.spi
RESOLVED	Sangwook Ha	Fail to generate <discard-changes> RPC
RESOLVED	Sangwook Ha	'commit' sent to devices without 'candidate' capability
RESOLVED	Robert Varga	Rename netconf.api.ModifyAction to EffectiveOperation
RESOLVED	Robert Varga	Deprecate netconf-node-topology.yang RPCs
RESOLVED	Robert Varga	Specialize schemaless remote device RPC service
RESOLVED	Yaroslav Lastivka	Cannot retrieve operation resource
RESOLVED	Yaroslav Lastivka	Discover mountpoint RPC operation through RESTCONF is failing with response 500
RESOLVED	Oleksandr Zharov	Simplify OperationsContext with yangtools 7.0.9 +
RESOLVED	Ivan Hrasko	Duplicate yang-ext:mount in error message
CONFIRMED	Unassigned	Rework optional reconnect logic
RESOLVED	Robert Varga	Complete firstConnectionFuture without holding locks
RESOLVED	Robert Varga	Do not expose NetconfDeviceCapabilities from NetconfTopology
RESOLVED	Robert Varga	Expose sal-netconf-connector configuration as a grouping
RESOLVED	Robert Varga	Separate out LockChangeListener from NetconfDeviceSalFacade

RESOLVED	Robert Varga	NetconfDeviceCapabilities should be immutable
RESOLVED	Robert Varga	Do not touch configuration datastore during netconf-topology init
RESOLVED	Robert Varga	Move NetconfDeviceTopologyAdapter to netconf.topology.spi
RESOLVED	Tobias Pobocik	Remove SchemaAware NormalizedNode builders usage
RESOLVED	Robert Varga	SchemaResourceManager should not reference network-topogy
RESOLVED	Robert Varga	Disconnect SchemaResourceManager from NetconfNode
RESOLVED	Robert Varga	Encapsulate RemoteDeviceHandler.onDeviceConnected() access services
RESOLVED	Robert Varga	RemoteDeviceId should capture only MD-SAL preference
RESOLVED	Robert Varga	Remove generics from sal.connect.api
CONFIRMED	Ivan Hrasko	JSON reader: Eliminate additional logic for augmented data
RESOLVED	Ivan Hrasko	Odl-yanglib fails to register provided sources
RESOLVED	Yaroslav Lastivka	Fix odl-yanglib feature usage
OPEN	Nikhil Soni	Add Kafka producer to send Device notification to Kafka server
OPEN	Nikhil Soni	Resubscribe Device Notification when Device gets reconnect
OPEN	Unassigned	Unable to parse ietf-access-control-list yang and its throwing java.lang.IllegalArgumentException
RESOLVED	Robert Varga	NetconfSessionPromise reconnection failure
RESOLVED	Unassigned	Data sent via yang-patch is validated in a different way than PUT / POST
OPEN	Unassigned	NETCONF call home device places YANG models in schema directory, does not allow user defined schemas
RESOLVED	Ivan Hrasko	mdsal-netconf-ssh fails to shutdown
RESOLVED	Robert Varga	Northbound NETCONF server connection error
RESOLVED	Daniel C Viswanathan	Allow netconf-impl's maximum chunk to be controlled
RESOLVED	Robert Varga	Allow netconf-client's maximum chunk to be controlled
RESOLVED	Peter Puškár	Improve logging inside AsyncSshHandler
OPEN	Peter Puškár	Improved mount point does not exist message
RESOLVED	Samuel Schneider	Update sshd to 2.9.1
RESOLVED	Robert Varga	Rename restconf-nb-rfc8040
RESOLVED	Robert Varga	Reorganize NETCONF source code repository
RESOLVED	Robert Varga	Rework ietf-netconf-monitoring-extension
RESOLVED	Robert Varga	Reorganize IETF model placement and naming
RESOLVED	Sangwook Ha	Improve EOM aggregator performance
RESOLVED	Daniel C Viswanathan	Make netconf maximum chunk size value configurable
RESOLVED	Peter Suna	Netconf callhome failed for devices with old KEX algorithms (SHA1)
RESOLVED	Peter Puškár	Typo in content parameter error-message
RESOLVED	Daniel C Viswanathan	ODL issue where mounting fails if device augments netconf-state

<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Peter Suna	Maven shade plugin replace netconf-testtol with scale-util inside release artifacts
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Ruslan Kashapov	Fail to generate API Doc
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">OPEN</span>	Valentin Mayamsin	Allow restconf base URI to be configurable for streams API
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Sangwook Ha	Device with augmented NETCONF monitoring response cannot be connected without models inside cache/schema
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	Netconf does not close device mountpoint properly
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	netconf-mdsal fails and affects both testtool and ODL as netconf server
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">OPEN</span>	Peter Puškár	NETCONF event stream in RESTCONF
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Sangwook Ha	Fail to process PATCH to data root with a top-level container as target
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">OPEN</span>	Unassigned	Invalid error message for joint ranges
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Rohini Ambika	Netconf device mount with hostname in payload
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Rohini Ambika	Netconf device mount with hostname in payload
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px; background-color: #f0f8ff;">IN PROGRESS</span>	Ivan Hrasko	Provide RESTCONF over a dedicated Netty-based endpoint
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Peter Suna	Missing stack enter in sal-rest-docgen Actions
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	Do not use IllegalArgumentCodec in RestCodec
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	Use Decimal64 instead of BigDecimal for DecimalType value
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	TransactionUtil.ensureParentsByMerge fails on keyed lists
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Sangwook Ha	Missing anydata support in ParameterAwareNormalizedNodeWriter.java
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	Reject consecutive slashes in RFC8040 URLs
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	Do not tolerate malformed RPC/action references in requests URL
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Ivan Hrasko	Remove deprecated NodeContainerProxy
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Unassigned	Netconf Callhome SSH: drop connections
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Peter Puškár	Add changed-leaf-nodes-only subscription extension
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Yaroslav Lastivka	Netconf device mount with invalid payloads
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Yaroslav Lastivka	Some BBF yang devices using actions have invalid swagger URLs generated.
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	Devices with certain BBF yang models cannot be accessed in Swagger.
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">CONFIRMED</span>	Ivan Hrasko	Export supported features to ietf-yang-library
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">CONFIRMED</span>	Unassigned	Integrate message-id and other NETCONF attributes
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	RESTCONF mis-represents the root namespace
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	mount with TLS fails on phosphorus-sr1
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Tomas Cere	Rfc 8040 - multiple roots when serializing requests targeting root
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	NETCONF mount fails during reconnect
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">OPEN</span>	Rohini Ambika	Not able to simulate more than ~1500 devices and connect to controller using netconfestool master
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Unassigned	Cannot reconnect on second time
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Unassigned	Fields filtering fails for leafs in lists

<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Peter Puškár	Netconf notifications processing failing for odl-leaf-nodes-only
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Tomas Cere	Rfc 8040 - 500 response when reading data from empty device with xml
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Ivan Hrasko	Set call-home SSH port to 4334
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Unassigned	Support of namespace for referred yang-identity values
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	WebSocket notification streams immediately closing upon connection
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Dominik Vrbovský	Apidocs Swagger for mounted device always shows "topology-netconfnode"
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Unassigned	Do not use CopyableNode.isAugmenting() in XmlNormalizedNodeBodyReader
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	Do not use CopyableNode.isAugmenting() in netconf.util.StreamingContext
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">IN PROGRESS</span>	Robert Varga	YANG1.1 modules with submodules unavailabe because ietf-yang-library not used
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	Do not install odl-restconf-nb-bierman02 by default
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	Issue a mild warning when bierman02 is activated
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	Remove restconf-nb-bierman02
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Unassigned	Enable SSHD/Netty integration
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	SSHD/Netty integration logs all traffic
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	RESTCONF OutOfMemoryError error
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Ivan Hrasko	Leaf Node cannot be deleted inside NETCONF device via RESTCONF
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Ivan Hrasko	SSH global request returns failure/ unsupported state
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Ivan Hrasko	Flood of "IllegalStateException: complete already"
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	Upgrade sshd to 2.7.0
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Michael Dürre	root element is not accessable with rfc8040 but with restconf-bierman
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Ivan Martiniak	Mount loop when setting too low connection-timeout
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	Misaligned odelparent/yangtools versions
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	Add support for odl-pretty-print query parameter
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	Add support for odl-leaf-nodes-only query parameter
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	Announce 'odl-skip-notification-data' parameter capability
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	Discover RPC operation through RESTCONF is failing with response 500
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">IN REVIEW</span>	Ruslan Kashapov	Mounting a device does not work when multiple TLS Certificates are present
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Peter Puškár	Fail to process RESTCONF fields on the mounted device
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Oleksandr Zharov	Eliminate use of SchemaNode.getPath() in sal-rest-docgen
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	Eliminate use of SchemaNode.getPath() in RESTCONF northbound
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Oleksandr Zharov	Eliminate use of SchemaNode.getPath() in sal-netconf-connector
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Ivan Hrasko	Eliminate use of SchemaNode.getPath() in mdsal-netconf-connector
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Dominik Vrbovský	Eliminate use of SchemaNode.getPath()
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	Package RFC8639 ietf-subscribed-notifications module

CONFIRMED	Unassigned	Add support for RFC8639 configured notifications
CONFIRMED	Unassigned	Support RFC8650 dynamic notifications in RESTCONF northbound
CONFIRMED	Unassigned	Support RFC8640 dynamic notifications in NETCONF southbound
CONFIRMED	Unassigned	Add support for RFC8639 subscribed notifications
RESOLVED	Robert Varga	NetconfCapabilityMonitoringService does not support revisionless models
RESOLVED	Dominik Vrbovský	Pretty-print error messages
CONFIRMED	Robert Varga	get-config/edit-config not working for netopeer2 devices
RESOLVED	Robert Varga	Reduce end-of-stream disconnect logging
RESOLVED	Robert Varga	YANG Patch target parsing does not work with RFC8072 examples
RESOLVED	Robert Varga	RESTCONF PATCH with empty body results in a NPE
RESOLVED	Robert Varga	Restconf reports status 500 when stream does not exist
RESOLVED	Robert Varga	SSE streaming does not work
RESOLVED	Robert Varga	Incorrect parsing of stream name
RESOLVED	Ivan Hrasko	Restconf throws error for action with no output
RESOLVED	Oleksandr Zharov	Fix scale-util for RFC 8040
RESOLVED	Dominik Vrbovský	Fix rest-perf-client for RFC 8040
RESOLVED	Ivan Hrasko	Fix netconf-testtool device registration for RFC 8040
RESOLVED	Ivan Hrasko	RESTCONF provide wrong DOMDataTreelIdentifier path for Actions when is invoke
CONFIRMED	Unassigned	Unify DocumentedException and RestconfDocumentedException
RESOLVED	Robert Varga	Convert netconf-console to OSGi DS
RESOLVED	Robert Varga	Convert netconf-client to OSGi DS
RESOLVED	Robert Varga	Restconf fails to handle non-existent data
RESOLVED	Dominik Vrbovský	Wrong url for POST requests in Web API
RESOLVED	Robert Varga	Package ietf-yang-patch
RESOLVED	Kostiantyn Nosach	Update tests with Akka Artery
RESOLVED	Robert Varga	ODL does not consider error-msg statement in yang file at RESTCONF
RESOLVED	Ivan Hrasko	Fix and refactor Swagger unit tests
RESOLVED	Satoshi Fujii	ReconnectPromise keep reconnecting after device unregistered
RESOLVED	Robert Varga	Use yang-ext:mount in NETCONF topology
RESOLVED	Unassigned	RestconfDocumentedExceptionMapper unable to map exceptions from mounted devices when path points to a module not in the global SchemaContext
RESOLVED	Robert Varga	HTTP ERROR 500 Request failed on restconf POST
RESOLVED	Robert Varga	RFC8040/RFC8072 support does not use the correct media types
RESOLVED	Robert Varga	Do not produce invalid media types
RESOLVED	Robert Varga	Use standard media types as specified by RFC8040 and RFC8072

<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Tomas Cere	<a href="#">Http 500 internal server error when deleting non existing data</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	<a href="#">Delay during delivery of NETCONF message</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	<a href="#">Use JAX-RS 2.1 SSE integration</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	<a href="#">Remove the ability to select DOMDataBroker wiring</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">CONFIRMED</span>	Unassigned	<a href="#">Refactor restconf-nb wiring</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	<a href="#">Convert yanglib to OSGi DS</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Peter Suna	<a href="#">Convert sal-rest-docgen to OSGi DS</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	<a href="#">Convert mdsal-netconf-yang-library to OSGi DS</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Unassigned	<a href="#">Cannot create new NETCONF connector with a POST</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	<a href="#">Remove messagebus-netconf</a>

[528 issues](#)

## Controller

Status	Assignee	Summary
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">CONFIRMED</span>	Unassigned	<a href="#">Do not shade akka-persistence</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">CONFIRMED</span>	Unassigned	<a href="#">Do not use akka-persistence in cds-access-client</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">IN REVIEW</span>	Ruslan Kashapov	<a href="#">Migrate cds-access-client state storage</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">IN PROGRESS</span>	Ruslan Kashapov	<a href="#">Separate out byte-level atomix-storage access</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Ruslan Kashapov	<a href="#">Turn sal-akka-segmented-journal's PerformanceTest into a benchmark</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">CONFIRMED</span>	Unassigned	<a href="#">Sync file ranges of JournalSegmentWriter.flush()</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">CONFIRMED</span>	Unassigned	<a href="#">Persistent SegmentIndex</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	<a href="#">Add a smarter JournalIndex implementation</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">CONFIRMED</span>	Unassigned	<a href="#">Add a smarter JournalIndex implementation</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	<a href="#">Improve DiskJournalSegmentWriter.reset(long) reads</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	<a href="#">Improve DataJournal.handleWriteMessages()</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">IN REVIEW</span>	Oleksandr Zharov	<a href="#">Refactor JournalSegmentDescriptor</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	<a href="#">Improve SegmentedJournalReader performance</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	<a href="#">Update atomix-storage copyright headers</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">CONFIRMED</span>	Unassigned	<a href="#">Allow ShardDataTree to be compacted</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">CONFIRMED</span>	Unassigned	<a href="#">Implement DOMStore.compact() in ClientBackedDatastore</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">CONFIRMED</span>	Unassigned	<a href="#">Add support for compacting ShardDataTree</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	<a href="#">Remove unneeded atomix-storage API elements</a>

<span>CONFIRMED</span>	Ruslan Kashapov	Improve JournalSegmentWriter.reset(long)
<span>IN PROGRESS</span>	Ruslan Kashapov	Specialize JournalSegment to specified StorageLevel
<span>RESOLVED</span>	Robert Varga	Refactor Journal{Reader,Writer} class hierarchy
<span>RESOLVED</span>	Oleksandr Zharov	Improve FileChannelJournalSegmentWriter's buffer management
<span>RESOLVED</span>	Robert Varga	Share a single FileChannel between FileChannelJournalSegmentWriter and its readers
<span>RESOLVED</span>	Robert Varga	Do not use FileChannel.position() in FileChannelJournalSegmentWriter
<span>RESOLVED</span>	Robert Varga	Do not use FileChannel.position() in FileChannelJournalSegmentReader
<span>RESOLVED</span>	Robert Varga	Remove odl-controller-exp-netty-config
<span>CONFIRMED</span>	Unassigned	Improve JSON export
<span>RESOLVED</span>	Robert Varga	Remove support for RPCs/Actions/Notifications
<span>IN REVIEW</span>	Samuel Schneider	Do not store writerUuid in sal akka-segmented-journal
<span>IN REVIEW</span>	Oleksandr Zharov	Remove bierman02 terminology from dev guide
<span>RESOLVED</span>	Matej Šramík	Don't use NotificationListener in CONTROLLER components
<span>RESOLVED</span>	Samuel Schneider	Snapshot byte-offset overflows with large Snapshots
<span>RESOLVED</span>	Oleksandr Zharov	Do not use RpcService in Controller components
<span>CONFIRMED</span>	Robert Varga	Custom PersistenceProvider - implement Snapshot logic
<span>CONFIRMED</span>	Unassigned	Create eos-dom-akka-raft
<span>RESOLVED</span>	Robert Varga	Drop RAFT support for versions before Fluorine
<span>RESOLVED</span>	Robert Varga	Remove legacy sal akka-raft serialization proxies
<span>RESOLVED</span>	Samuel Schneider	Snapshot forwarding to SnapshotMessageSupport test in RaftActorTest sporadically fails with UnfinishedStubbingException
<span>RESOLVED</span>	Robert Varga	Remove raft.base.messages.EmptyExternalizableProxy
<span>RESOLVED</span>	Robert Varga	Remove old cluster.raft.persisted proxies
<span>RESOLVED</span>	Robert Varga	Finalize serialization proxy switch
<span>IN PROGRESS</span>	Ivan Hrasko	Two-Node Cluster Fails to Install Snapshot on Clean Follower Node
<span>RESOLVED</span>	Robert Varga	Tell-based protocol should honor shard-batched-modification-count
<span>CONFIRMED</span>	Ivan Hrasko	Follower can retain more than 1 copy of the same Snapshot in memory leading to OOM
<span>CONFIRMED</span>	Unassigned	Ditch Akka persistence from sal akka-raft
<span>IN REVIEW</span>	Samuel Schneider	Remove Kryo from atomix-storage
<span>RESOLVED</span>	Robert Varga	Switch to our fork of atomix-storage
<span>CONFIRMED</span>	Unassigned	Remove odl-controller-blueprint
<span>RESOLVED</span>	Robert Varga	Import atomix-storage into controller.git
<span>OPEN</span>	Robert Varga	Processing routed RPC - buy-car RPC
<span>OPEN</span>	Tibor Král	Install Snapshot process gets stuck indefinitely

CONFIRMED	Ivan Hrasko	Do not use BindingReflections
RESOLVED	Ivan Hrasko	Cannot invoke buy-car RPC
RESOLVED	Robert Varga	Switch to using RaftVersion.ARGON
RESOLVED	Robert Varga	Remove old cds-access-api proxies
RESOLVED	Robert Varga	Remove ABIVersion.MAGNESIUM
RESOLVED	Robert Varga	Deprecate ABIVersion.MAGNESIUM
RESOLVED	Robert Varga	Remove ABIVersions up to and including SODIUM_SR1
RESOLVED	Robert Varga	Deprecate ABIVersions up to and including SODIUM_SR1
RESOLVED	Robert Varga	Define RaftVersion.ARGON
RESOLVED	Robert Varga	Remove old controller.datastore.persisted proxies
RESOLVED	Robert Varga	Minimize serialization proxy names in controller.datastore.persisted
RESOLVED	Ruslan Kashapov	Do not allow cross-datastore transactions
RESOLVED	Robert Varga	Remove ask-based protocol
RESOLVED	Robert Varga	Deprecate ask-based protocol
RESOLVED	Robert Varga	cds-access-api uses wrong ABI version
RESOLVED	Robert Varga	Minimize serialization proxy names in cds-access-api
CONFIRMED	Unassigned	Adopt Scala 3.2.0+
RESOLVED	Robert Varga	Bump akka to 2.6.20
OPEN	Venkatrangan Govindarajan	ODL Clustering issues
OPEN	Shibu Vijayakumar	CLONE - ODL Cluster - Akka Cluster Singleton Manager Actor - OwnerSupervisor Getting Terminated and never restarts
RESOLVED	Robert Varga	Looking for Rest API documentation for Beryllium
CONFIRMED	Ivan Hrasko	Improve sal akka raft serialization protocol
RESOLVED	Robert Varga	Circuit breaker timeout with BGP and tell-based protocol
RESOLVED	Robert Varga	Dead letters: akka.persistence.Delete(Messages,Snapshots)Success
RESOLVED	Robert Varga	LocalReadWriteProxyTransaction allows reads after a failure
RESOLVED	Ivan Hrasko	Enable tell-based protocol in DTO config by default
RESOLVED	Robert Varga	Guard against InMemoryDataTreeModification.newModification() throwing IAE
RESOLVED	Robert Varga	Read transaction does not return full data for the root node
RESOLVED	Robert Varga	Fail to serialize oversized message
RESOLVED	Sangwook Ha	Failure of initial removal of candidates from previous iteration
RESOLVED	Shibu Vijayakumar	ODL Cluster - Akka Cluster Singleton Manager Actor - OwnerSupervisor Getting Terminated and never restarts
OPEN	Tibor Král	Limit repeated replication of the same selection of Entries
IN REVIEW	Ivan Hrasko	Improve AbstractNativeEosTest reliability
IN PROGRESS	Shibu Vijayakumar	Phosphorus SR1 - AskTimeoutException while trying to mount multiple Netconf devices at a time

<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">IN REVIEW</span>	Tibor Král	Add specific config knob for the size of AppendEntries
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Tibor Král	Add selectively-bounded implementation of Mailbox to prevent OOM
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Samuel Schneider	ODL Clustering - Shard Has no Leader or AskTimeoutException Error - Silicon SR4
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Unassigned	Thousands of guava Finalizer threads in waiting
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	Upgrade akka to 2.6.18
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">CONFIRMED</span>	Robert Varga	Circuit breaker timeout
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Tomas Cere	Fail to update entity ownership after owner is killed
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">IN REVIEW</span>	Unassigned	Intermittent failures of RecoveryIntegrationTest.testRecoveryDeleteEntries()
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Dominik Vrbovský	Test logs polluted by ConfigurationException
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	Remote-to-local ready() replay fails with IllegalStateException
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	Shard does not disable tracking on ReadyLocalTransaction
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">IN REVIEW</span>	Ivan Hrasko	Enable testSnapshotOnRootOverwrite() with ClientBackedDataStore
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	Dead letters: raft.base.messages.SnapshotComplete
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	Enable testTransactionWithIsolatedLeader() with ClientBackedDataStore
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Šimon Ukuš	Tell-based protocol mis-reports standalone transaction count
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">CONFIRMED</span>	Unassigned	Enable testCloseTransactionMetadataLeak() with DistributedDatastore
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	Allow UnsignedLongSets to be merged
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	Improve UnsignedLongSet allocation rate
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	Improve closedTransactions storage in FrontendHistoryMetadata
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	Reconsider ImmutableUnsignedLongSet storage
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	Do not use RangeSet in serialization
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Tomas Cere	Get Entities RPC fails after owner is killed
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Tomas Cere	Get Entity RPC does not support OVSDDB entity type
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	Misaligned odlparent/yangtools versions
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	Artery enabled in 3.0.11
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	Do not pull odl-controller-blueprint into odl-mdsal-broker
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	Do not pull odl-controller-blueprint into odl-controller-exp-netty-config
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Tomas Cere	EOS gossip propagation takes too long
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Samuel Schneider	Do not use odl-controller-blueprint in toaster-consumer
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Matúš Matok	Do not pull odl-controller-blueprint into cluster-test-app
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	Do not use odl-controller-blueprint in {ds,ntf,rpc}benchmark
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">CONFIRMED</span>	Unassigned	Deprecate odl-controller-blueprint
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	Do not pull odl-controller-blueprint into odl-mdsal-distributed-datastore
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">CONFIRMED</span>	Unassigned	Archive the Blueprint component

<a href="#">RESOLVED</a>	Dominik Vrbovský	Introduce cli commands for cluster-admin
<a href="#">RESOLVED</a>	Dominik Vrbovský	Introduce cli commands for clustering-test-app
<a href="#">RESOLVED</a>	Tomas Cere	Dead letters: eos.akka.owner.supervisor.command.OwnerChanged
<a href="#">RESOLVED</a>	Tomas Cere	Dead letters: datastore.messages.PeerUp
<a href="#">RESOLVED</a>	Robert Varga	Expose entity ownership information via MD-SAL
<a href="#">RESOLVED</a>	Tomas Cere	eos akka triggers NPE when stopping
<a href="#">CONFIRMED</a>	Unassigned	Migrate from akka persistence to a custom solution
<a href="#">CONFIRMED</a>	Unassigned	Mark actors interfacing with NormalizedNode structures
<a href="#">RESOLVED</a>	Robert Varga	Dead letters: datastore.messages.DataTreeChangedReply
<a href="#">RESOLVED</a>	Robert Varga	Remove support for datastore versions before Sodium SR1
<a href="#">RESOLVED</a>	Robert Varga	Remove obsolete datastore.cfg properties
<a href="#">RESOLVED</a>	Robert Varga	Akka artery fails with java.lang.OutOfMemoryError: Direct buffer memory
<a href="#">RESOLVED</a>	Tomas Cere	Reimplement Distributed Entity Ownership Service on top of Akka Distributed Data
<a href="#">RESOLVED</a>	Matej Šramík	default clustered datastore context parameters generate a deprecation warning
<a href="#">RESOLVED</a>	Robert Varga	Remove opendaylight-inventory model
<a href="#">RESOLVED</a>	Robert Varga	Remove opendaylight-topology model
<a href="#">RESOLVED</a>	Robert Varga	Remove Producer/Consumer/ShardedDataTree implementation
<a href="#">RESOLVED</a>	Robert Varga	Deprecate Producer/Consumer/ShardedDataTree implementation
<a href="#">RESOLVED</a>	Robert Varga	Deprecate and remove Producer/Consumer/ShardedDataTree implementation

[138 issues](#)

## AAA

Status	Assignee	Summary
<a href="#">RESOLVED</a>	Shibu Vijayakumar	OpenStack Keystone Authentication Fails with 400 Bad Request Error
<a href="#">RESOLVED</a>	Robert Varga	Upgrade H2 database to 2.1.210
<a href="#">RESOLVED</a>	Robert Varga	ODLAuthenticator does not work
<a href="#">RESOLVED</a>	Ivan Martinjak	web-impl-osgi mis-represents servlet paths
<a href="#">RESOLVED</a>	Robert Varga	StackOverflowError in aaa-filterchain
<a href="#">RESOLVED</a>	Unassigned	StackOverFlowError in the AAAFilterChain
<a href="#">RESOLVED</a>	Robert Varga	RESTCONF path segment with encoded forward slash returns 400
<a href="#">CONFIRMED</a>	Unassigned	StackOverflowError in aaa-shiro
<a href="#">RESOLVED</a>	Oleksandr Zharov	Validate web-api constructs

<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Oleksandr Zharov	Select only specifically-marked Filters for CustomFilterAdapterConfiguration
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Venkatrangan Govindarajan	https configuration fails with blueprint errors
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">OPEN</span>	Warith Akbar	sso.linuxfoundation.org
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">IN REVIEW</span>	Samuel Schneider	Adopt Shiro 2.0.0
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	Misaligned odlparent/yangtools versions
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	Adopt shiro-1.8.0
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">OPEN</span>	Luis Gomez	Directions for disabling aaa are not accurate
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	Upgrade Shiro to 1.9.0
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">OPEN</span>	Unassigned	NullpointerException for MDSALDynamicAuthorizationFilter
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	Reimplement web-osgi-impl with HTTP Whiteboard
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">CONFIRMED</span>	Unassigned	Use JDBC connection pooling in H2 datastore
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	Bump Shiro to 1.9.1
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Yaroslav Lastivka	Revisit aaa-cli-jar
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Ivan Martinik	Resources not found with web-osgi-impl
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Oleksandr Zharov	WeblInitializer failure with web-jetty-impl
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Oleksandr Zharov	Make WebContext builder enforce proper pattern values
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Stephen Kitt	Upgrade Shiro to 1.10.1
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	Add support for naming WebContexts
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	Add IDM web context description
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Unassigned	Eliminate use of blueprint in AAA
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	Convert aaa-encrypt-service to OSGi DS
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	Upgrade Shiro to 1.11.0
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">OPEN</span>	Venkatrangan Govindarajan	Incorrect behavior in aaa-policy in aaa version 0.17.2 (Netconf-5.0.0)
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Peter Suna	Fix AAA documentation
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	Instantiate AAAEncryptServiceImpl via OSGi DS
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	Expose WebContextSecurer through OSGi DS
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Yaroslav Lastivka	API to validate user access does not work
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">IN REVIEW</span>	Peter Suna	Logging in to the H2 database interface results in an "IO Exception" error
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">IN PROGRESS</span>	Ivan Hrasko	Remove blueprints from AAA documentation
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Oleksandr Zharov	Remove OAuth2 remnants
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">IN REVIEW</span>	Venkatrangan Govindarajan	Authorization Header is ignored when cookie is present
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">IN REVIEW</span>	Venkatrangan Govindarajan	MD-SAL Dynamic Authorization fails to work
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	aaa-encrypt-service fails to start on follower nodes

<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Matej Šramík	Align aaa's documentation version with distro
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Matej Šramík	Cleanup AAA readme
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Matej Šramík	Add maven central, docs and license badges to README.md
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Yaroslav Lastivka	Bump H2 database to 2.2.220
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	Do not use AaaCertRpcService in CertificateManagerService
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	Upgrade shiro to 1.12.0
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	uboš iut	AAAEncryptionService does not inform user of Encryption/Decryption failures
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">IN REVIEW</span>	Yaroslav Lastivka	Use GCM mode as default
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	Add Provide-Capability to aaa-cert
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	Remove aaa.encrypt.PKIUtil
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">CONFIRMED</span>	Unassigned	Split out aaa-cert-impl
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Ivan Hrasko	/moon property warning
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">IN REVIEW</span>	Peter Suna	Migrate from Ehcache 2.x to Ehcache 3.x
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Samuel Schneider	Bump H2 database to 2.2.224
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">IN REVIEW</span>	Peter Suna	Remove TokenStore, which is OAuth2 remnant
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">OPEN</span>	Ivan Hrasko	Replace odl-karaf-feat-jdbc feature with ODL features
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	SQL injection in the aaa-idm-store-h2 (deleteRole function)
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	SQL injection in the aaa-idm-store-h2 (deleteDomain function)
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	SQL injection in the aaa-idm-store-h2 (deleteUser function)

61 issues

#### Infrautils

Status	Assignee	Summary
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Yaroslav Lastivka	ServiceStatusSummary.toJSON() fails with upgraded Java
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	Move metrics component to serviceutils
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	Migrate samples to OSGi DS
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	Remove unused caches component
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	Terminally deprecate all caches-* classes
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	Do not activate GuavaCacheProvider by default
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	Finish jobcoordinator cleanup
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	Terminally deprecate UncheckedCloseable
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	Remove metrics from infrautils
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	Terminally deprecate TablePrinter

<a href="#">RESOLVED</a>	Robert Varga	Terminally deprecate NamedLocks and NamedSimpleReentrantLock
<a href="#">RESOLVED</a>	Robert Varga	Remove unused utilities
<a href="#">RESOLVED</a>	Robert Varga	Terminally deprecate ListenableFutures
<a href="#">RESOLVED</a>	Robert Varga	Rename infrautils.utils.function to infrautils.metrics.function
<a href="#">RESOLVED</a>	Robert Varga	Terminally deprecate AbstractMBean
<a href="#">RESOLVED</a>	Robert Varga	Terminally deprecate utils.types.IDs
<a href="#">RESOLVED</a>	Robert Varga	Rename utils.types.IDs to metrics.IDs
<a href="#">RESOLVED</a>	Robert Varga	Terminally deprecate utils.mdc
<a href="#">RESOLVED</a>	Robert Varga	Terminally deprecate utils.function
<a href="#">RESOLVED</a>	Robert Varga	Upgrade Guice to 5.1.0
<a href="#">RESOLVED</a>	Robert Varga	Revise DiagStatus API
<a href="#">RESOLVED</a>	Robert Varga	Upgrade Guice to 6.0.0

[22 issues](#)

## [JSONRPC](#)

Status	Assignee	Summary
<a href="#">RESOLVED</a>	Richard Kosegi	Do not use yangtools.concepts.Codec
<a href="#">CONFIRMED</a>	Ivan Hrasko	Do not use RpcService in JSONRPC components
<a href="#">RESOLVED</a>	Ruslan Kashapov	Don't use NotificationListener in JSONRPC components
<a href="#">RESOLVED</a>	Kostiantyn Nosach	Update tests with Akka Artery

[4 issues](#)

## [ODL\\_parent](#)

Status	Assignee	Summary
<a href="#">RESOLVED</a>	Robert Varga	Require maven-3.8.3
<a href="#">CONFIRMED</a>	Unassigned	Do not declare depends-maven-plugin in odlparent
<a href="#">RESOLVED</a>	Robert Varga	Do not declare blueprint-maven-plugin
<a href="#">RESOLVED</a>	Robert Varga	Remove PMD/CPD configuration
<a href="#">RESOLVED</a>	Robert Varga	Bump xtend-maven-plugin to 2.26.0.M2 or newer
<a href="#">CONFIRMED</a>	Unassigned	SingleFeatureTest does not contribute to JaCoCo correctly

RESOLVED	Robert Varga	Remove powermock declaration
RESOLVED	Robert Varga	Remove legacy osgi artifact declaration
RESOLVED	Robert Varga	Adopt Karaf-4.3.7 or later
RESOLVED	Robert Varga	Remove Google Truth declaration
RESOLVED	Robert Varga	Remove common-codec packaging
RESOLVED	Robert Varga	Remove commons-fileupload declaration
RESOLVED	Robert Varga	Remove commons-net packaging
RESOLVED	Robert Varga	Remove jsonassert declaration
RESOLVED	Robert Varga	Add argparse4j declaration
RESOLVED	Robert Varga	Remove Jung2 packaging
CONFIRMED	Unassigned	Do not pull in org.apache.aries.blueprint.core.compatibility
CONFIRMED	Unassigned	Do not pull in org.apache.aries.quiesce.api
RESOLVED	Robert Varga	Bump jetty to 9.4.52.v20230823
RESOLVED	Matúš Matok	Rename README.markdown to README.md file
RESOLVED	Matúš Matok	Rename CONTRIBUTING.markdown to CONTRINUTING.md file
RESOLVED	Oleksandr Zharov	Add sonarcloud badges to README
RESOLVED	Robert Varga	Add bnd-parent
RESOLVED	Ruslan Kashapov	SingleFeatureTest needs to be safe to execute in parallel
RESOLVED	Robert Varga	Generate an SBOM for artifacts
CONFIRMED	Unassigned	Integrate dagger.dev into the build process
RESOLVED	Robert Varga	Add assertj dependency
RESOLVED	Robert Varga	Add odl-apache-spifly feature
CONFIRMED	Unassigned	Audit and annotate karaf-plugin for thread safety
CONFIRMED	Unassigned	Fix thread safety around depends-maven-plugin
RESOLVED	Robert Varga	Redefine odl-karaf-feat-jdbc
RESOLVED	Robert Varga	Make JUnit5 available by default
RESOLVED	Robert Varga	Bump to Mockito 4.0.x
RESOLVED	Robert Varga	Use modular OSGi declarations
RESOLVED	Robert Varga	Revisit annotation artifact dependencies
RESOLVED	Peter Suna	Exclude Apache Derby from build
IN REVIEW	Peter Suna	Fix mysql-connector-j CVE-2023-22102 vulnerability
OPEN	Peter Suna	Fix PostgreSQL CVE-2024-1597 vulnerability
IN PROGRESS	Peter Suna	Rework odl-karaf-feat-jdbc feature to be more lightweight

<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">IN PROGRESS</span>	Peter Suna	Bump PAX-JDBC version to the latest 1.5.7
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">OPEN</span>	Ivan Hrasko	Bump Derby to 10.17.x
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">CONFIRMED</span>	Unassigned	Maximize the amount odrlparent-based default can be run in parallel
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	maven-dependency-plugin-3.2.0 is broken
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	maven-compiler-plugin-3.9.0 breaks JPMS
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	Netty's epoll(2) support does not work
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	java.net.http does not work with odrlparent-10.0.1
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	Mis-aligned versions of el-api
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Unassigned	odrlparent-10.0.4 does not work with LGTM
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	JAVA_MAX_MEM has no effect
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	spotbugs configuration contains invalid directives
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	Unneeded artifacts included in features
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">IN PROGRESS</span>	Ruslan Kashapov	Bundle states are not collected reliably on feature-test-plugin execution
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">OPEN</span>	Ivan Hrasko	Remove odl-karaf-feat-jdbc

[53 issues](#)

## [YANG Tools](#)

Status	Assignee	Summary
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	<a href="#">Remove AnyxmlSchemaLocation</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	<a href="#">Move data.impl.schema.builder.api to yang-data-api</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	<a href="#">Refine statements are not SchemaNodes</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	<a href="#">Deprecate SchemaAware NormalizedNode builders</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	<a href="#">Deprecate ClassBasedPropertyBuilder</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	<a href="#">Remove ClassBasedPropertyBuilder</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	<a href="#">Deprecate ProductAwareBuilder</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	<a href="#">Remove ProductAwareBuilder</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	<a href="#">Deprecate CheckedBuilder and Builder</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	<a href="#">Deprecate CheckedBuilder and Builder for removal</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	<a href="#">Deprecate util.Immutables</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	<a href="#">Remove util.Immutables</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	<a href="#">Flatten IllegalArgumentCodec hierarchy</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	<a href="#">Deprecate IllegalArgumentCodec for removal</a>

RESOLVED	Robert Varga	Deprecate Codec-related concepts
RESOLVED	Robert Varga	Rename concepts.Path to concepts.HierarchicalIdentifier
RESOLVED	Samuel Schneider	Remove StmtTestUtils.parseYangSource(String)
RESOLVED	Robert Varga	Deprecate AugmentationSchemaNode.getOriginalDefinition()
RESOLVED	Robert Varga	Deprecate DerivableSchemaNode
RESOLVED	Robert Varga	Deprecate AddedByUsesAware
RESOLVED	Robert Varga	Deprecate SemanticVersion import mode
RESOLVED	Robert Varga	Move SchemaNodeIdentifier to yang-common
RESOLVED	Robert Varga	Deprecate yang.common.Empty.getInstance()
RESOLVED	Robert Varga	Remove yang.common.Empty.getInstance()
CONFIRMED	Unassigned	Reconsider StmtContext.isSupportedByFeatures()
CONFIRMED	Unassigned	Remove support for Routed RPCs extensions
RESOLVED	Robert Varga	Remove DerivableSchemaNode
RESOLVED	Robert Varga	Remove model.util.SchemaNodeUtils
RESOLVED	Robert Varga	Hide StatementContextBase
RESOLVED	Robert Varga	Deprecate overloaded ImmutableNodes.fromInstanceId()
RESOLVED	Robert Varga	Remove overloaded ImmutableNodes.fromInstanceId()
RESOLVED	Robert Varga	Fold yang-{parser,xpath}-antlr
RESOLVED	Robert Varga	AugmentEffectiveStatementImpl should not be QNameModuleAware
CONFIRMED	Unassigned	Examine XML codec ordering in RPC/action input/output context
RESOLVED	Ruslan Kashapov	Do not warn about unkeyed config=true lists by default
RESOLVED	Robert Varga	Do not fallback to toString() in UnionStringCodec
RESOLVED	Robert Varga	Remove support for semantic version imports
RESOLVED	Robert Varga	Split out yang-ir and IRSchemaSource
RESOLVED	Robert Varga	Integrate rfc7952-data-{api,util} into yang-data-{api,util}
RESOLVED	Robert Varga	Do not allow writeout of pre-Magnesium binary formats
RESOLVED	Robert Varga	Remove DerivedNamespaceBehaviour
RESOLVED	Robert Varga	Refactor FeatureSet to yang-model-api
RESOLVED	Matúš Matok	Migrate unit test YANG inputs
RESOLVED	Robert Varga	Deprecate MixinNode
RESOLVED	Robert Varga	Modernize DataTreeCandidateNode methods
RESOLVED	Robert Varga	Migrate to JUnit5
RESOLVED	Robert Varga	Do not throw URISyntaxException from XmlParserStream.traverse()
RESOLVED	Robert Varga	Remove support for pre-Magnesium binfmt versions

CONFIRMED	Unassigned	Remove ListenerRegistration
RESOLVED	Robert Varga	Deprecate SchemaContextListener
RESOLVED	Robert Varga	Remove NormalizedNode.getIdentifer()
IN REVIEW	Unassigned	Disable support for union TypeDefinitionAwareCodec by default
IN REVIEW	Robert Varga	JSONCodec is a I=Void,O=JsonValueWriter specialization
RESOLVED	Robert Varga	Add org.opendaylight.yang.parser.api.YangParserFactory et al.
RESOLVED	Robert Varga	Remove org.opendaylight.yang.model.parser.api
RESOLVED	Robert Varga	Remove RecursiveObjectLeaker
RESOLVED	Robert Varga	Deprecate UnknownSchemaNode.getExtensionDefinition()
RESOLVED	Robert Varga	Introduce concepts.HierarchicalIdentifier and deprecate concepts.Path
RESOLVED	Robert Varga	Do not emit UndeclaredCaseStatements
RESOLVED	Robert Varga	Remove ModelStatement.statementSource()
RESOLVED	Robert Varga	Deprecate JSONNormalizedNodeStreamWriter.create*Writer() with SchemaPath
RESOLVED	Robert Varga	Deprecate XMLStreamNormalizedNodeStreamWriter.create() with SchemaPath
RESOLVED	Robert Varga	Capture yang-maven configuration
RESOLVED	Robert Varga	Disconnect StatementContextBundle from NamespaceBehaviour.Registry
RESOLVED	Robert Varga	Remove NamespaceBehaviour.Registry
RESOLVED	Robert Varga	Separate NamespaceBehaviour and NamespaceStorageNode
RESOLVED	Robert Varga	NamespaceBehaviour should not be Identifiable
RESOLVED	Robert Varga	Do not use yang.model.api.Module in AbstractModuleStringInstanceIdentifierCodec
RESOLVED	Robert Varga	Do not use SchemaContext.findModule(s)
CONFIRMED	Unassigned	Create a yang-data-api equivalent of TypeDefinition
RESOLVED	Robert Varga	Add DataSchemaContext.SimpleValue.type()
CONFIRMED	Unassigned	Extract yang.data.impl.codec to yang-data-util
CONFIRMED	Unassigned	Add support for parsing JSON containing RFC8528 shared schema mount points
RESOLVED	Robert Varga	Add support for inferring on YangDataEffectiveStatement
RESOLVED	Robert Varga	Add NETCONF/YANG common error constructs
RESOLVED	Robert Varga	Add YangErrorInfo
RESOLVED	Robert Varga	Add YangError replacements
RESOLVED	Robert Varga	Add support for RFC8639 "subscription-state-notification" extension
RESOLVED	Ivan Martinik	Add support for RFC8819 "module-tag" extension
CONFIRMED	Unassigned	Use filesystem hierarchy to resolve RFC7950 naming violations
RESOLVED	Robert Varga	Introduce model.api.stmt.DataNodoidentifier
OPEN	Unassigned	Integrate DataNodoidentifier with YangXPathExpression

CONFIRMED	Unassigned	Expose SubmoduleEffectiveStatement from IncludeEffectiveStatement
RESOLVED	Robert Varga	Add support for purely-effective substatements
RESOLVED	Tomas Cere	Reformulate ImmutableNodes.fromInstanceld() in terms of NormalizedNodeStreamWriter
CONFIRMED	Unassigned	Add annotation-based YANG codegen
RESOLVED	Robert Varga	Add utilities for reading/writing yang-ir
IN REVIEW	Matúš Matok	Add support for formatting EffectiveModelContext to organization tree
RESOLVED	Robert Varga	Add data.api.schema.NormalizedYangData
CONFIRMED	Unassigned	Add support for RFC8791 YANG Data Structure Extensions
RESOLVED	Robert Varga	Define a YangDataName in yang.common
RESOLVED	Matúš Matok	Enrich YangParserTestUtils with String literal YANG methods
CONFIRMED	Unassigned	Add openrewrite.org recipe for YangParserTestUtils.parseYangResource()
RESOLVED	Robert Varga	Add file-backed YangToSourcesState storage
CONFIRMED	Unassigned	Add DataTreeModification.netconfDelete()
RESOLVED	Robert Varga	Expose YangInstancelidentifier codec from codec factories
CONFIRMED	Unassigned	Add a minimalistic XML tree implementation
CONFIRMED	Unassigned	Add option to track InMemoryDataTree modification metadata
CONFIRMED	Unassigned	Instantiate EffectiveRevisionDate statements on linkage
CONFIRMED	Unassigned	Expose SchemaInferenceStack.effectiveConfig()
RESOLVED	Robert Varga	Expose SchemaInferenceStack.effectiveStatus()
RESOLVED	Robert Varga	Propagate SchemaSourceRepresentation symbolic names
CONFIRMED	Unassigned	Improve MutableDataTree formatting capabilities
RESOLVED	Robert Varga	Convert yang-model-export to JPMS
RESOLVED	Robert Varga	Convert yang-data-transform to a JPMS module
RESOLVED	Robert Varga	Convert yang-data-codec-binfmt into a JPMS module
RESOLVED	Robert Varga	Add support yang-ext:mount extension
RESOLVED	Unassigned	Add support for yang-ext:mount instance identifiers
RESOLVED	Robert Varga	Fix QName.compareTo() logic
CONFIRMED	Unassigned	Add support for odlext:augment-equivalent
RESOLVED	Robert Varga	Correctly tag unique constraint violations
CONFIRMED	Unassigned	Correctly tag missing key violations
RESOLVED	Robert Varga	Add malformed-message ErrorTag
RESOLVED	Robert Varga	Correctly tag min/max element violations
RESOLVED	Robert Varga	Re-examine argument storage in effective statements
RESOLVED	Robert Varga	Remove UnknownStatement.getExtensionDefinition()

RESOLVED	Robert Varga	Promote UnknownEffectiveStatementBase
RESOLVED	Robert Varga	Add yang.common.UnresolvedQName
RESOLVED	Robert Varga	Improve SchemaInferenceStack diagnostics
RESOLVED	Robert Varga	Add EffectiveModuleContext.findModuleStatements() based on name/namespace
RESOLVED	Robert Varga	Generate ietf-restconf operations leaf statements
RESOLVED	Robert Varga	Enforce YANG 1/1.1 interoperability constraints
RESOLVED	Robert Varga	Carry java.nio.file.Path in {Yang,Yin}TextFileSchemaSource
CONFIRMED	Unassigned	Remove yang.data.api.schema.MixinNode
RESOLVED	Robert Varga	Allow bridging from UnqualifiedQName to QualifiedQName
CONFIRMED	Unassigned	Define a yang.common version of NetconfError
RESOLVED	Robert Varga	Do not build FeatureEffectiveStatement for unsupported features
RESOLVED	Robert Varga	Expose available StatementSupports from StmtContext
RESOLVED	Robert Varga	Intern yang.model.api.PatternExpression
RESOLVED	Robert Varga	Implement TypedefNamespace as a linear search
RESOLVED	Robert Varga	Do not retain singleton RangeSets
RESOLVED	Robert Varga	Codify AbstractModelStatement's hashCode>equals/toString
RESOLVED	Robert Varga	Remove AugmentationSchemaNode.getOriginalDefinition()
RESOLVED	Robert Varga	Add a custom SoftSchemaSourceCache
RESOLVED	Samuel Schneider	Refactor IfFeaturePredicateVisitor
RESOLVED	Samuel Schneider	Expose a knob to control warnings about unkeyed lists with config=true
CONFIRMED	Unassigned	Reconsider LeafSetNode storage
RESOLVED	Robert Varga	Add OrderedByAwareEffectiveStatement
RESOLVED	Robert Varga	AugmentEffectiveStatement should be SchemaTreeAwareEffectiveStatement
CONFIRMED	Unassigned	Consider adding YangInstanceIdentifier+NormalizedNode-based codec utilities
RESOLVED	Robert Varga	Integrate EffectiveAugmentationSchema into AugmentationSchemaNode/AugmentEffectiveStatement}
RESOLVED	Robert Varga	Add Decimal64.valueOf() methods which specify expected precision
RESOLVED	Robert Varga	Refactor DataSchemaContextNode
RESOLVED	Samuel Schneider	Improve trust between DefaultSchemaTreeInference and SchemaInferenceStack
IN PROGRESS	Robert Varga	Deal with leading YangInstanceIdentifier fragment
RESOLVED	Robert Varga	Update known unicode blocks for Java 11
RESOLVED	Robert Varga	Update known Unicode blocks for Java 17
RESOLVED	Robert Varga	Invert SchemaInferenceStack's deque
RESOLVED	Oleksandr Zharov	Switch yang-model-validator to argparse4j

<a href="#">RESOLVED</a>	Robert Varga	Compute YangInstanceIdentifier.hashCode lazily
<a href="#">CONFIRMED</a>	Ruslan Kashapov	Consider bits type storage
<a href="#">CONFIRMED</a>	Unassigned	Merge cursor awareness into DataTree{Snapshot,Modification}
<a href="#">RESOLVED</a>	Robert Varga	Normalize Decimal64 scale in DecimalStringCodec
<a href="#">RESOLVED</a>	Ivan Hrasko	Improve Decimal64.toString() implementation
<a href="#">RESOLVED</a>	Robert Varga	Add support for adjusting Decimal64 scale
<a href="#">RESOLVED</a>	Oleksandr Zharov	Normalize Decimal64 scale in range constraints
<a href="#">RESOLVED</a>	Oleksandr Zharov	Enforce range constraints in DecimalStringCodec
<a href="#">RESOLVED</a>	Robert Varga	Convert yang-data-codec-gson into a JPMS
<a href="#">RESOLVED</a>	Robert Varga	PrefixToModule has cognitive issues
<a href="#">RESOLVED</a>	Robert Varga	Do not use Class for ParserNamespace identification
<a href="#">RESOLVED</a>	Robert Varga	Do not use Class for IdentifierNamespace identification
<a href="#">RESOLVED</a>	Matúš Matok	Expose pre-sized builders from Builders
<a href="#">RESOLVED</a>	Matúš Matok	YangTextSchemaContextResolver needs to be aware of supported features
<a href="#">RESOLVED</a>	Robert Varga	Improve EffectiveStatement definitions
<a href="#">CONFIRMED</a>	Unassigned	Make BuildGlobalContext execution order predictable
<a href="#">RESOLVED</a>	Robert Varga	Update YangDataStatement to use YangDataName
<a href="#">RESOLVED</a>	Robert Varga	Validate ietf-restconf:yang-data substatements are unique
<a href="#">RESOLVED</a>	Robert Varga	Reduce AbstractPrerequisite footprint
<a href="#">RESOLVED</a>	Robert Varga	Do not allow empty YangInstanceIdentifier leaf/leaf-list values
<a href="#">OPEN</a>	Unassigned	Deviation must not target the same module as the one it is defined in
<a href="#">IN REVIEW</a>	Robert Varga	Add Runnable-backed Registration implementations
<a href="#">RESOLVED</a>	Robert Varga	Improve NamespaceBehaviour/NamespaceStorageNode interactions
<a href="#">RESOLVED</a>	Unassigned	Disconnect NamespaceStmtCtx from Current and StmtContext
<a href="#">RESOLVED</a>	Robert Varga	Add an immediate YangTextSchemaSource
<a href="#">RESOLVED</a>	Robert Varga	Make YangTextSchemaSource work on CharSource
<a href="#">RESOLVED</a>	Robert Varga	Revise ExtensibleObject API
<a href="#">RESOLVED</a>	Robert Varga	Capture AnnotationName
<a href="#">RESOLVED</a>	Robert Varga	Improve DataContainerNode addressing
<a href="#">RESOLVED</a>	Robert Varga	Require full declarations during schema tree traversal
<a href="#">RESOLVED</a>	Robert Varga	Ensure statement visibility before notifying listeners
<a href="#">RESOLVED</a>	Robert Varga	Change UsesNode.getRefines()
<a href="#">RESOLVED</a>	Robert Varga	Do not trim XML element text
<a href="#">RESOLVED</a>	Robert Varga	Seal XmlCodec interface to deal with XmlCodecFactory warnings

<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	<a href="#">Do not use Optional in yang-data-tree-ri operations</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	<a href="#">Improve InMemoryDataTreeModification state management</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">OPEN</span>	Unassigned	<a href="#">Some of SOURCE_PRE_LINKAGE modifiers for statements were not resolved.</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	<a href="#">Improve YangInstanceIdentifier serialization error reporting</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	<a href="#">Enhance XML prefix assignment</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	<a href="#">Add AbstractHierarchicalIdentifier</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	<a href="#">Improve ImmutableOffsetMapTemplate error reporting</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	<a href="#">Remove references to java.util.EventListener</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	<a href="#">Add Empty.{completed,immediate}Future()</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	<a href="#">Improve JSONCodec.parseValue()</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	<a href="#">Allow JSONCodec to be used without JsonWriter</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">CONFIRMED</span>	Unassigned	<a href="#">Identify and close EffectiveStatement implementation gaps</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">CONFIRMED</span>	Unassigned	<a href="#">Add support for RFC8791 YANG Data Structure Extensions</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	<a href="#">Remove concepts.Builder and concepts.CheckedBuilder</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	<a href="#">Remove concepts.IllegalArgumentExceptionCodec</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">CONFIRMED</span>	Unassigned	<a href="#">Rework yang-repo-api in terms of java.nio</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">CONFIRMED</span>	Unassigned	<a href="#">Remove Binding-only constructs from YANG parser</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Tibor Král	<a href="#">MandatoryLeafEnforcer fails when faced with augmentations</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Ivan Hrasko	<a href="#"> QName translation fails for identity leaf value</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	<a href="#">SchemaInferenceStack is missing typedef support</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	<a href="#">SchemaInferenceStack is cannot handle leafs under choice/case</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Unassigned	<a href="#">Cannot parse yexte:initial-value "::" for ipv6 address</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">OPEN</span>	mikael petterson	<a href="#">Unable to build schema context from java.time.format.DateTimeParseException: Text " could not be parsed at index 0</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	<a href="#">NormalizedStreamWriterStack does not work with notifications</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	<a href="#">Add support for parsing Notifications</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	<a href="#">{Input,Output}EffectiveStatement should be DataTreeEffectiveStatement</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	<a href="#">AbstractEffectiveStatement.indexDataTree() fails to filter non-datatree statements</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Tomas Cere	<a href="#">Do not keep negative cache in SharedEffectiveModelContextFactory</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	<a href="#">Codecs report wrong error-type in YangError</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	<a href="#">YangError does not report error-tag</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Manoj Chokka	<a href="#">xml to json translation creates duplicates.</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	<a href="#">Reactor failure with OpenROADM models</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	<a href="#">yang.common.ErrorTag is not Serializable</a>
<span style="border: 1px solid #ccc; border-radius: 5px; padding: 2px;">RESOLVED</span>	Robert Varga	<a href="#">Refining leaf-list with "default"</a>

<span>RESOLVED</span>	Dominik Vrbovský	Error when module is imported with different prefixes
<span>RESOLVED</span>	Robert Varga	Decimal64.valueOf(String) does not handle full length
<span>CONFIRMED</span>	Unassigned	Parser does not emit all events for extension statements
<span>RESOLVED</span>	Robert Varga	IAE in StatementContextBase.childCopyOf()
<span>OPEN</span>	Unassigned	Yang models using "ietf-yang-schema-mount" mount-point are not supported in ODL
<span>RESOLVED</span>	Ruslan Kashapov	YangXPathExpression.interpretAsInstanceIdentifier() does not handle unqualified names
<span>RESOLVED</span>	Unassigned	Deserialization of instance-identifier doesn't seem to work
<span>VERIFIED</span>	Michael Dürre	unable to generate onf1.4 classes
<span>RESOLVED</span>	Robert Varga	NPE in parser reactor with if-feature inference
<span>RESOLVED</span>	Robert Varga	Parser reactor does not support chained prerequisites
<span>RESOLVED</span>	Robert Varga	Unique statement reference is not validated
<span>RESOLVED</span>	Robert Varga	Statement replicas do not trigger onStatementAdded()
<span>RESOLVED</span>	Robert Varga	XPath: XPath keyword not accepted as valid XPath expression
<span>RESOLVED</span>	Robert Varga	InferenceException thrown when uses/augment is conditional on unsupported feature
<span>RESOLVED</span>	Unassigned	NormalizedStreamWriterStack fails to initialize on choice nodes
<span>RESOLVED</span>	Robert Varga	Deviation of augmented node causes NPE
<span>RESOLVED</span>	Robert Varga	BaseDecimalType is missing boundaries for fraction-digits=18
<span>RESOLVED</span>	Robert Varga	Attempted access to undeclared case statement
<span>RESOLVED</span>	Robert Varga	Deviation of augmented case node fails
<span>RESOLVED</span>	Robert Varga	'choice' not allowed in 'choice' with yang-version 1.1
<span>RESOLVED</span>	Robert Varga	JSON codec fails to decode instance-identifier to a choice/case/choice item
<span>RESOLVED</span>	Robert Varga	Add DataSchemaContextTree/SchemaInferenceStack integration
<span>RESOLVED</span>	Robert Varga	ChoiceNodeContextNode's handling of case augmentations
<span>RESOLVED</span>	Robert Varga	AbstractImmutableDataContainerNode violates equals() contract
<span>RESOLVED</span>	Robert Varga	Java 14+ breaks XSD regex translation
<span>RESOLVED</span>	Robert Varga	Missing failedSource in SchemaResolutionException
<span>RESOLVED</span>	Sangwook Ha	yang-model-validator has an illegal option 'no-wul'
<span>RESOLVED</span>	Robert Varga	Unsupported leaf under causes parsing failure
<span>RESOLVED</span>	Robert Varga	YangInstanceIdentifierWriter does not handle nested augmentations
<span>RESOLVED</span>	Robert Varga	Building SchemaContext fails when augmenting submodel data
<span>CONFIRMED</span>	Unassigned	Module name space collision with YANG modules with submodules and groupings from the submodules
<span>RESOLVED</span>	Robert Varga	Unexpected error while processing submodule references
<span>RESOLVED</span>	Robert Varga	Decimal64.toString() loses negative sign
<span>RESOLVED</span>	Robert Varga	Fix YangDataEffectiveStatement definition

RESOLVED	Robert Varga	Node name collision for unique argument
RESOLVED	Unassigned	Some BBF Yang models have errors when generating swagger for mounted device
RESOLVED	Unassigned	BBF SW MGR yang causes device to not connect
RESOLVED	Ruslan Kashapov	Failed to parse deviation statement present in submodule
RESOLVED	Unassigned	Node name collision already declared at <file>
RESOLVED	Robert Varga	Data change event notification fails
RESOLVED	Unassigned	apidoc for mounted device not working due to ietf-subscribed-notifications
CONFIRMED	Unassigned	yang-maven-plugin execution is not reliably following the configuration
RESOLVED	Robert Varga	Instance identifier parser : handle inner quotes within quoted strings
RESOLVED	Robert Varga	Unexpected error processing source SourcedIdentifier [ietf-network@2018-02-26]
RESOLVED	Robert Varga	yang-xpath-impl depends on javax.inject
RESOLVED	Ruslan Kashapov	JsonParserStream cannot read augmentations
RESOLVED	Robert Varga	NormalizedNodeStreamWriter.create() ignores path
RESOLVED	Robert Varga	Fail to find unique argument node in augmented list
RESOLVED	Robert Varga	Fail to process unsupported augment statement
RESOLVED	Ruslan Kashapov	XML/JSON YangInstancedIdentifier codecs mis-handle key values
RESOLVED	Robert Varga	Fail to process augmentation with empty grouping
RESOLVED	Unassigned	USE statement not recognised
RESOLVED	Robert Varga	Fail to process deviation/augmentation from multiple modules
RESOLVED	Robert Varga	Fail to parse a list with unique statement when unsupported
RESOLVED	Robert Varga	Fail to process deviation of augmented node without feature support
RESOLVED	Ravi Pendury	DOMSourceAnydata marked as private and hence unusable
RESOLVED	Robert Varga	yang-maven-plugin elicits deprecation warning with maven-3.9.1
RESOLVED	Robert Varga	Failed to process YANGs containing refine of a if-feature'd target
RESOLVED	Robert Varga	Do no allow if-feature in refine statement
RESOLVED	Unassigned	Failure recognizing inline notifications when parsing XML
RESOLVED	Robert Varga	XML parser omits leading/trailing whitespace in string values
RESOLVED	Robert Varga	Unkeyed config list is not rejected
RESOLVED	Unassigned	Incorrect XML attribute namespace
RESOLVED	Robert Varga	Fail to parse YANG module with a node with if-feature augmented within grouping
RESOLVED	Robert Varga	XmlParserStream reports "Unhandled mount-aware schema"
RESOLVED	Unassigned	Leaf '(urn:ieee:std:1914.3:yang:ieee1914-dot3?revision=2020-03-31)orderInfoType' has default value 'SEQNUM' marked with an if-feature statement
RESOLVED	Robert Varga	CME in AbstractNodeContainerModificationStrategy.checkChildPreconditions()
RESOLVED	Robert Varga	XmlAttributeInstancedIdentifierCodec is using JSON encoding for writeValue()

<a href="#">OPEN</a>	Ivan Hrasko	Min/max-elements are not enforced for wrapped elements in container
<a href="#">RESOLVED</a>	Unassigned	nested instance identifier values
<a href="#">OPEN</a>	Robert Varga	Please provide the requested information
<a href="#">RESOLVED</a>	Robert Varga	JsonParserStream does not intercept IllegalStateException
<a href="#">RESOLVED</a>	Robert Varga	{Yin,Yang}TextSource references require yang-model-spi
<a href="#">RESOLVED</a>	Robert Varga	NormalizedNode.toString() changed
<a href="#">RESOLVED</a>	Robert Varga	Unstable NodeWithValue.toString()
<a href="#">OPEN</a>	Unassigned	Mismatched Guava binding in Eclipse
<a href="#">OPEN</a>	Robert Varga	Ordered list item order cannot be changed in single transaction
<a href="#">RESOLVED</a>	Robert Varga	RPC output cannot be written out via JSON/XML codecs
<a href="#">IN REVIEW</a>	Peter Suna	RegexUtils does not convert all XSD specifics to Java-compatible regex
<a href="#">RESOLVED</a>	Robert Varga	Remove circular dependency when parsing module with submodule
<a href="#">OPEN</a>	Robert Varga	NormalizedAnydata - normalizeTo method throwing AnydataNormalizationException

298 issues

## MD-SAL

Status	Assignee	Summary
<a href="#">RESOLVED</a>	Robert Varga	Reserve class namespace for RPC definitions
<a href="#">RESOLVED</a>	Robert Varga	Promote odl-mdsal-exp-replicate-netty
<a href="#">RESOLVED</a>	Robert Varga	DOMDataTreeChangeListener.onInitialData() should be non-default
<a href="#">RESOLVED</a>	Robert Varga	Package ietf-restconf and ietf-yang-patch in mdsal
<a href="#">RESOLVED</a>	Robert Varga	Do not reference SchemaNode.getPath()
<a href="#">RESOLVED</a>	Robert Varga	Remove unified-html-generator
<a href="#">RESOLVED</a>	Robert Varga	Do not use IllegalArgumentCodec
<a href="#">RESOLVED</a>	Robert Varga	Remove RFC7277 models
<a href="#">RESOLVED</a>	Robert Varga	Upgrade iana-if-type to 2021-06-21
<a href="#">RESOLVED</a>	Robert Varga	Upgrade iana-routing-types to 2021-10-19
<a href="#">RESOLVED</a>	Robert Varga	Remove RFC7223 models
<a href="#">CONFIRMED</a>	Unassigned	Deprecate yang-ext:context-{instance,reference}
<a href="#">IN REVIEW</a>	Samuel Schneider	Do not use CopyableNode.isAugmenting()
<a href="#">RESOLVED</a>	Ivan Hrasko	Deprecate AssertDataObjects
<a href="#">RESOLVED</a>	Robert Varga	Remove AssertDataObjects
<a href="#">RESOLVED</a>	Robert Varga	Do not package rfc7895 ietf-yang-library

RESOLVED	Robert Varga	Always genenerate module DataRoot
RESOLVED	Robert Varga	Do not generate @java.beans.ConstructorProperties
RESOLVED	Robert Varga	Remove RpcService
RESOLVED	Robert Varga	Generate Rpc specializations
RESOLVED	Ruslan Kashapov	Do not allow cross-datastore transactions
RESOLVED	Robert Varga	Deprecate RpcService and related API contracts
RESOLVED	Robert Varga	Rename RpcConsumerRegistry
RESOLVED	Ruslan Kashapov	Generate binding codecs in a dedicated namespace
RESOLVED	Robert Varga	Deprecate BindingReflections.getModelRootPackageName()
RESOLVED	Šimon Ukuš	Remove binding.spec.util package
RESOLVED	Robert Varga	Deprecate DataObjectReadingUtil
RESOLVED	Šimon Ukuš	Rehost BindingMapping
RESOLVED	Ruslan Kashapov	Update mdsal-binding-dom-{codec,adapter} to deal with AugmentationNode being removed
RESOLVED	Samuel Schneider	Remove convience model artifacts
CONFIRMED	Unassigned	Add explicit open module declarations to models
RESOLVED	Robert Varga	Rename yang.binding.{Identifiable,Identifier}
CONFIRMED	Robert Varga	Rehost methods from yang.binding.contract.Naming
RESOLVED	Matúš Matok	Fix links in README
RESOLVED	Robert Varga	Remove DOMRpcRouterServices
RESOLVED	Robert Varga	Reduce number of Registration specializations
RESOLVED	Robert Varga	Do not reference SchemaNode.getPath() in BindingRuntimeTypes
RESOLVED	Robert Varga	Do not reference SchemaNode.getPath() in mdsal-binding-generator
CONFIRMED	Unassigned	Add utility classes for generating indented file content
IN REVIEW	Samuel Schneider	Replace and deprecate DataContainerCodecContext.isSubstitutionFor()
RESOLVED	Robert Varga	Remove BindingReflections.isAugmentationChild()
RESOLVED	Robert Varga	Remove BindingReflections.findHierarchicalParent()
RESOLVED	Robert Varga	Remove BindingReflections.resolveRpc{Input,Output}Class()
RESOLVED	Robert Varga	Split out mdsal.binding.dom.codec.impl.loader
RESOLVED	Oleksandr Panasiuk	Rehost BindingReflections.getModuleInfo() to BindingRuntimeHelpers
RESOLVED	Robert Varga	Define serialization proxies for (DOM)DataTreeIdentifier
CONFIRMED	Unassigned	Define DOMDataBroker.CompactExtension and DOMCompactAwareTransactionChain
CONFIRMED	Unassigned	Retrofit compact() into DOMStore
CONFIRMED	Unassigned	Expand DataBroker with compation awareness
CONFIRMED	Unassigned	Implement DOMStore.compact() in IMDS

RESOLVED	Ruslan Kashapov	Generate structures for RFC8040 yang-data extensions
RESOLVED	Robert Varga	Package RFC8819 Module Tags models
RESOLVED	Robert Varga	Add support for listening on individual notifications
RESOLVED	Robert Varga	Support for atomic registration of diverse DOMNotificationListeners
RESOLVED	Robert Varga	Add support for listening on multiple notifications
IN PROGRESS	Ivan Hrasko	Improve Decimal64 validity checks
RESOLVED	Robert Varga	Generate code for 'feature' statements
RESOLVED	Robert Varga	Add support for advertising supported features
RESOLVED	Robert Varga	Package RFC7317's iana-crypt-hash module
CONFIRMED	Unassigned	Add AOT version of mdsal-binding-codec
RESOLVED	Robert Varga	Do not use BindingReflections.getQName
CONFIRMED	Unassigned	Expose DOM transactions from DataBroker/TransactionChain
CONFIRMED	Unassigned	Bridge RFC8040 yang-data to NormalizedYangData
RESOLVED	Unassigned	Generate NAME constant for ietf-restconf:yang-data interfaces
CONFIRMED	Unassigned	Generate binding constructs for YANG extensions
RESOLVED	Oleksandr Panasiuk	Add DataBroker.registerListener(DataTreeIdentifier,DataListener)
CONFIRMED	Unassigned	Integrate java.security.Principal into request APIs
CONFIRMED	Unassigned	Add support for compacting InMemoryDataTree
OPEN	Robert Varga	Yang deviation is not reflected in java source code on all leaves sharing the same path
RESOLVED	Robert Varga	Document yang-ext:mount extension
RESOLVED	Samuel Schneider	Retain grouping/uses instantiation vectors
RESOLVED	Robert Varga	Cleanup dependency declarations
RESOLVED	Oleksandr Panasiuk	Add nonnullFoo() getters for non-semantic objects
RESOLVED	Ivan Hrasko	Do not reference concepts.Builder in builders
RESOLVED	Robert Varga	Do not format empty augmentations in DataObject.toString()
RESOLVED	Ivan Martinik	Use HexFormat to print out byte[] properties
RESOLVED	Ivan Martinik	Improve TypeObject.toString()
RESOLVED	Robert Varga	Do not use AugmentationSchemaNode.getOriginalDefinition()
RESOLVED	Robert Varga	Do not use DerivableSchemaNode
CONFIRMED	Unassigned	Do not use AddedByUsesAware
CONFIRMED	Ivan Hrasko	Improve PingPongTransactionChain coverage
RESOLVED	Robert Varga	Take supported features into account
RESOLVED	Robert Varga	Map system-ordered leaf-lists to java.util.Set
RESOLVED	Robert Varga	Reject invalid InstanceIdentifiers

<b>CONFIRMED</b>	Unassigned	BindingDataObjectCodecTreeNode.streamChild() does not support Choices
<b>RESOLVED</b>	Robert Varga	Clean up InstanceIdentifier semantics
<b>RESOLVED</b>	Robert Varga	Change 'type identityref' Binding representation to normal objects
<b>RESOLVED</b>	Oleksandr Zharov	Generate fields for all Identityrefs in an Union binding class.
<b>CONFIRMED</b>	Unassigned	Capture union's stringValue() contract
<b>RESOLVED</b>	Ivan Martiniak	Add BitsTypeObject
<b>RESOLVED</b>	Ivan Martiniak	Map bits type to primitive boolean
<b>CONFIRMED</b>	Unassigned	Improve BitsTypeObject storage
<b>RESOLVED</b>	Robert Varga	Do not shade byte-buddy
<b>RESOLVED</b>	Samuel Schneider	Convert mdsal-dom-schema-osgi to a JPMS module
<b>RESOLVED</b>	Samuel Schneider	Convert mdsal-dom-broker to a JPMS module
<b>RESOLVED</b>	Samuel Schneider	Convert mdsal-binding-dom-adapter to a JPMS module
<b>RESOLVED</b>	Oleksandr Panasiuk	Convert mdsal-eos-binding-adapter to a JPMS module
<b>RESOLVED</b>	Samuel Schneider	Add Automatic-Module-Name declarations to packaged models
<b>RESOLVED</b>	Robert Varga	Generate a switch expression for enum's forName()/forValue() methods
<b>RESOLVED</b>	Robert Varga	Generate ofName() and ofValue() for enumerations
<b>RESOLVED</b>	Robert Varga	Improve javadoc of generated classes
<b>RESOLVED</b>	Samuel Schneider	Generate javadocs for Builder.withKey()
<b>RESOLVED</b>	Samuel Schneider	Improve javadoc for generated keys
<b>RESOLVED</b>	Samuel Schneider	Generate javadoc for unions
<b>RESOLVED</b>	Samuel Schneider	Generate javadoc for augments
<b>RESOLVED</b>	Samuel Schneider	Generate javadoc for ScalarTypes
<b>CONFIRMED</b>	Unassigned	Refactor binding-model-api
<b>RESOLVED</b>	Robert Varga	Reflect identity status in generated classes
<b>RESOLVED</b>	Robert Varga	Reflect feature status in generated classes
<b>CONFIRMED</b>	Unassigned	Do not use proxies for Action/Rpc adapter
<b>RESOLVED</b>	Robert Varga	Integrate Action with BindingContract
<b>RESOLVED</b>	Robert Varga	Support single-RPC interfaces in RpcConsumerRegistry and RpcProviderService
<b>CONFIRMED</b>	Unassigned	Eliminate BindingReflections
<b>RESOLVED</b>	Matúš Matok	ModuleInfoSnapshot{Builder,Resolver} should propagate supported features
<b>RESOLVED</b>	Robert Varga	mdsal-dom-schema-osgi needs to propagate YangFeatureProviders
<b>RESOLVED</b>	Robert Varga	Do not track uninteresting bundles
<b>RESOLVED</b>	Robert Varga	Union value classes need to enforce non-null components
<b>RESOLVED</b>	Robert Varga	Change mapping of action input/output

<span>CONFIRMED</span>	Unassigned	Implement BindingCodecContext.getSubtreeCodec(Absolute)
<span>RESOLVED</span>	Matúš Matok	InstanceIdentifierBuilder should be variadic to KeyedInstanceIdentifier
<span>RESOLVED</span>	Robert Varga	Add Augmentable.augmentationOrElseThrow()
<span>RESOLVED</span>	Robert Varga	Disambiguate generated classes based on source statement
<span>CONFIRMED</span>	Robert Varga	Add binding.api.(Keyed)Instance{Identifier,Wildcard}
<span>IN REVIEW</span>	Robert Varga	Add binding.api.(Keyed)Instance{Identifier,Wildcard}-using methods
<span>RESOLVED</span>	Ruslan Kashapov	Deprecate Clustered(DOM)DataTreeChangeListener
<span>RESOLVED</span>	Robert Varga	Annotate generated serialVersionUID with @java.io.Serial
<span>RESOLVED</span>	Robert Varga	Remove Abstractietf(Ietf,Yang)Util
<span>IN REVIEW</span>	Samuel Schneider	SUPPRESS empty range checkers
<span>OPEN</span>	Robert Varga	Support setting schema source URL by YangLibraryContentBuilder
<span>OPEN</span>	Robert Varga	Support multiple schemas/module-sets by YangLibraryContentBuilder
<span>OPEN</span>	Robert Varga	Provide deviations to modules data built by YangLibraryContentBuilder
<span>RESOLVED</span>	Robert Varga	Move generated YangModelBindingProvider and ResourceYangModuleInfo
<span>CONFIRMED</span>	Unassigned	Fix instance-identifier mapping
<span>RESOLVED</span>	Robert Varga	Remove DOMExtensibleService
<span>RESOLVED</span>	Robert Varga	Disconnect (DOM)DataTreeIdentifier from serialization
<span>RESOLVED</span>	Robert Varga	Unify (DOM)DataTreeIdentifier layout
<span>CONFIRMED</span>	Unassigned	Reconcile DOM{Action,Rpc}Service availability listeners
<span>CONFIRMED</span>	Unassigned	Integrate mdsal-binding-util into mdsal-binding-api
<span>RESOLVED</span>	Robert Varga	Eliminate TransactionChainListener
<span>RESOLVED</span>	Robert Varga	Rehost AbstractDOMDataBroker
<span>RESOLVED</span>	Robert Varga	Improve RpcProviderService.registerRpcImplementations()
<span>CONFIRMED</span>	Unassigned	Remove Routed RPC concept and implementation
<span>CONFIRMED</span>	Unassigned	Eliminate the use of Java reflection from mdsal-binding-dom-codec
<span>CONFIRMED</span>	Unassigned	Sanitize bits type mapping
<span>CONFIRMED</span>	Unassigned	Provide a decentralized way of specifying YANG features available at runtime
<span>CONFIRMED</span>	Unassigned	MD-SAL needs to be AOT-friendly
<span>RESOLVED</span>	Robert Varga	replicate-netty fails to start up
<span>RESOLVED</span>	Robert Varga	Wrong included submodule resource name
<span>RESOLVED</span>	Robert Varga	Binding codegen generates invalid enforcer for String/length
<span>CONFIRMED</span>	Unassigned	Binding DTO bindingHashCode() is inconsistent with augmentations
<span>RESOLVED</span>	Robert Varga	Issue serializing object type defined by a leafref
<span>IN PROGRESS</span>	Samuel Schneider	BindingCodecContext does not deal with unresolved leafrefs

<span>RESOLVED</span>	Robert Varga	ietf-topology contains invalid leafrefs
<span>RESOLVED</span>	Robert Varga	Incorrect @NonNull with binary requireFoo()
<span>RESOLVED</span>	Ivan Hrasko	ActionProviderService is not registering action into DOMRpcRouter
<span>RESOLVED</span>	Oleksandr Panasiuk	Node credential storage encryption
<span>RESOLVED</span>	Robert Varga	DOMActionProviderService does not support fallback routing
<span>RESOLVED</span>	Robert Varga	Netty replication source fails to shutdown
<span>RESOLVED</span>	Robert Varga	Multiple issues during global context update
<span>RESOLVED</span>	Robert Varga	VerifyException thrown when resolving leafrefs with TAPI models
<span>RESOLVED</span>	Unassigned	CodeGenerator cannot implement listeners for notifications inside groupings
<span>RESOLVED</span>	Robert Varga	Misaligned odlparent/yangtools versions
<span>RESOLVED</span>	Robert Varga	Some RPCs are not accessible internally
<span>RESOLVED</span>	Robert Varga	Action(Provider)Service translates grouping Action path incorrectly
<span>OPEN</span>	Unassigned	Error notifying listener org.opendaylight.mdsal.binding.dom.adapter.BindingDOMDataTreeChangeListenerAdapter@7ee6f5ce
<span>RESOLVED</span>	Robert Varga	Binding generator fails on resolution of augment whose path contains nodes augmented from another namespace
<span>RESOLVED</span>	Robert Varga	Augments fail to resolve
<span>RESOLVED</span>	Robert Varga	ActionSpec.build() does not handle KeyedListActions
<span>RESOLVED</span>	Peter Suna	ActionProviderService.registerImplementation() does not handle KeyedListActions
<span>RESOLVED</span>	Robert Varga	ActionService does not handle KeyedListActions
<span>OPEN</span>	Jorge Matias	Code generation issue with CaseGenerator
<span>RESOLVED</span>	Robert Varga	Build error on generated code for Enumeration
<span>RESOLVED</span>	Robert Varga	Failure to start Binding/DOM codec
<span>RESOLVED</span>	Robert Varga	Binding generator generates uncomplilable code for leafref chain with identityref at the end
<span>RESOLVED</span>	Robert Varga	StackOverflowError with bgp-linkstate
<span>RESOLVED</span>	Robert Varga	Template issue compiling org-openroadm-pm-types@2020-03-27 yang model
<span>RESOLVED</span>	Dominik Vrbovský	Fix the comparing wrong QNames
<span>IN REVIEW</span>	Robert Varga	Fix bits mapping string/getDefaultInstance mapping
<span>RESOLVED</span>	Robert Varga	PingPongTransactionChain's cancel() always closes underlying chain
<span>IN REVIEW</span>	Ivan Martiniak	Fix generation of constructor parameters for BitsTypeObject
<span>RESOLVED</span>	Robert Varga	DOMRpcService.registerImplementations() does not work with pre-existing entries
<span>RESOLVED</span>	Robert Varga	Union's stringValue() does not handle BitsTypeObject
<span>RESOLVED</span>	Matúš Matok	typedef/bits generates invalid code
<span>RESOLVED</span>	Sangwook Ha	Notification registration not updated with 'registerNotificationListeners'
<span>RESOLVED</span>	Robert Varga	Notification through MD-sal
<span>CONFIRMED</span>	Ivan Hrasko	Build fails on test using identifiers with unicode characters

RESOLVED	Robert Varga	Wildcard KeyedInstanceIdentifier cannot be constructed
RESOLVED	Robert Varga	DOMDataTreeCommitCohort does not expose EffectiveModelContext
RESOLVED	Robert Varga	Runtime types fail to be generated for ietf-keystore
RESOLVED	Robert Varga	Fix mdsal-binding-dom-codec module definition
RESOLVED	Robert Varga	Runtime types fail with leafref typedef and disabled features
RESOLVED	Robert Varga	WriteTransaction.mergeParentStructure{Merge,Put} does not work with augmentation InstanceIdentifier
RESOLVED	Robert Varga	AbstractPingPongTransactionChain is not idempotent
RESOLVED	Robert Varga	IAE during dynamic proxy instantiation
RESOLVED	Robert Varga	SingletonServiceProvider fails to shutdown cleanly
RESOLVED	Unassigned	opeconfig yang model compilation with augmented support is not available in potassium based yangtools

196 issues

#### Milestones

Key   Summary   T   Updated   Status   Resolution

No issues found

