Controller Shield: Boron: Release Plan

Contents

- Introduction
- Release Deliverables
- Release Milestones
- Expected Dependencies on Other Projects
- Expected Incompatibilities with Other Projects
- Compatibility with Previous Releases
- List of Externally Consumable APIs
 - Southbound Attacks at OpenFlow Plugin
 - RPC APIs
 - Notification APIs
 - Northbound Attacks at AAA Plugin
 - RPC APIs
 - Yang Data Store APIs
 - Notification APIs
 - ° East-West Attacks at SDNinterface App Plugin
 - Notification APIs
 - RPC APIs
 - Yang Data Store APIs
- Themes and Priorities
- Requests from Other Projects
- Test Tools Requirements
- Other

Introduction

Boron Release is intended to harden the existing usecplugin and extend it to collect more security related information. Usecplugin Beryllium release collects security information related to OpenFlow plugin. In the current Boron release, usecplugin will collect information about security breach attempts via OpenDaylight's north bound interface (through AAA service) and east-west interface (through SDNi App). Moreover, Usecplugin will also check whether DDoS attack is occuring on any of its plugin ports (eg. OVSDB 6640 port, DLUX 8181 port etc.) and collect the relevant data from these ports. Also, the plugin will expose the database contents via Restconf interface for any North Bound App to add logic for programming flows to protect the controller.

Release Deliverables

- · Information on Failed login attempts to DLUX user interface
- Information on Failed login attempt to SDNi App interface
- Hardened and Improved Code for OpenFlow Plugin related attack (from Be release)

Release Milestones

Milestone	Offset 2 Date	Deliverables								
M1	03/24/2016	Name Statu		Status		Description				
		Intent to participate		Done	Intent to partici	pate in Boron Simultaneous Release				
		Candidate Release F	Candidate Release Plan		Candidate Release Plan					
M2	05/05/2016	Name	Status		Description					
		Final Release Plan	Done Fin		al Release Plan					
M3	06/02/2016	Name		Status	Description					
		Beryllium Code Improvement			Increase test of	overage of Beryllium implementation				
		ODL Login Attempt Monitoring			Monitor Login Attempt to ODL and identify successful and		failed attempts			

M4	06/30/2016	Name ODL Login Attempt APIs Documentation		Status		Description			
					Develop REST and JAVA APIs using RPCs and Notifications				
					User guide, DInclude a word	 User guide, Developer guide and ASCII Docs Include a word count of each relevant .adoc file with a goal of draft documentation done 			
		Integration and System Test			Automated syIntegration test	 Automated system testing with Robot framework. Integration testing on Karaf distribution with the dependent components. 			
M5	04/08/2016	Name	Status		Description				
		Code Freeze		Finalize 1	he code development us	ed by usecplugin.			
		Documentation		Update v	viki documentation to ref	lect all features.			
		Feature Test		Run syst	em test for all features.				
RC0	N/A	Name	Name Stat		us Description				
		Deliverable Na	me	De	eliverable Description				
RC1	N/A	Name State		tus	Description				
		Deliverable Name		Deliverable Description					
RC2	N/A	Name Stat		tus	Description				
		Release Review		Release Review Description		otion			
		Deliverable Na	me	De	eliverable Description				
RC3		Name	Sta	tus	Description				
		Release Review	w	Re	elease Review Descrip	otion			
		Deliverable Na	me	De	eliverable Description				
Formal Release		Name	Sta	tus	Description				
		Deliverable Na	me	De	eliverable Description				

Expected Dependencies on Other Projects

- OpenFlow Plugin
- AAA Plugin
- SDNi App

Expected Incompatibilities with Other Projects

None

Compatibility with Previous Releases

List of Externally Consumable APIs

Southbound Attacks at OpenFlow Plugin

RPC APIs

- Attacks from DPID Number of OpenFlow Packet_In Attacks from Switch with DeviceID
- Attacks from Host Number of OpenFlow Packet_In Attacks from SrcIP Address
 Attacks to Server Number of OpenFlow Packet_In Attacks to DstIP Address

• Attacks at Time of Day - Number of OpenFlow Packet_In Attacks at a Particular Time with a variable Window Time

Notification APIs

• On Low Water Mark Breached - Notification generated on breaching Low Water Mark

Northbound Attacks at AAA Plugin

RPC APIs

- Login Attempt from IP Returns Time and Type of Attempts (Success or Failure)
- · Login Attempt at Time Returns Attempter IP Address and Type of Attempts (Success or Failure)

Yang Data Store APIs

· Get Login Attempts - Returns Source IP address of Attempter with Time of Attempts and Type of Attempts (Success or Failure)

Notification APIs

• On Invalid Login Attempt - Notification generated on Invalid Login Attempt

East-West Attacks at SDNinterface App Plugin

Notification APIs

Unknown Peer Controller Connection Request

RPC APIs

No of Connection Requests from IP Address

Yang Data Store APIs

• Time and IP Address of Connection Requests

Themes and Priorities

Requests from Other Projects

None Listed

Test Tools Requirements

• Java unit and integration tests

Other

Primary Setup Contact : Thomas Lee Sebastian (thomaslee.s@tcs.com) Rafat Jahan (rafat.jahan@tcs.com) Test Contact : Rafat Jahan (rafat.jahan@tcs.com) Document Contact : Rafat Jahan (rafat.jahan@tcs.com) Committers : Thomas Lee Sebastian (thomaslee.s@tcs.com) Rafat Jahan (rafat.jahan@tcs.com) Deepika Gupta (gupta.deepika1@tcs.com)